

**Electroacoustics - Measurement microphones --
Part 2: Primary method for the pressure calibration
of laboratory standard microphones by the
reciprocity technique**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 61094-2:2009 sisaldab Euroopa standardi EN 61094-2:2009 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 29.05.2009 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 16.04.2009.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 61094-2:2009 consists of the English text of the European standard EN 61094-2:2009.

This standard is ratified with the order of Estonian Centre for Standardisation dated 29.05.2009 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 16.04.2009.

The standard is available from Estonian standardisation organisation.

ICS 17.140.50

Võtmesõnad: acoustic measurement, acoustic pressure, calibration, condenser microphones, electro acoustics, microphones, sensitivity

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

**Electroacoustics -
Measurement microphones -
Part 2: Primary method for pressure calibration
of laboratory standard microphones
by the reciprocity technique
(IEC 61094-2:2009)**

Electroacoustique -
Microphones de mesure -
Partie 2: Méthode primaire
pour l'étalonnage en pression
des microphones étalons de laboratoire
par la méthode de réciprocité
(CEI 61094-2:2009)

Elektroakustik -
Messmikrofone -
Teil 2: Primärverfahren
zur Druckkammer-Kalibrierung
von Laboratoriums-Normalmikrofonen
nach der Reziprozitätsmethode
(IEC 61094-2:2009)

This European Standard was approved by CENELEC on 2009-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 29/671/FDIS, future edition 2 of IEC 61094-2, prepared by IEC TC 29, Electroacoustics, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61094-2 on 2009-03-01.

This European Standard supersedes EN 61094-2:1993.

EN 61094-2:2009 includes the following significant technical changes with respect to EN 61094-2:1993:

- an update of Clause 6 to fulfil the requirements of ISO/IEC Guide 98-3;
- an improvement of the heat conduction theory in Annex A;
- a revision of Annex F: Physical properties of humid air.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2009-12-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2012-03-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61094-2:2009 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61094-1	2000	Measurement microphones - Part 1: Specifications for laboratory standard microphones	EN 61094-1	2000
ISO/IEC Guide 98-3 - ¹⁾		Uncertainty of measurement - Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)	-	-

¹⁾ Undated reference.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Reference environmental conditions	7
5 Principles of pressure calibration by reciprocity	7
5.1 General principles	7
5.1.1 General	7
5.1.2 General principles using three microphones	7
5.1.3 General principles using two microphones and an auxiliary sound source	7
5.2 Basic expressions	8
5.3 Insert voltage technique	9
5.4 Evaluation of the acoustic transfer impedance	9
5.5 Heat-conduction correction	11
5.6 Capillary tube correction.....	11
5.7 Final expressions for the pressure sensitivity	12
5.7.1 Method using three microphones	12
5.7.2 Method using two microphones and an auxiliary sound source	12
6 Factors influencing the pressure sensitivity of microphones	13
6.1 General.....	13
6.2 Polarizing voltage.....	13
6.3 Ground-shield reference configuration.....	13
6.4 Pressure distribution over the diaphragm	13
6.5 Dependence on environmental conditions	14
6.5.1 Static pressure	14
6.5.2 Temperature.....	14
6.5.3 Humidity	14
6.5.4 Transformation to reference environmental conditions	15
7 Calibration uncertainty components	15
7.1 General.....	15
7.2 Electrical transfer impedance	15
7.3 Acoustic transfer impedance	15
7.3.1 General	15
7.3.2 Coupler properties	15
7.3.3 Microphone parameters	16
7.4 Imperfection of theory.....	17
7.5 Uncertainty on pressure sensitivity level.....	18
Annex A (normative) Heat conduction and viscous losses in a closed cavity	20
Annex B (normative) Acoustic impedance of a capillary tube.....	23
Annex C (informative) Examples of cylindrical couplers for calibration of microphones	26
Annex D (informative) Environmental influence on the sensitivity of microphones	31
Annex E (informative) Methods for determining microphone parameters	34
Annex F (informative) Physical properties of humid air.....	37

Figure 1 – Equivalent circuit for evaluating the acoustic transfer impedance $Z_{a,12}$	9
Figure 2 – Equivalent circuit for evaluating $Z'_{a,12}$ when coupler dimensions are small compared with wavelength.....	10
Figure 3 – Equivalent circuit for evaluating $Z'_{a,12}$ when plane wave transmission in the coupler can be assumed	10
Figure C.1 – Mechanical configuration of plane-wave couplers	27
Figure C.2 – Mechanical configuration of large-volume couplers	29
Figure D.1 – Examples of static pressure coefficient of LS1P and LS2P microphones relative to the low-frequency value as a function of relative frequency f/f_0	32
Figure D.2 – General frequency dependence of that part of the temperature coefficient for LS1P and LS2P microphones caused by the variation in the impedance of the enclosed air	33
Table 1 – Uncertainty components	19
Table A.1 – Values for E_V	21
Table B.1 – Real part of $Z_{a,C}$ in gigapascal-seconds per cubic metre (GPa·s/m ³).....	24
Table B.2 – Imaginary part of $Z_{a,C}$ in gigapascal-seconds per cubic metre (GPa·s/m ³).....	25
Table C.1 – Nominal dimensions for plane-wave couplers.....	28
Table C.2 – Nominal dimensions and tolerances for large-volume couplers	29
Table C.3 – Experimentally determined wave-motion corrections for the air-filled large-volume coupler used with type LS1P microphones	30
Table F.1 – Calculated values of the quantities in Clauses F.1 to F.5 for two sets of environmental conditions	40
Table F.2 – Coefficients used in the equations for humid air properties.....	41

ELECTROACOUSTICS – MEASUREMENT MICROPHONES –

Part 2: Primary method for pressure calibration of laboratory standard microphones by the reciprocity technique

1 Scope

This part of International Standard IEC 61094

- is applicable to laboratory standard microphones meeting the requirements of IEC 61094-1 and other types of condenser microphone having the same mechanical dimensions;
- specifies a primary method of determining the complex pressure sensitivity so as to establish a reproducible and accurate basis for the measurement of sound pressure.

All quantities are expressed in SI units.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61094-1:2000, *Measurement microphones – Part 1: Specifications for laboratory standard microphones*

ISO/IEC Guide 98-3, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*¹