INTERNATIONAL STANDARD

ISO 11088

> Sixth edition 2018-05

Alpine ski/binding/boot (S-B-B) system — Assembly, adjustment and inspection

mble s, lage et co. Ensemble ski/fixation/chaussure (SFC) pour skis alpins — Montage,



Reference number ISO 11088:2018(E)



© ISO 2018

Nementation, no parhanical, including requested for All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword Introduction 1 Scope 2 Normative references 3 Terms and definitions 4 Principle 5 Skier's parameters 5.1 General 5.2 Weight method 6 Equipment parameters 6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	Page
1 Scope 2 Normative references 3 Terms and definitions 4 Principle 5 Skier's parameters 5.1 General 5.2 Weight method 6 Equipment parameters 6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex E (informative) Drill Bibliography	iv
2 Normative references 3 Terms and definitions 4 Principle 5 Skier's parameters 5.1 General 5.2 Weight method 6 Equipment parameters 6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	v
2 Normative references 3 Terms and definitions 4 Principle 5 Skier's parameters 5.1 General 5.2 Weight method 6 Equipment parameters 6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	1
Terms and definitions 4 Principle 5 Skier's parameters 5.1 General 5.2 Weight method 6 Equipment parameters 6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	1
4 Principle 5 Skier's parameters 5.1 General 5.2 Weight method 6 Equipment parameters 6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
5 Skier's parameters 5.1 General 5.2 Weight method 6 Equipment parameters 6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
5.1 General 5.2 Weight method 6 Equipment parameters 6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	3
6.1 Choice of new equipment 6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
6.2 Visual inspection and preparation of used equipment 6.3 Assembly 6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
6.4 Binding-to-boot fitting adjustments 6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
6.5 Initial indicator adjustment 6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
6.6 Functional check (inspection of functions) 6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
6.7 Measurement of release moment 6.8 Report Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
Annex A (normative) Definition of skier type Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
Annex B (normative) Method of setting Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
Annex C (normative) Flow chart Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
Annex D (normative) Clean versus lubricated diagnostic test for boot/binding compatibilit Annex E (informative) Drill Bibliography	
Annex E (informative) Drill Bibliography	10
Bibliography	
	13
	14

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 83, Sports and other recreational facilities and equipment, Subcommittee SC 4, Snowsports equipment.

This sixth edition cancels and replaces the fifth edition (ISO 11088:2015), which has been technically revised. The main changes are:

- the content of the test report has been extended to include specifications of the ski, the binding and the boot:
- accepted deviation for the adjustment has been aligned to other relevant standards;
- in Annex A, other figures and characters have been given as an informative option for the indication of skier type;
- the tibia method has been removed from Figure C.1;
- release preference instead of skier types;
- normative references have been updated;
- a new Clause 4 has been added.

Introduction

International Standards exist for the components of the alpine ski/binding/boot (S-B-B) system, mainly intended for the component manufacturers. An International Standard (ISO 8061) also exists for the selection of release moments.

This document is intended primarily for retailers. However, its aim is to include, in one text, the different phases of the choice of components, their assembly, adjustment and inspection in the form of practical procedures, and to provide tolerances for inspection and adjustment.

res and aaves the lation of use. The inspection procedures and tolerances described in this document apply to the condition of the S-B-B system before it leaves the ski shop to judge the condition of the equipment once it is put into use and for periodic verification of used equipment.

This document is a previous generated by tills

Alpine ski/binding/boot (S-B-B) system — Assembly, adjustment and inspection

1 Scope

This document specifies assembly, adjustment and inspection procedures for the binding mechanisms of skis, integrating, in a practical way, the requirements of those International Standards which are related to skis, bindings and boots.

It is intended for all individuals and institutions concerned with those procedures, and especially for sports retailers.

It is applicable to a ski-binding-boot system (S-B-B) for alpine skiing, of which at least one component is owned by the user.

This document is applicable for complete and incomplete alpine ski-binding-boot systems which are owned by the user or rented for 15 days or more.

NOTE ISO 13993 gives a method of measurement for equipment which is rented for less than 15 days.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5355, Alpine ski-boots — Requirements and test methods

ISO 8061:2015, Alpine ski-bindings — Selection of release torque values

ISO 8364, Alpine skis and bindings — Binding mounting area — Requirements and test methods

ISO 9462, *Alpine ski-bindings* — *Requirements and test methods*

ISO 9523, Touring ski-boots for adults — Interface with touring ski-bindings — Requirements and test methods

ISO 11087, Alpine ski-bindings — Retention devices — Requirements and test methods

ISO 11110, Winter-sports equipment — Test devices for the setting of the functional unit ski/boot/binding — Requirements and tests

ISO 13992, Alpine touring ski-bindings — Requirements and test methods

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1

fitting adjustment

procedure required to obtain geometric compatibility and correct functioning of different components