

Quality assessment systems - Part 3: Selection and use of sampling plans for printed boards and laminate end-products and in-process auditing (IEC 61193-3:2013)

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 61193-3:2013 sisaldab Euroopa standardi EN 61193-3:2013 ingliskeelset teksti.	This Estonian standard EVS-EN 61193-3:2013 consists of the English text of the European standard EN 61193-3:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 26.04.2013.	Date of Availability of the European standard is 26.04.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 31.190

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

**Quality assessment systems -
Part 3: Selection and use of sampling plans for printed board and laminate
end-product and in-process auditing
(IEC 61193-3:2013)**

Système d'assurance de la qualité -
Partie 3: Choix et utilisation de plans
d'échantillonnage pour cartes imprimées
et produits finis stratifiés et audits en
cours de fabrication
(CEI 61193-3:2013)

Qualitätsbewertungssysteme -
Teil 3: Auswahl und Anwendung von
Stichprobenanweisungen für Endprodukte
von Leiterplatten und Laminaten und
fertigungsbegleitende Auditierung
(IEC 61193-3:2013)

This European Standard was approved by CENELEC on 2013-02-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 91/1061/FDIS, future edition 1 of IEC 61193-3, prepared by IEC TC 91 "Electronics assembly technology" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61193-3:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-11-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-02-28

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61193-3:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-2-20	NOTE	Harmonized as EN 60068-2-20.
IEC 60068-2-38	NOTE	Harmonized as EN 60068-2-38.
IEC 61189-2	NOTE	Harmonized as EN 61189-2.
IEC 61189-3	NOTE	Harmonized as EN 61189-3.
IEC 61193-1	NOTE	Harmonized as EN 61193-1.
IEC 61193-2	NOTE	Harmonized as EN 61193-2.
IEC 62326-1	NOTE	Harmonized as EN 62326-1.
IEC 62326-4-1	NOTE	Harmonized as EN 62326-4-1.
ISO 14001	NOTE	Harmonized as EN ISO 14001.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60194	2006	Printed board design, manufacture and assembly - Terms and definitions	EN 60194	2006
IEC 62326-4	1996	Printed boards - Part 4: Rigid multilayer printed boards with interlayer connections - Sectional specification	EN 62326-4	1997
ISO 9000	2005	Quality management systems - Fundamentals and vocabulary	EN ISO 9000	2005
ISO 14560	2004	Acceptance sampling procedures by attributes - Specified quality levels in nonconforming items per million	-	-

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	7
4 Sampling methodologies.....	9
4.1 General.....	9
4.2 Attribute sampling plans.....	10
4.2.1 General.....	10
4.2.2 Continuous sampling.....	10
4.2.3 Production lot attributes.....	10
4.2.4 Production lot variables.....	10
4.3 Non-statistical sampling plans.....	11
4.4 Defining $c = 0$ plans.....	11
5 Classification of attributes.....	16
5.1 General.....	16
5.2 Classification assignment.....	17
5.3 Classification and adjustment of sampling plan criteria.....	18
5.4 Process control.....	18
6 Defects and process deviation indicator (PDI) evaluation.....	19
6.1 General.....	19
6.2 Process control and process improvement requirements.....	19
7 Inspection plans.....	19
7.1 General.....	19
7.2 Zero acceptance number-based sampling plans.....	20
7.3 Responsible authority.....	20
7.4 Application.....	20
7.5 Sampling plan specification.....	20
7.6 Submission of product.....	21
8 Classification of defects.....	23
8.1 General.....	23
8.2 Customers detail specification (CDS) data.....	23
9 Percent defectives per million opportunities.....	23
9.1 General.....	23
9.2 Classes of DPMO.....	24
9.2.1 General.....	24
9.2.2 DPMO-1 – Functional non-conformances only.....	24
9.2.3 DPMO-2 – Electrical non-conformances.....	24
9.2.4 DPMO-3 – Visual/mechanical non-conformances.....	24
9.2.5 DPMO-4 – hermetic non-conformances.....	24
9.2.6 DPMO-5 – all non-conformances.....	24
9.3 Estimation of DPMO.....	24
9.3.1 General.....	24
9.3.2 DPMO reporting.....	24
9.4 DPMO calculations.....	25

9.4.1	General	25
9.4.2	Sampling requirements	25
10	Use of sampling plans	25
10.1	General	25
10.2	Grouping of tests	25
10.3	Categorization	26
10.4	In-process testing and control	26
10.5	Indirect measuring methods	27
Annex A (informative)	Example of consensus sampling plan for three levels of conformance to requirements of IEC 62326-4 multilayer printed boards	28
Annex B (informative)	Example of consensus sampling plan	49
Annex C (informative)	Operating characteristics curves and values	52
Bibliography	60
Figure 1	– Typical OC curve for $c \geq 0$ plan	13
Figure 2	– OC curve comparisons between $c \geq 0$ and $c = 0$ plans	14
Figure 3	– Systematic path for implementing process control	19
Figure 4	– Non-conforming attributes with specification requirements	22
Figure C.1	– Lot size 2 to 8	53
Figure C.2	– Lot size 9 to 15	53
Figure C.3	– Lot size 16 to 25	54
Figure C.4	– Lot size 26 to 50	54
Figure C.5	– Lot size 51 to 90	55
Figure C.6	– Lot size 91 to 150	55
Figure C.7	– Lot size 151 to 280	56
Figure C.8	– Lot size 281 to 500	56
Figure C.9	– Lot size 501 to 1 200	57
Figure C.10	– Lot size 1 201 to 3 200	57
Figure C.11	– Lot size 3 201 to 10 000	58
Figure C.12	– Lot size 10 001 to 35 000	58
Figure C.13	– Lot size 35 000 to 150 000	59
Figure C.14	– Lot size 150 001 to 500 000	59
Table 1	– Inspection plan comparison	14
Table 2	– Risk management index values (Associated AQ Limits)	15
Table 3	– Sample size selection guideline	16
Table 4	– Worst-case use environments	17
Table 5	– General sample plan criteria per industry markets/technology sectors	21
Table 6	– Process control	27
Table A.1	– Performance requirements	28
Table B.1	– Guideline for qualification and conformance inspection	50
Table C.1	– Lot sizes	52
Table C.2	– Small lot characteristics	52

INTRODUCTION

A clear description in IEC standards and specifications and their reference to sampling plans in order to insure adherence to customer requirements is essential. All the details should be clear as to their implementation or adjustment for evaluation of the product to be shipped, the use of process control and SPC, or the applicability for using these principles in controlled experimentation. The general characteristics of these principles relate to a gradual reduction that might be needed in examining the product being manufactured. As such, they are sometimes referred to as the logical steps to process improvement. These steps are as follows.

- a) STATISTICAL SAMPLING: where, when, and why
 - To determine a proper amount of examples from a given lot of product and using statistics to evaluate the occurrence of anomalies.
- b) ZERO DEFECT STANDARDS: role of specifications
 - To adopt the role of attempting to achieve no defects in a production lot through the recommendations identified in standards or specifications that define the product requirements.
- c) ECONOMICS: AQL versus cost of defects
 - To establishing the highest level of non-conforming product characteristics, determining the cost that is incurred when these are discovered or delivered accidentally to the customer (cost of quality) and establishing an acceptable quality assessment methodology in order to reduce these occurrences.
- d) SPC REDUCED INSPECTION: rules for use and control
 - To create a process control program that is based on reject criteria, followed by controlled experimentation to improve the process and then using statistical analysis in order to determine that the process improvement has reduced the occurrences of these reject criteria.

The explosion of the electronics industry has led to a situation where the design of the printed board mounting structure or the material used to produce the product is so complex, that the quality level of these items delivered with known failures are no longer acceptable. The acceptable number of non-conforming products should be directed toward approaching zero in producer-customer contracts.

This has led to the development of new methods of quality assurance like the application of Statistical Process Control (SPC). The low number of permitted non-conforming product according to the AQL tables caused many to resort to 100 % testing or inspection.

At the same time the quality thinking has developed so that the idea to accept failures has become impossible, and the use of the AQL tables in the traditional way has been diminishing very rapidly.

QUALITY ASSESSMENT SYSTEMS –

Part 3: Selection and use of sampling plans for printed board and laminate end-product and in-process auditing

1 Scope

This part of IEC 61193 establishes sampling plans for inspection by attributes, including sample plan selection criteria and implementation procedures for printed board and laminate end-product and in-process auditing. The principles established herein permit the use of different sampling plans that may be applied to an individual attribute or set of attributes, according to classification of importance with regard to form, fit and function.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60194:2006, *Printed board design, manufacture and assembly – Terms and definitions*

IEC 62326-4:1996, *Printed boards – Part 4: Rigid multilayer printed boards with interlayer connections – Sectional specification*

ISO 9000:2005, *Quality management systems – Fundamentals and vocabulary*

ISO 14560:2004, *Acceptance sampling procedures by attributes – Specified quality levels in non-conforming items per million*

3 Terms and definitions

For purposes of this document, the terms and definitions given in IEC 60194:2006, ISO 9000:2005 and the following apply.

3.1

attribute

aspect or characteristic of a unit of a defined product in terms of actual requirement and allowable deviation

Note 1 to entry: An actual requirement signifies the following:

- a requirement that is stated as a measurement with an allowable more and/or less deviation;
- a requirement stated as an absolute desired condition with allowable anomalies;
- a requirement stated as an absolute without exception (go/ no-go).

3.1.1

critical attribute

attribute where a defect, that judgment and experience indicate, is likely to result in hazardous or unsafe conditions for individuals using, maintaining, or depending upon the product; or where a defect is likely to prevent performance or function of a major end item such as a ship, aircraft, computer, medical equipment, or telecommunication satellite