INTERNATIONAL STANDARD



Second edition 2018-07

Hig' (H) th lr **High-pressure decorative laminates** (HPL, HPDL) — Sheets based on thermosetting resins (usually called laminates) —

Part 3:

Classification and specifications for laminates less than 2 mm thick and intended for bonding to supporting substrates

Stratifiés décoratifs haute pression (HPL, HPDL) — Plaques à base de résines thermodurcissables (communément appelées stratifiés) —

Partie 3: Classification et spécifications des stratifiés d'épaisseur moins de 2 mm d'épaisseur et destiné pour le collage de support

Reference number ISO 4586-3:2018(E)



© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents

Page

Fore	eword		v
Intr	oductio	n	vi
1	Scop	е	
2	Norn	native references	
3		is and definitions	
4	Mate	rial types	2
5	Requirements		
	5.1	General	
	5.2	Numerical classification system	
	5.3	Alphabetical classification system	
	5.4	Nomenclature	
6	Requirements		
	6.1	Compliance	
	6.2	Inspection requirements	
		6.2.1 General6.2.2 Colour and pattern	
		6.2.3 Surface finish	
		6.2.4 Reverse side	
		6.2.5 Visual inspection	
	6.3	Dimensional tolerance requirements	
	6.4	Test requirements	
		6.4.1 General requirements	
		6.4.2 Additional requirements for Type P laminates6.4.3 Notes on requirements for reaction to fire (see <u>Annex B</u>)	
Ann	ex C (inf	formative) Addendum to <u>6.4.3</u> , relating to fire performance formative) Addendum relating to electrostatic properties	13
Bibl	iograph	ıy	
			125

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 11, *Products*.

This second edition cancels and replaces the first edition (ISO 4586-3:2015), which has been technically revised.

The main changes compared to the previous edition are as follows:

— correction of errors due to typographical, formatting, and omission issues.

A list of all parts in the ISO 4586 series can be found on the ISO website.

© ISO 2018 – All rights reserved

Introduction

High-pressure decorative laminates are characterized by their qualities, durability, and functional performance. High-pressure laminate sheets are available in a wide variety of colours, patterns and surface finishes. They are resistant to wear, scratching, impact, moisture, heat, and staining; and possess good hygienic and anti-static properties, being easy to clean and maintain.

In an effort to harmonize ISO 4586 with other high-pressure decorative laminate standards, multiple methods may be published that demonstrate similar properties. In these instances, the same test method title is given and is annotated as either "Method A" or "Method B". This is the case in the following tests: Edge squareness — 8/9, Dry heat — 17/18 Dimensional stability at elevated temperatures — 19/20, Dimensional stability at ambient temperature -21/22, Staining -30/31, Lightfastness -32/33, Formability -38/39, and Blistering -40/41. In these instances, either method may be utilized in testing. Compliance to both methods is not required. While these tests are similar they are by no means identical and results of one method do not necessarily correspond to the results of the accompanying test. In these situations, it is intended that specific parts of ISO 4586 for performance requirements be consulted. Each specific method has performance requirements particular to that method for individual grades of high-pressure decorative laminate.

This document has been harmonized with EN 438-3 whenever possible.

In addition, <u>Annex C</u> provides information on electrostatic properties and is included as a convenient reference to answer common questions.

n o.

this document is a preview demendence of the document is a preview demendence of the document of the document

High-pressure decorative laminates (HPL, HPDL) — Sheets based on thermosetting resins (usually called laminates) —

Part 3: Classification and specifications for laminates less than 2 mm thick and intended for bonding to supporting substrates

1 Scope

This document applies to high-pressure laminates (HPL) less than 2 mm thick normally intended for bonding to supporting substrates to produce HPL composite panels and establishes a classification system for high-pressure decorative laminates according to their performance and main recommended fields of application, including materials with special characteristics, for example formability or defined reaction to fire. This document also specifies requirements for the properties of the various types of laminates covered by this classification system.

ISO 4586-2 specifies the methods of test relevant to this document. ISO 4586-4 through ISO 4586-8 are reserved for other types of HPL materials.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1183-1, Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pyknometer method and titration method

ISO 4586-2:2018, High-pressure decorative laminates (HPL, HPDL) — Sheets based on thermosetting resins (usually called laminates) — Part 2: Determination of properties

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp