

Fibre-optic communication subsystem test procedures -
Part 4-1: Installed cabling plant - Multimode
attenuation measurement

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 61280-4-1:2019 sisaldab Euroopa standardi EN IEC 61280-4-1:2019 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 61280-4-1:2019 consists of the English text of the European standard EN IEC 61280-4-1:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 02.08.2019.	Date of Availability of the European standard is 02.08.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 33.180.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN IEC 61280-4-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2019

ICS 33.180.01

Supersedes EN 61280-4-1:2009 and all of its amendments and corrigenda (if any)

English Version

**Fibre-optic communication subsystem test procedures - Part 4-1:
Installed cabling plant - Multimode attenuation measurement
(IEC 61280-4-1:2019)**

Procédures d'essai des sous-systèmes de
télécommunication fibroniques - Partie 4-1: Installation
câblée - Mesure de l'affaiblissement en multimodal
(IEC 61280-4-1:2019)

Prüfverfahren für Lichtwellenleiter-
Kommunikationsuntersysteme - Teil 4-1: Lichtwellenleiter-
Kabelanlagen - Mehrmoden-Dämpfungsmessungen
(IEC 61280-4-1:2019)

This European Standard was approved by CENELEC on 2019-06-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 86C/1575/FDIS, future edition 3 of IEC 61280-4-1, prepared by SC 86C "Fibre optic systems and active devices" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61280-4-1:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-03-26
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-06-26

This document supersedes EN 61280-4-1:2009 and all of its amendments and corrigenda (if any)

This edition constitutes a technical revision including the following significant technical changes with respect to the previous edition:

- a) changes to Annex F on encircled flux to harmonise with IEC TR 62614-2, but keeping the encircled flux limits defined in Tables F.2 to F.5 unchanged;
- b) addition of an equipment cord method in Annex D;
- c) inclusion of testing bend insensitive multimode optical fibre;
- d) updates to measurement uncertainty;
- e) definition of additional cabling configurations;
- f) changes to Table 5 on spectral requirements.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61280-4-1:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60793-1-40	NOTE	Harmonized as EN IEC 60793-1-40
IEC 60793-2	NOTE	Harmonized as EN 60793-2
IEC 60793-2-10	NOTE	Harmonized as EN 60793-2-10
IEC 60793-2-50	NOTE	Harmonized as EN IEC 60793-2-50
IEC 60794-2-21	NOTE	Harmonized as EN IEC 60794-2-21
IEC 61300-3-6	NOTE	Harmonized as EN 61300-3-6
IEC 61300-3-45	NOTE	Harmonized as EN 61300-3-45
IEC 61745	NOTE	Harmonized as EN 61745
IEC 61755-6-2	NOTE	Harmonized as EN IEC 61755-6-2
IEC 62664-1-1	NOTE	Harmonized as EN 62664-1-1
IEC 62614:2010	NOTE	Harmonized as EN 62614:2010 (not modified)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60825-2	-	Safety of laser products - Part 2: Safety of optical fibre communication systems (OFCS)	EN 60825-2	-
IEC 61280-1-3	-	Fibre optic communication subsystem test procedures - Part 1-3: General communication subsystems - Central wavelength and spectral width measurement	EN 61280-1-3	-
IEC 61280-1-4	-	Fibre optic communication subsystem test procedures - Part 1-4: General communication subsystems - Light source encircled flux measurement method	EN 61280-1-4	-
IEC 61300-3-35	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-35: Examinations and measurements - Visual inspection of fibre optic connectors and fibre-stub transceivers	EN 61300-3-35	-
IEC 61315	-	Calibration of fibre-optic power meters	EN IEC 61315	-
IEC 61746-2	-	Calibration of optical time-domain reflectometers (OTDR) - Part 2: OTDR for multimode fibres	EN 61746-2	-

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references	9
3 Terms, definitions, graphical symbols and abbreviated terms.....	9
3.1 Terms and definitions.....	10
3.2 Graphical symbols	12
3.3 Abbreviated terms.....	14
4 Test methods.....	14
4.1 General.....	14
4.2 Cabling configurations and applicable test methods	15
5 Overview of uncertainties	17
5.1 General.....	17
5.2 Sources of significant uncertainties.....	17
5.3 Consideration of the PM.....	18
5.4 Consideration of test cord connector grade	18
5.5 Typical uncertainty values.....	18
6 Apparatus.....	19
6.1 General.....	19
6.2 Light source	19
6.2.1 Stability	19
6.2.2 Spectral characteristics (LSPM measurement).....	19
6.3 Launch cord.....	20
6.4 Receive or tail cord.....	20
6.5 Substitution cord.....	21
6.6 Power meter – LSPM methods only.....	21
6.7 OTDR apparatus.....	21
6.8 Connector end face cleaning and inspection equipment.....	22
6.9 Adapters	22
7 Procedures.....	22
7.1 General.....	22
7.2 Common procedures.....	22
7.2.1 Care of the test cords	22
7.2.2 Make reference measurements (LSPM methods only).....	22
7.2.3 Inspect and clean the ends of the optical fibres in the cabling.....	22
7.2.4 Make the measurements.....	23
7.2.5 Make the calculations	23
7.2.6 Duplex and bi-directional testing.....	23
7.3 Calibration	23
7.4 Safety	23
8 Calculations.....	23
9 Documentation	23
9.1 Information for each test	23
9.2 Information to be available.....	24
Annex A (normative) One-cord method	25
A.1 Applicability of test method	25

A.2	Apparatus	25
A.3	Procedure	25
A.4	Calculation	26
A.5	Components of reported attenuation	26
Annex B (normative)	Three-cord method	27
B.1	Applicability of test method	27
B.2	Apparatus	27
B.3	Procedure	27
B.4	Calculations	28
B.5	Components of reported attenuation	28
Annex C (normative)	Two-cord method	29
C.1	Applicability of test method	29
C.2	Apparatus	29
C.3	Procedure	29
C.4	Calculations	30
C.5	Components of reported attenuation	30
Annex D (normative)	Equipment cord method	32
D.1	Applicability of the test method	32
D.2	Apparatus	32
D.3	Procedure	32
D.4	Calculation	33
D.5	Components of reported attenuation	33
D.6	Typical uncertainty values	34
Annex E (normative)	Optical time domain reflectometer	35
E.1	Applicability of the test method	35
E.2	Apparatus	35
E.2.1	General	35
E.2.2	OTDR	35
E.2.3	Test cords	35
E.3	Procedure (test method)	36
E.4	Calculation	37
E.4.1	General	37
E.4.2	Connection location	37
E.4.3	Definition of power levels F_1 and F_2	38
E.4.4	Alternative calculation	38
E.5	OTDR uncertainties	40
Annex F (normative)	Requirements for the source characteristics	42
F.1	Encircled flux	42
F.2	Assumptions and limitations	42
F.3	Encircled flux templates	42
F.3.1	General	42
F.3.2	Uncertainties expectations	43
F.3.3	Templates	43
F.4	Graphical representation of templates	44
Annex G (informative)	OTDR configuration information	46
G.1	General	46
G.2	Fundamental parameters that define the operational capability of an OTDR	47
G.2.1	Dynamic range	47

G.2.2	Pulse width	47
G.2.3	Averaging time	47
G.2.4	Dead zone	47
G.3	Other parameters	47
G.3.1	Index of refraction.....	47
G.3.2	Measurement range	48
G.3.3	Distance sampling	48
G.4	Other measurement configurations	48
G.4.1	General	48
G.4.2	Macrobend or splice attenuation measurement	48
G.4.3	Splice attenuation measurement.....	49
G.4.4	Measurement with high reflection connectors or short length cabling	49
G.4.5	Ghost	51
G.5	More on the measurement method	52
G.6	Bi-directional measurement.....	53
G.7	Non-recommended practices.....	54
G.7.1	Measurement without tail test cord	54
G.7.2	Cursor measurement	54
Annex H (informative)	Test cord attenuation verification	55
H.1	General.....	55
H.2	Apparatus	55
H.3	Procedure	55
H.3.1	General	55
H.3.2	Test cord verification for the one-cord and two-cord methods when using non-pinned/unpinned and non-plug/socket style connectors	56
H.3.3	Test cord verification for the one-cord and two-cord methods when using pinned/unpinned or plug/socket style connectors.....	57
H.3.4	Test cord verification for the three-cord method when using non-pinned/unpinned and non-plug/socket style connectors	59
H.3.5	Test cord verification for the three-cord method when using pinned/unpinned or plug/socket style connectors	61
Annex I (normative)	On the use of reference-grade test cords.....	63
I.1	General.....	63
I.2	Practical configurations and assumptions.....	63
I.2.1	Component specifications	63
I.2.2	Conventions	64
I.2.3	Reference planes	64
I.3	Impact of using reference grade test cords for recommended LSPM methods	64
I.4	Examples for LSPM measurements.....	65
I.4.1	Example 1 (configuration A, 1-C method – Annex A).....	65
I.4.2	Example 2 (configuration D, EC method – Annex D)	65
I.5	Impact of using reference-grade test cords for different configurations using the OTDR test method	66
I.5.1	Cabling configurations A, B and C	66
I.5.2	Cabling configuration D	67
Annex J (informative)	Launch cord output near-field verification.....	69
J.1	Direct verification	69
J.2	Test equipment manufacturer verification.....	69
J.3	Field check with physical artefact.....	69
J.3.1	General	69

J.3.2	Procedure for attenuation characterization of artefacts	71
J.3.3	Construction details	71
J.3.4	Example results	72
Bibliography.....		76
Figure 1 – Connector symbols		13
Figure 2 – Symbol for cabling under test.....		13
Figure 3 – Reference plane for configuration A tested with the 1-cord method		16
Figure 4 – Reference plane for configuration B tested with the 3-cord method		16
Figure 5 – Reference plane for configuration C tested with the 2-cord method		17
Figure 6 – Reference plane for configuration D tested with the EC method		17
Figure 7 – OTDR schematic.....		21
Figure A.1 – Reference measurement.....		26
Figure A.2 – Test measurement.....		26
Figure B.1 – Reference measurement.....		27
Figure B.2 – Test measurement.....		28
Figure C.1 – Reference measurement.....		29
Figure C.2 – Test measurement.....		30
Figure C.3 – Test measurement for plug-socket style connectors.....		30
Figure D.1 – Reference measurement.....		33
Figure D.2 – Test measurement.....		33
Figure E.1 – OTDR method.....		36
Figure E.2 – Location of the ports of the cabling under test.....		37
Figure E.3 – Graphic construction of F_1 and F_2		38
Figure E.4 – Graphic construction of F_1 , F_{11} , F_{12} and F_2		40
Figure F.1 – Encircled flux example		45
Figure G.1 – Splice and macrobend attenuation measurement.....		49
Figure G.2 – Attenuation measurement with high reflection connectors.....		50
Figure G.3 – Attenuation measurement of a short length cabling.....		51
Figure G.4 – OTDR trace with ghost		52
Figure G.5 – Cursor positioning		53
Figure H.1 – Obtaining reference power level P_0		57
Figure H.2 – Obtaining power level P_1		57
Figure H.3 – Obtaining reference power level P_0		58
Figure H.4 – Obtaining power level P_1		58
Figure H.5 – Obtaining reference power level P_0		59
Figure H.6 – Obtaining power level		59
Figure H.7 – Obtaining reference power level P_0		60
Figure H.8 – Obtaining power level P_1		60
Figure H.9 – Obtaining power level P_5		61
Figure H.10 – Obtaining reference power level P_0		62

Figure H.11 – Obtaining power level P_1	62
Figure I.1 – Cabling configurations A, B and C tested with the OTDR method	66
Figure I.2 – Cabling configuration D tested with the OTDR method	68
Figure J.1 – Initial power measurement.....	70
Figure J.2 – Verification of reference-grade connection	70
Figure J.3 – Two offset splices.....	70
Figure J.4 – Five offset splices	71
Figure J.5 – EF centred	72
Figure J.6 – EF underfilling	73
Figure J.7 – EF overfilling	73
Figure J.8 – L1 attenuation with mandrel.....	74
Figure J.9 – L1 attenuation with mandrel and mode conditioner	74
Figure J.10 – L2 attenuation with mandrel.....	74
Figure J.11 – L2 attenuation with mandrel and mode conditioning.....	75
Figure J.12 – L3 attenuation with mandrel.....	75
Figure J.13 – L3 attenuation with mandrel and mode conditioning.....	75
Table 1 – Cabling configurations.....	15
Table 2 – Test methods and configurations	15
Table 3 – Measurements bias related to test cord connector grade	18
Table 4 – Uncertainty for a given attenuation at 850 nm.....	19
Table 5 – Spectral requirements	19
Table D.1 – Uncertainty for a given attenuation at 850 nm	34
Table F.1 – Attenuation, threshold tolerance and confidence level	43
Table F.2 – EF requirements for 50 μm core optical fibre cabling at 850 nm	43
Table F.3 – EF requirements for 50 μm core optical fibre cabling at 1 300 nm.....	44
Table F.4 – EF requirements for 62,5 μm core optical fibre cabling at 850 nm.....	44
Table F.5 – EF requirements for 62,5 μm core optical fibre cabling at 1 300 nm.....	44
Table G.1 – Default effective group index of refraction values.....	48
Table I.1 – Measurement bias when using reference-grade test cords	65
Table I.2 – Measurement bias when using reference grade test cords – OTDR test method	67

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE-OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –**Part 4-1: Installed cabling plant – Multimode attenuation measurement**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61280-4-1 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

This third edition cancels and replaces the second edition, published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) changes to Annex F on encircled flux to harmonise with IEC TR 62614-2, but keeping the encircled flux limits defined in Tables F.2 to F.5 unchanged;
- b) addition of an equipment cord method in Annex D;
- c) inclusion of testing bend insensitive multimode optical fibre;
- d) updates to measurement uncertainty;
- e) definition of additional cabling configurations;
- f) changes to Table 5 on spectral requirements.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86C/1575/FDIS	86C/1592/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61280 series, published under the general title *Fibre optic communication subsystem test procedures*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.