

VÄRVID JA LAKID. KELME PAKSUSE MÄÄRAMINE

Paints and varnishes - Determination of film thickness
(ISO 2808:2019)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 2808:2019 sisaldab Euroopa standardi EN ISO 2808:2019 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 2808:2019 consists of the English text of the European standard EN ISO 2808:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.09.2019.	Date of Availability of the European standard is 18.09.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 87.040

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Paints and varnishes - Determination of film thickness (ISO 2808:2019)

Peintures et vernis - Détermination de l'épaisseur du
feuil (ISO 2808:2019)

Beschichtungsstoffe - Bestimmung der Schichtdicke
(ISO 2808:2019)

This European Standard was approved by CEN on 21 July 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 2808:2019) has been prepared by Technical Committee ISO/TC 35 "Paints and varnishes" in collaboration with Technical Committee CEN/TC 139 "Paints and varnishes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 2808:2007.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 2808:2019 has been approved by CEN as EN ISO 2808:2019 without any modification.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Determination of wet-film thickness	5
4.1 General	5
4.2 Mechanical methods	5
4.2.1 Principle	5
4.2.2 Field of application	5
4.2.3 General	5
4.2.4 Method 1A — Comb gauge	5
4.2.5 Method 1B — Wheel gauge	6
4.2.6 Method 1C — Dial gauge	7
4.3 Gravimetric method	9
4.3.1 Principle	9
4.3.2 Field of application	9
4.3.3 General	9
4.3.4 Method 2 — By difference in mass	9
4.4 Photothermal method	10
4.4.1 Principle	10
4.4.2 Field of application	10
4.4.3 General	10
4.4.4 Method 3 — Determination using thermal properties	11
5 Determination of dry-film thickness	11
5.1 General	11
5.2 Mechanical methods	11
5.2.1 Principle	11
5.2.2 Field of application	12
5.2.3 General	12
5.2.4 Method 4A — By difference in thickness	12
5.2.5 Method 4B — Depth gauging	15
5.2.6 Method 4C — Surface profile scanning	17
5.3 Gravimetric method	18
5.3.1 Principle	18
5.3.2 Field of application	19
5.3.3 General	19
5.3.4 Method 5 — By difference in mass	19
5.4 Optical methods	19
5.4.1 Principle	19
5.4.2 Field of application	22
5.4.3 General	22
5.4.4 Method 6A — Cross-sectioning	23
5.4.5 Method 6B — Wedge cut	24
5.4.6 Method 6C — White-light interferometry	24
5.5 Magnetic methods	25
5.5.1 Principle	25
5.5.2 Field of application	25
5.5.3 General	25
5.5.4 Method 7A — Magnetic pull-off gauge	25
5.5.5 Method 7B.1 — Magnetic-flux gauge	26
5.5.6 Method 7B.2 — Magnetic field change, magnetic-induction principle	27

5.5.7	Method 7C — Eddy-current gauge	28
5.6	Radiological method	29
5.6.1	Principle	29
5.6.2	Field of application	29
5.6.3	General	29
5.6.4	Method 8 — Beta backscatter method	30
5.7	Photothermal method	30
5.7.1	Principle	30
5.7.2	Field of application	31
5.7.3	General	31
5.7.4	Method 9 — Determination using thermal properties	31
5.8	Acoustic method	32
5.8.1	Principle	32
5.8.2	Field of application	32
5.8.3	General	32
5.8.4	Method 10 — Ultrasonic reflection	32
5.9	Electromagnetic method	33
5.9.1	Method 11 — Terahertz method	33
6	Determination of thickness of uncured powder layers	35
6.1	General	35
6.2	Gravimetric method	35
6.2.1	Principle	35
6.2.2	Field of application	35
6.2.3	General	35
6.2.4	Method 12 — By difference in mass	35
6.3	Magnetic methods	36
6.3.1	Principle	36
6.3.2	Field of application	36
6.3.3	General	36
6.3.4	Method 13A — Magnetic-induction method	36
6.3.5	Method 13B — Eddy-current	37
6.4	Photothermal method	38
6.4.1	Principle	38
6.4.2	Field of application	39
6.4.3	General	39
6.4.4	Method 14 — Determination using thermal properties	39
7	Test report	39
	Annex A (informative) Overview of methods	41
	Annex B (informative) Measurement of film thickness on rough surfaces	44
	Annex C (informative) Factors affecting the precision of readings obtained when measuring on wooden substrates	46
	Bibliography	48

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, SC 9, *General test methods for paints and varnishes*.

This fifth edition cancels and replaces the fourth edition (ISO 2808:2007), which has been technically revised. The main changes compared to the previous edition are as follows:

- the terms and definitions have been updated to ISO 4618 and ISO/IEC Guide 99;
- the principle has been revised;
- white-light interferometer has been added as method 6C;
- the terahertz method has been added as method 11;
- the existing methods have been adapted to the current state of metrology;
- the characterisation of the methods and procedures in [Annex A](#) have been revised;
- information in [Annex A](#) on the precision of the individual methods has been adapted to current standards;
- the references to test standards and constructions standards in [Annex A](#) have been updated;
- former Clause 7 on measurement of the film thickness on rough surfaces has been moved to [Annex B](#);
- [Annex C](#), on factors which influence measuring accuracy when measurements are performed on wood has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document consistently enumerates the individual coatings applied in a multi-layer system by referring to the first coating applied on the substrate as coating 1. Some other standards referring to individual test methods enumerate in reverse order.

This document is a preview generated by EVS

Paints and varnishes — Determination of film thickness

1 Scope

This document describes methods for measuring the thickness of coatings applied to a substrate. Methods for determining wet-film thickness, dry-film thickness and the film thickness of uncured powder layers are described.

For each method described, this document provides an overview of the field of application, existing standards and the precision.

Information on measuring film thickness on rough surfaces is given in [Annex B](#).

Information on measuring film thickness on wooden substrates is given in [Annex C](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3611, *Geometrical product specifications (GPS) — Dimensional measuring equipment: Micrometers for external measurements — Design and metrological characteristics*

ISO 4618, *Paints and varnishes — Terms and definitions*

ISO 8503-1, *Preparation of steel substrates before application of paints and related products — Surface roughness characteristics of blast-cleaned steel substrates — Part 1: Specifications and definitions for ISO surface profile comparators for the assessment of abrasive blast-cleaned surfaces*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4618 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

film thickness

distance between the surface of the film and the surface of the substrate

3.2

wet-film thickness

thickness of a freshly applied wet coating material, measured immediately after application

3.3

dry-film thickness

thickness of a coating remaining on the surface when the coating has hardened

3.4

thickness of uncured powder layer

thickness of a freshly applied coating material in powder form, measured immediately after application and before stoving