# INTERNATIONAL STANDARD

# IEC 61970-501

First edition 2006-03

**Energy management system application program interface (EMS-API)** –

Part 501:

Common Information Model Resource Description Framework (CIM RDF) schema



# **Publication numbering**

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

### **Consolidated editions**

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

### Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

### IEC Web Site (www.iec.ch)

#### Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

# **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online\_news/ justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

# **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

# IEC 61970-501

First edition 2006-03

Energy management system application program interface (EMS-API) –

Part 501: Common Information N

Common Information Model Resource Description Framework (CIM RDF) schema

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE

R

# **CONTENTS**

Scope	DREWORD		3
Normative references .6   Terms and definitions .7   Structure of an XML document .7   4.1 General .7   4.2 Elements .8   4.3 Attributes .8   Metadata and RDF Schema .8   5.1 General .8   5.2 Resource .8   5.3 Property .9   5.4 Namespaces .9   5.5 CIM RDF Schema extensions .9   CIM metadata .12   6.1 General .12   6.2 Schema .12   6.3 Mapping from UML .13   6.4 Example CIM RDF Schema elements .15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation .18	TRODUCTION		5
Normative references .6   Terms and definitions .7   Structure of an XML document .7   4.1 General .7   4.2 Elements .8   4.3 Attributes .8   Metadata and RDF Schema .8   5.1 General .8   5.2 Resource .8   5.3 Property .9   5.4 Namespaces .9   5.5 CIM RDF Schema extensions .9   CIM metadata .12   6.1 General .12   6.2 Schema .12   6.3 Mapping from UML .13   6.4 Example CIM RDF Schema elements .15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation .18			
Normative references .6   Terms and definitions .7   Structure of an XML document .7   4.1 General .7   4.2 Elements .8   4.3 Attributes .8   Metadata and RDF Schema .8   5.1 General .8   5.2 Resource .8   5.3 Property .9   5.4 Namespaces .9   5.5 CIM RDF Schema extensions .9   CIM metadata .12   6.1 General .12   6.2 Schema .12   6.3 Mapping from UML .13   6.4 Example CIM RDF Schema elements .15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation .18	Scope		6
Terms and definitions 7   Structure of an XML document 7   4.1 General 7   4.2 Elements 8   4.3 Attributes 8   Metadata and RDF Schema 8   5.1 General 8   5.2 Resource 8   5.3 Property 9   5.4 Namespaces 9   5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18			
Structure of an XML document 7   4.1 General 7   4.2 Elements 8   4.3 Attributes 8   Metadata and RDF Schema 8   5.1 General 8   5.2 Resource 8   5.3 Property 9   5.4 Namespaces 9   5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18			
4.1 General .7   4.2 Elements .8   4.3 Attributes .8   Metadata and RDF Schema .8   5.1 General .8   5.2 Resource .8   5.3 Property .9   5.4 Namespaces .9   5.5 CIM RDF Schema extensions .9   CIM metadata .12   6.1 General .12   6.2 Schema .12   6.3 Mapping from UML .13   6.4 Example CIM RDF Schema elements .15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation .18			
4.2 Elements 8   4.3 Attributes 8   Metadata and RDF Schema 8   5.1 General 8   5.2 Resource 8   5.3 Property 9   5.4 Namespaces 9   5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18	( ).		
4.3 Attributes 8   Metadata and RDF Schema 8   5.1 General 8   5.2 Resource 8   5.3 Property 9   5.4 Namespaces 9   5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18			
Metadata and RDF Schema 8   5.1 General 8   5.2 Resource 8   5.3 Property 9   5.4 Namespaces 9   5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18			
5.1 General 8   5.2 Resource 8   5.3 Property 9   5.4 Namespaces 9   5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18			
5.2 Resource			
5.3 Property 9   5.4 Namespaces 9   5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18			
5.4 Namespaces 9   5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18	5.2 Resource		ο
5.5 CIM RDF Schema extensions 9   CIM metadata 12   6.1 General 12   6.2 Schema 12   6.3 Mapping from UML 13   6.4 Example CIM RDF Schema elements 15   nex A (informative) CIM RDF Schema generation – Mechanism for schema generation 18	5.4 Namesnace	20	α
CIM metadata			
6.1 General			
6.2 Schema			
6.3 Mapping from UML			
6.4 Example CIM RDF Schema elements			
nex A (informative) CIM RDF Schema generation – Mechanism for schema generation18			
		Cy	4
		Y Committee of the comm	
			CV
			6
			0,
			$Q_{\lambda}$
			0,
			0,

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

# ENERGY MANAGEMENT SYSTEM APPLICATION PROGRAM INTERFACE (EMS-API) –

# Part 501: Common Information Model Resource Description Framework (CIM RDF) schema

## **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61970-501 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/801/FDIS	57/813/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61970 consists of the following parts, under the general title *Energy Management System Application Program Interface (EMS-API):* 

Part 1: Guidelines and general requirements

Part 2: Glossary

Part 301: Common Information Model (CIM) base

Part 302. Common information model (CIM) financial, energy scheduling and reservations 1

Part 401: Component interface specification (CIS) framework

Part 402: Component interface specification (CIS) – Common services<sup>1</sup>

Part 403: Component Interface Specification (CIS) – Generic data access<sup>1</sup>

Part 404: Component Interface Specification (CIS) – High speed data access<sup>1</sup>

Part 405: Component Interface Specification (CIS) – Generic eventing and subscription<sup>1</sup>

Part 407: Component Interface Specification (CIS) – Time series data access<sup>1</sup>

Part 453: Exchange of Graphics Schematics Definitions (Common Graphics Exchange) 1

Part 501: Common Information Model Resource Description Framework (CIM RDF) schema

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed.
- · withdrawn.
- · replaced by a revised edition, or
- · amended.

A bilingual edition of this standard may be issued at a later date.

<sup>1</sup> Under consideration.

# INTRODUCTION

This standard is part of the IEC 61970 series that define an Application Program Interface (API) for an Energy Management System (EMS). This standard is based upon the work of the EPRI Control Center API (CCAPI) research project (RP-3654-1).

This part specifies the mapping between the conceptual model specified as Unified Modeling den 3 Exte. scription Language (UML) defined in IEC 61970-3XX series: Common Information Model and the machine readable Extensible Markup Language (XML) representation of that schema using the Resource Description Framework (RDF) Schema specification language.

# ENERGY MANAGEMENT SYSTEM APPLICATION PROGRAM INTERFACE (EMS-API) –

# Part 501: Common Information Model Resource Description Framework (CIM RDF) schema

# 1 Scope

This International Standard specifies a Component Interface Specification (CIS) for energy management systems application program interfaces. This part of IEC 61970 specifies the format and rules for producing a machine readable form of the Common Information Model (CIM) as specified in the IEC 61970-301 standard. It describes a CIM vocabulary to support the data access facility and associated CIM semantics.

This part of IEC 61970 supports a mechanism for applications from independent suppliers to access CIM metadata in a common format and with standard services for the purpose of subsequent CIM data access. Secondary objectives are to provide CIM versioning capabilities and a mechanism that is easily extensible to support site-specific needs. The proposed solution:

- is both machine readable and human readable, although primarily intended for programmatic access;
- can be accessed using any tool that supports the Document Object Model (DOM) application program interface;
- is self-describing;
- takes advantage of current web standards.

This document is the Level 2 Component Interface Specification document that describes in narrative terms (with text and examples based on the CIM), the detailed definition of the CIM metadata interface to be standardized.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61970-1, Energy management system application program interface (EMS-API) – Part 1: Guidelines and general requirements

IEC 61970-2, Energy management system application program interface (EMS-API) – Part 2: Glossary

IEC 61970-301, Energy management system application program interface (EMS-API) – Part 301: Common Information Model (CIM) base

IEC 60050 series: International Electrotechnical Vocabulary