

INTERNATIONAL STANDARD

IEC
61760-1

Second edition
2006-04

Surface mounting technology –

**Part 1:
Standard method for the specification
of surface mounting components (SMDs)**



Reference number
IEC 61760-1:2006(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC
61760-1

Second edition
2006-04

Surface mounting technology –

Part 1: Standard method for the specification of surface mounting components (SMDs)

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

U

For price, see current catalogue

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope and object.....	7
1.1 Scope.....	7
1.2 Object.....	7
2 Normative references.....	7
3 Terms and definitions.....	8
4 Requirements for component design and component specifications.....	10
4.1 General requirement.....	10
4.2 Packaging.....	10
4.3 Labelling of product packaging.....	10
4.4 Component marking.....	11
4.5 Storage and transportation.....	12
4.6 Component outline and design.....	12
4.7 Mechanical stress.....	16
4.8 Component reliability assurance.....	16
4.9 Additional requirements for compatibility with lead-free soldering.....	16
5 Specification of assembly process conditions.....	16
5.1 General.....	16
5.2 Securing the component on the substrate prior to soldering.....	18
5.3 Mounting methods.....	19
5.4 Cleaning (where applicable).....	20
5.5 Removal and/or replacement of SMDs.....	21
6 Typical process conditions.....	22
6.1 Soldering processes, temperature/time profiles.....	22
6.2 Typical cleaning conditions for assemblies.....	26
7 Requirements for components and component specifications related to suitability with various mounting processes.....	27
7.1 General.....	27
7.2 Wettability.....	27
7.3 Resistance to dissolution of metallization.....	27
7.4 Resistance to soldering heat.....	27
7.5 Resistance to cleaning solvent.....	28
7.6 Soldering profiles.....	28
7.7 Bonding strength test for the component glue interface test.....	28
Bibliography.....	30
Figure 1 – Example of a component with marked specific orientation put in tape and tray.....	11
Figure 2 – Vacuum pipette, pick-up area and component compartment: Example for a component with a flat surface.....	13
Figure 3 – Coplanarity of terminals.....	13
Figure 4 – Stable seating of component.....	14
Figure 5 – Unstable seating of component.....	14
Figure 6 – Terminals arranged peripherally in two rows.....	14

Figure 7 – Good contrast to component body and surroundings	14
Figure 8 – Component weight/pipette suction strength	15
Figure 9 – Process steps for soldering.....	17
Figure 10 – Process steps for gluing.....	18
Figure 11 – SnPb Vapour phase soldering – Temperature/time profile (terminal temperature).....	22
Figure 12 – Lead-free SnAgCu Vapour phase soldering – Temperature/time profile (terminal temperature).....	23
Figure 13 – Infrared soldering, forced gas convection reflow soldering – Temperature/time profile for SnPb solders.....	24
Figure 14 – Infrared soldering, forced gas convection reflow soldering – Temperature/time profile for lead-free SnAgCu solders.....	25
Figure 15 – Double wave soldering for SnPb and lead-free SnAgCu solder – Temperature/time profile (terminal temperature).....	26
Table 1 – Basic cleaning processes.....	26

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SURFACE MOUNTING TECHNOLOGY –**Part 1: Standard method for the specification
of surface mounting components (SMDs)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61760-1 has been prepared by IEC technical committee 91: Surface mounting technology.

This second edition cancels and replaces the first edition, published in 1998, and constitutes a technical revision.

The main changes with regard to the previous edition concern:

- requirements related to leadfree soldering;
- extension of the scope to include also components mounted by gluing;
- direct reference to IEC 60068-2-58 for requirements on solderability and resistance to soldering heat;
- classification into categories based on the component's ability to withstand resistance to soldering heat has been deleted.

The text of this standard is based on the following documents:

FDIS	Report on voting
91/577/FDIS	91/588/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

Specifications for electronic components have in the past been formulated for each component family. The regulations for environmental tests have been selected from IEC 60068 and other IEC and ISO publications. The overriding condition for this procedure was that all components, once installed in a piece of equipment, had to satisfy certain criteria.

The introduction and increasing use of surface mounting components make it necessary to extend the existing requirements to include those arising from processing during assembly.

Irrespective of the component family involved, all components on one and the same side of a printed circuit board are exposed to the same mounting process (see flow charts in Clause 5).

Nevertheless there exists no harmonized standard that prescribes the content of a component specification. It is the purpose of this standard to define the general requirements for component specifications derived from the assembly processes. This is done in three steps.

In the first step general requirements for component specifications and component design related to the handling and placement of the component on the substrate are given (Clause 4). In the second step the definition of reference process conditions as representative of a group of assembly conditions are given (Clauses 5 and 6).

In the third step the additional requirements resulting from these reference process conditions are given (Clause 7).

Mixed technology boards, i.e. boards containing through-hole components and SMDs, require additional consideration with respect to the through-hole components. These may be subject to the same requirements as the SMDs. Persons responsible for drafting specifications for “non-surface mounting components” wishing to include a statement on their ability to withstand surface mounting conditions should use the classifications and tests set out in the present standard.

SURFACE MOUNTING TECHNOLOGY –

Part 1: Standard method for the specification of surface mounting components (SMDs)

1 Scope and object

1.1 Scope

This International Standard gives a reference set of process conditions and related test conditions to be used when compiling component specifications of electronic components that are intended for usage in surface mount technology.

1.2 Object

The object of this standard is to ensure that a wide variety of SMDs (passive and active) can be subjected to the same placement and mounting processes during assembly. This standard defines tests and requirements that need to be part of any SMD component general, sectional or detail specification. In addition, this standard provides component users and manufacturers with a reference set of typical process conditions used in surface mount technology.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60068 (all parts), *Environmental testing*

IEC 60068-2-21, *Environmental testing – Part 2: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-45:1980, *Environmental testing – Part 2: Tests – Test XA and guidance: Immersion in cleaning solvents*
Amendment 1 (1993)

IEC 60068-2-58, *Environmental testing – Part 2: Tests – Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMDs)*

IEC 60068-2-77, *Environmental testing – Part 2: Tests – Test 77: Body strength and impact shock*

IEC 60191-6:2004, *Mechanical standardization of semiconductor devices – Part 6: General rules for the preparation of outline drawings of surface mounted semiconductor device packages*

IEC 60194, *Printed board design, manufacture and assembly – Terms and definitions*

IEC 60286-3, *Packaging of components for automatic handling – Part 3: Packaging of surface mount components on continuous tapes*

IEC 60286-4, *Packaging of components for automatic handling – Part 4: Stick magazines for electronic components encapsulated in packages of form E and G*

IEC 60286-5, *Packaging of components for automatic handling – Part 5: Matrix trays*

IEC 60286-6, *Packaging of components for automatic handling – Part 6: Bulk case packaging for surface mounting components*

IEC 60749 (all parts), *Semiconductor devices – Mechanical and climatic test methods*

IEC 61340-5-1, *Electrostatics – Part 5-1: Protection of electronic devices from electrostatic phenomena – General requirements*

IEC 61340-5-3, *Electrostatics – Protection of electronic devices from electrostatic phenomena – Test methods for packagings intended for electrostatic discharge sensitive devices*

IEC 61760-2, *Surface mount technology – Part 2: Transportation and storage conditions of surface mounting devices (SMD) – Application guide*

IEC 62090, *Product package labels for electronic components using bar code and two dimensional symbologies*

ISO 8601, *Data elements and interchange formats – Information interchange – Representation of dates and times*

3 Terms and definitions

For the purposes of this document, the following definitions apply, as do those of IEC 60194.

NOTE Use of the term “chip” as for a surface mounting component is deprecated. Only the terms “SMD” or “surface mounting component” should be used within IEC.

3.1

adhesive

substance such as glue or cement used to bond objects together

NOTE In surface mounting technology different gluing systems are used.

- Non conductive adhesive (only for mechanical connection)
- Electrical conductive adhesive (for electrical and mechanical connection)
- Thermal conductive adhesive (for thermal and mechanical connection)
- Combination of electrical and thermal conductive adhesive.

Most used adhesives are thermal curing systems but there are also UV-curing systems in use.

3.2

centring force

force required by the pick-up tooling to centre a surface mounting device in its proper location on a substrate

3.3

coplanarity

distance in height between the lowest and highest leads when the component is in its seating plane