

**Raudtee elektroonikaseadmed. Rongisisene kommunikatsioonivõrk. Osa 2-2: Juhtmelise rongisiini vastavuse katsetamine**

**Electronic railway equipment - Train communication network (TCN) - Part 2-2: Wire Train Bus conformance testing**

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 61375-2-2:2012 sisaldab Euroopa standardi EN 61375-2-2:2012 ingliskeelset teksti.	This Estonian standard EVS-EN 61375-2-2:2012 consists of the English text of the European standard EN 61375-2-2:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 03.08.2012.	Date of Availability of the European standard is 03.08.2012.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 45.060

### Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:  
Aru 10, 10317 Tallinn, Estonia; [www.evs.ee](http://www.evs.ee); phone 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

**Electronic railway equipment -  
Train communication network (TCN) -  
Part 2-2: Wire Train Bus conformance testing  
(IEC 61375-2-2:2012)**

Matériel électronique ferroviaire -  
Réseau embarqué de train (TCN) -  
Partie 2-2: Bus de Train Filaire -  
Essais de conformité  
(CEI 61375-2-2:2012)

Elektronische Betriebsmittel für Bahnen -  
Zug-Kommunikations-Netzwerk (TCN) -  
Teil 2-2: Wire Train Bus  
Konformitätsprüfung  
(IEC 61375-2-2:2012)

This European Standard was approved by CENELEC on 2012-07-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 9/1643/FDIS, future edition 1 of IEC 61375-2-2, prepared by IEC/TC 9 "Electrical equipment and systems for railways" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61375-2-2:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-04-26
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-07-26

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

## Endorsement notice

The text of the International Standard IEC 61375-2-2:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 61375-1      NOTE Harmonized as EN 61375-1.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60571	-	Electronic equipment used on rail vehicles	-	-
IEC 60807	Series	Rectangular connectors for frequencies below 3 MHz	-	-
IEC 61375-2-1	-	Electronic railway equipment - Train communication network (TCN) - Part 2-1: Wire Train Bus (WTB)	EN 61375-2-1	-
ISO/IEC 7498	Series	Information technology - Open Systems Interconnection - Basic Reference Model	-	-
ISO/IEC 9646-1	1994	Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts	-	-
ISO/IEC 9646-7	1995	Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements	-	-
UIC CODE 556	-	Information transmission in the train (train-bus)	-	-

## **Annex ZZ** (informative)

### **Coverage of Essential Requirements of EU Directives**

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers all relevant essential requirements as given in Annex III of the EU Directive 2008/57/EC.

Compliance with this standard provides one means of conformity with the specified essential requirements of the Directive concerned.

**WARNING:** Other requirements and other EU Directives may be applicable to the products falling within the scope of this standard.

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references .....	10
3 Terms and definitions, Abbreviations, Conventions.....	10
3.1 Terms and definitions .....	10
3.2 Abbreviations .....	11
4 Conformance test: approach, requirements and boundaries .....	12
4.1 The approach .....	12
4.1.1 Requirements .....	12
4.1.2 Requirements declaration statements for an IUT .....	14
4.2 Boundaries .....	15
4.2.1 General .....	15
4.2.2 Basic interconnection tests .....	16
4.2.3 Capability tests .....	16
4.2.4 Behaviour tests.....	17
4.2.5 Conformance resolution tests .....	17
4.2.6 Interpretation of clauses/subclauses and statements .....	18
4.2.7 Relation to interoperability .....	20
4.2.8 Relation to performance test.....	20
4.3 Conformance assessment process outline .....	21
4.3.1 General .....	21
4.3.2 Analysis of results, outcomes and verdicts .....	21
5 Conformance test of a WTB node, WTB trunk cable, WTB jumper cables, WTB extension cables.....	22
5.1 PICS .....	22
5.1.1 Instructions for filling the PICS pro-forma .....	22
5.1.2 PICS tables .....	24
5.1.3 Basic interconnection tests .....	32
5.1.4 Capability tests .....	32
5.1.5 Behaviour tests.....	32
5.1.6 Link layer interface .....	47
5.1.7 The test cases .....	58
6 Conformance test of RTP .....	68
6.1 Ports and Traffic_Store .....	69
6.2 Dataset consistency .....	69
6.2.1 Error handling.....	69
6.2.2 Freshness supervision.....	69
6.2.3 Synchronisation dataset .....	69
6.2.4 Dataset polling .....	70
6.2.5 Dataset, port and logical address .....	70
6.2.6 Traffic_Store Identifier .....	70
6.3 Port_Address .....	70
6.4 Link_Process_Data_Interface primitives .....	70
6.5 Messages services and protocols .....	70

7	Conformance test of a WTB-equipped consist .....	70
7.1	General .....	70
7.2	PICS .....	71
7.2.1	Instructions for filling the PICS pro-forma .....	71
7.2.2	Abbreviations .....	71
7.2.3	PICS tables .....	71
7.3	Test suites .....	74
7.3.1	Physical interface tests .....	75
7.3.2	DC test: line resistance .....	75
7.3.3	WTB Link_layer capabilities .....	78
7.3.4	Data test storage .....	85
7.4	Consist network interoperability test .....	85
7.5	Application profile .....	85
7.6	Several nodes on the consist .....	85
8	Conformance test of NM .....	85
	Annex A (normative) Test laboratory role and client role .....	86
	Annex B (informative) Test instrumentation and dedicated test bed .....	93
	Bibliography .....	101
	Figure 1 – Insertion loss measurement .....	34
	Figure 2 – Measurement of the input resistance .....	35
	Figure 3 – End setting measurement setup 1 .....	35
	Figure 4 – End setting measurement setup 2 .....	36
	Figure 5 – Switches measurement setup 1 .....	37
	Figure 6 – Indirect attachment switches measurements Fixture 1 .....	37
	Figure 7 – Direct attachment switches measurements Fixture 1 .....	38
	Figure 8 – Transmitter fixtures .....	39
	Figure 9 – Transmitter output signal .....	40
	Figure 10 – Intermediate transmitted noise test fixture .....	40
	Figure 11 – End node transmitted noise test fixture .....	41
	Figure 12 – Signal and idling at transmitter .....	42
	Figure 13 – RF resistor example .....	43
	Figure 14 – Short-circuit test Fixture 1 .....	43
	Figure 15 – Receiver signal envelope .....	45
	Figure 16 – Receiver edge distortion .....	46
	Figure 17 – Example of relay switch logic diagram for line A .....	49
	Figure 18 – WTB orientation .....	52
	Figure 19 – Line switch identification in position P01 .....	53
	Figure 20 – Line switch identification in position P10 .....	53
	Figure 21 – Line switch identification in position P32 .....	54
	Figure 22 – Test suite identifier TTS1 .....	55
	Figure 23 – Test suite identifier TTS2 .....	56
	Figure 24 – Test suite identifier TTS3 .....	57
	Figure 25 – Line resistance .....	76
	Figure 26 – Crosstalk .....	77



Figure 27 – Propagation delay and attenuation .....	78
Figure 28 – Coach tester nodes .....	83
Figure B.1 – Hardware test bed architecture .....	94
Figure B.2 – Coach tester architecture .....	95
Figure B.3 – Configuration of the coach tester .....	99
Figure B.4 – WTB line redundancy switch-over .....	100
Table 1 – Document structure .....	9
Table 2 – Continuance indication .....	19
Table 3 – Weak statements .....	20
Table 4 – Relation to interoperability .....	20
Table 5 – Relation to performance test .....	21
Table 6 – PICS pro-forma identification .....	24
Table 7 – PICS pro-forma implementation under test .....	25
Table 8 – PICS pro-forma IUT supplier and/or test laboratory client .....	25
Table 9 – PICS pro-forma identification of the standards .....	26
Table 10 – PICS pro-forma global statement of conformance .....	26
Table 11 – PICS pro-forma level of testing .....	26
Table 12 – PICS pro-forma node capability .....	27
Table 13 – PICS pro-forma redundancy .....	27
Table 14 – PICS pro-forma redundancy configuration .....	27
Table 15 – PICS pro-forma signalling .....	28
Table 16 – PICS pro-forma cable .....	28
Table 17 – PICS pro-forma trunk cable .....	28
Table 18 – PICS pro-forma jumper cable .....	29
Table 19 – PICS pro-forma extension cable .....	29
Table 20 – PICS pro-forma front panel layout .....	30
Table 21 – PICS pro-forma connector arrangement .....	30
Table 22 – PICS pro-forma connector layout and type .....	31
Table 23 – PICS pro-forma switches type .....	32
Table 24 – PICS pro-forma switches .....	32
Table 25 – WTB pin to pin measurement .....	38
Table 26 – Fault tolerance parameters .....	42
Table 27 – Frequency sinusoidal signal .....	47
Table 28 – WTB devices configuration .....	50
Table 29 – TNM agent services .....	51
Table 30 – Mapping Server services .....	51
Table 31 – Power switch identifier .....	53
Table 32 – Line switch identifier .....	53
Table 33 – Test suites .....	54
Table 34 – Test sequence node strength .....	59
Table 35 – Test sequence change of user report .....	59
Table 36 – Test sequence change of node descriptor .....	60

Table 37 – Test sequence change of inauguration data .....	60
Table 38 – Test sequence inauguration inhibit lengthening .....	61
Table 39 – Test sequence sleep state .....	61
Table 40 – Test sequence fast insertion .....	62
Table 41 – Test sequence late insertion .....	62
Table 42 – Test sequence process data .....	63
Table 43 – Test sequence individual period 3 .....	63
Table 44 – Test sequence individual period 2 .....	63
Table 45 – Test sequence coupling of two compositions .....	64
Table 46 – Test sequence inauguration time IUT intermediate .....	65
Table 47 – Test sequence inauguration time IUT end setting main direction 2 .....	65
Table 48 – Test sequence inauguration time IUT end setting main direction 1 .....	65
Table 49 – Test sequence failure of the master node .....	66
Table 50 – Test sequence line redundancy during regular operation .....	66
Table 51 – Test sequence line redundancy during inauguration .....	67
Table 52 – Test sequence measurement of basic period .....	67
Table 53 – WTB link layer procedures .....	68
Table 54 – PICS pro-forma identification .....	71
Table 55 – PICS pro-forma WTB consist under test .....	72
Table 56 – PICS pro-forma identification of consist WTB node .....	72
Table 57 – PICS pro-forma identification of consist trunk cable .....	73
Table 58 – PICS pro-forma identification of consist jumper cable .....	73
Table 59 – PICS pro-forma identification of consist extension cable .....	74

## INTRODUCTION

TCN is an International Standard with the aim of defining interfaces so as to achieve plug-in compatibility:

- a) between equipment located in different consists, and
- b) between equipment and devices located within the same consist.

One of the key success factors for the deployment of any technology is the standardisation and ensuring interoperability among various implementations. To facilitate interoperability a conformance test should be implemented.

In this part of IEC 61375, the TCN hierarchical structure deals with the train bus called the Wire Train Bus (WTB).

No other busses are taken into consideration even though they are foreseen by IEC 61375.

WTB has real-time protocols, which offer two communication services:

- c) process variables, a distributed, real-time database, periodically refreshed through broadcasting;
- d) messages, transmitted on demand either as:
  - 0. unicast messages (point-to-point) or/and
  - 1. multicast messages.

WTB has a network management, which allows debugging, commissioning and maintenance over the network.

This standard is structured into 8 clauses and 2 annexes.

The clauses and annexes are listed and briefly described in Table 1.

**Table 1 – Document structure**

<b>Clause</b>	<b>Description</b>
1 Scope	This clause describes the scope of this standard..
2 Normative references	This clause lists the normative references.
3 Terms and definitions, abbreviations, conventions	This clause introduces basic terms and abbreviations not reported in IEC 61375-2-1.
4 Conformance test: approach, requirements and boundaries	<p>This clause is an overview of the methods of TCN implementation verification that are available to the developer and regulatory personnel.</p> <p>Supplies information concerning the ICS and IXITpPro-forma(s).</p>
5 Conformance test of a WTB node, WTB trunk cable, WTB jumper cables, WTB extension cables	<p>Contents: All tests on WTB are classified by nodes related to WTB itself and MVB only. The main contents are:</p> <p>the WTB PICS and PIXIT;</p> <p>the WTB test suites;</p> <p>the WTB test procedures.</p>
6 Conformance test of RTP	This clause lists the tests covered in Clauses 3 and 4 fulfilling the real time protocol.
7 Conformance test of a WTB-equipped consist	This clause covers the Physical Layer while the Services given by the WTB node are covered by the previous clauses. Application profiles are covered by other bodies, like communication profile as described in UIC CODE 556.
8 Conformance test of NM	Partially covered by Clauses 3 and 4. Remaining parts are not covered.
Annex A – Test laboratory and client role	This annex is normative.
Annex B – Test suites standard instrumentation	This annex is informative.

# **ELECTRONIC RAILWAY EQUIPMENT – TRAIN COMMUNICATION NETWORK (TCN) –**

## **Part 2-2: Wire Train Bus conformance testing**

### **1 Scope**

This part of IEC 61375 applies to all equipment and devices implemented according to IEC 61375-2-1, i.e. it covers the procedures to be applied to such equipment and devices when the conformance should be proven.

The applicability of this standard to a TCN implementation allows for individual conformance checking of the implementation itself and is a pre-requisite for further interoperability checking between different TCN implementations.

NOTE For a definition of TCN implementation see IEC 61375-2-1, 1.3.

### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60571: *Electronic equipment used on rail vehicles*

IEC 60807(all parts), *Rectangular connectors for frequencies below 3 MHz*

IEC 61375-2-1: *Electronic railway equipment – Train Communication Network (TCN) – Part 2-1: Wire Train Bus (WTB)*

ISO/IEC 7498 (all parts): *Information technology – Open Systems Interconnection – Basic Reference Model*

ISO/IEC 9646-1:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 1: General concepts* (Also available as ITU-T Recommendation X.290 (1995))

ISO/IEC 9646-7:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 7: Implementation Conformance Statements* (Also available as ITU-T Recommendation X.296 (1995))

UIC CODE 556, *Information transmission in the train (train-bus)*

### **3 Terms and definitions, abbreviations, conventions**

#### **3.1 Terms and definitions**

For the purposes of this document, the terms and definitions given in ISO/IEC 9646-1 and IEC 61375-2-1 apply.