



Edition 6.0 2007-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

BASIC SAFETY PUBLICATION PUBLICATION FONDAMENTALE DE SÉCURITÉ

Environmental testing – Part 2-1: Tests – Test A: Cold

Essais d'environnement – Partie 2-1: Essais – Essai A: Froid



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur. Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: <u>www.electropedia.org</u>

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: <u>www.iec.ch/webstore/custserv</u>

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: <u>csc@iec.ch</u> Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: <u>www.iec.ch/webstore/custserv/custserv_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00





Edition 6.0 2007-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

BASIC SAFETY PUBLICATION

PUBLICATION FONDAMENTALE DE SÉCURITÉ

Environmental testing – Part 2-1: Tests – Test A: Cold

Essais d'environnement – Partie 2-1: Essais – Essai A: Froid

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE



2000 at a c

ICS 19.040

ISBN 2-8318-9062-4

– 2 –

CONTENTS

FO	REWC)RD	4
INT	RODU	JCTION	6
1	Scop	● e and object	
2	Norm	ative references	7
2	Torm	s and definitions	ı
4	Annli	action of toots for non-boot discincting appointing versus toots for boot	0
4	dissir	cation of tests for non-neat-dissipating specimens versus tests for neat-	8
	4 1	General	8
	4.2	Ascertaining high or low air velocity in the test chamber	8
	4.3	Non heat-dissipating specimens	9
	4.4	Testing of heat-dissipating specimens	9
	4.5	Temperature monitoring	9
	4.6	Packaging	9
	4.7	Diagrammatic representations	9
5	Test	description	10
	5.1	General	10
	5.2	Test Ab: Cold for non heat-dissipating specimens with gradual change of	
		temperature	10
		5.2.1 Object	10
		5.2.2 General description	11
	5.3	Test Ad: Cold for heat-dissipating specimens with gradual change of	4.4
		5.2.1 Object	
		5.3.1 Object	
	51	Test Ae: Cold for hest-dissipating specimens with gradual change of	1 1
	5.4	temperature that are required to be powered throughout the test	11
		5.4.1 Object	11
		5.4.2 General description	11
		5.4.3 Energizing the specimen	12
6	Test	procedure	12
	6.1	Confirmation of performance	12
	6.2	Working space	12
	6.3	Thermal radiation	12
	6.4	Specimen with artificial cooling	12
	6.5	Mounting	13
	6.6	Severities	13
		6.6.1 Temperature	13
		6.6.2 Duration	13
	6.7	Preconditioning	13
	6.8	Initial measurements	13
	6.9	Conditioning	13
	6.10	Intermediate measurements	14
	6.11	Final temperature ramp	14
	6.12	Recovery	14
	6.13	Final measurements	14

Information to be given in Information to be giv	n the relevant specification n the test report		14 15
inura 1 - Diack diagram tao			10
igure 1 – Block diagram tes			
0.			
C			
Ċ,			
3			
0			
	×		
	10		
	0.		
	V		
	Ö.		
	Q,		
	2		
	C		
		0	
		0	
		Q.	
		0	
		6.	
			\mathcal{O}
			L
			^o

Figure	1 – Bloc	k diagram te	ests A:	Cold	10
--------	----------	--------------	---------	------	----

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –

Part 2-1: Tests – Test A: Cold

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60068-2-1 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test.

This sixth edition cancels and replaces the fifth edition issued in 1990. It includes the revised text of the fifth edition, amendment 1 issued in 1993 and amendment 2 issued in 1994.

This sixth edition deals with cold tests applicable both to non heat-dissipating and heatdissipating specimens. For non heat-dissipating specimens, Tests Ab and Ad do not deviate essentially from earlier issues. Test Ae has been added primary for testing equipment that requires being operational throughout the test including the conditioning periods. The text of this standard is based on the following documents:

104/407/FDIS 104/410/RVD	FDIS	Report on voting
	104/407/FDIS	104/410/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

It has the status of a basic safety publication in accordance with IEC Guide 104.

A list of all the parts in the IEC 60068 series, under the general title Environmental testing, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed, •
- withdrawn, •
- Orchick Concrete of the orthogonal t replaced by a revised edition, or
- amended. ٠

INTRODUCTION

Relationship of suffixes between tests a: cold and tests b: dry heat

The relationship of suffixes between Tests A: Cold, and Tests B: Dry heat, is shown in the following table:

Specimen type Temperature change Air velocity Specimen type Temperature change Air velocity a Withdrawn Withdrawn Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Uthdrawn Withdrawn Withdrawn Uow preferred d Heat dissipating, powered throughout Gradual Low preferred Heat, powered Gradual Low preferred e Heat dissipating, powered throughout Gradual Low preferred Heat, powered Gradual Low preferred	Specimen Temperature change Air velocity Specimen type Temperature change Air velocity a Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn d Heat dissipating Gradual Low preferred Heat Heat Gradual Low preferred e Heat dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradual Low preferred	Specimen type Temperature change Air velocity Specimen type Temperature change Air velocity a Withdrawn Withdrawn Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn d Heat dissipating Gradual Low preferred Heat throughout Gradual Low preferred e Heat dissipating, powered throughout Gradual Low preferred throughout Heat, throughout Gradual Low preferred	Specimen type Temperature change Air velocity Specimen type Temperature change Air velocity a Withdrawn Withdrawn Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat Gradual Low preferred dissipating, powered throughout Gradual Low preferred Heat, powered Gradual Low preferred	Vietter Specimen Temperature change Air velocity Specimen type Temperature change Air velocity a Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat dissipating Gradual Low preferred Heat powered Gradual Low preferred e Heat dissipating, powered throughout Gradual Low preferred Heat, powered Gradual Low preferred	Specimen Temporature change Air velocity Specimen Temporature change Air velocity a Withdrawn Withdrawn Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat dissipating Gradual Low preferred Heat powered Gradual Low preferred e Heat dissipating Gradual Low preferred Heat powered Gradual Low preferred	Specimen type Temperature change Air velocity Specimen type Temperature change a Withdrawn Withdrawn Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradu c Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradu e Heat Gradual Low preferred Heat, powered Gradu dissipating, powered throughout Gradual Low preferred Heat, powered Gradu	letter		Tests A: Cold			Tests B: Dry he	at
a Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat, powered Gradual Low preferred powered hroughout Gradual Low preferred Heat, powered Gradual Low preferred	a Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Cradual Low preferred Heat, powered Gradual Low preferred powered throughout Gradual Low preferred Heat, powered Gradual Low preferred throughout Gradual Low preferred Heat, powered Gradual Low preferred	a Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat, powered Gradual Low preferred powered throughout Gradual Low preferred Heat, powered Gradual Low preferred	a Withdrawn b Non heat Gradual High preferred c Withdrawn Withdrawn d Heat Gradual Low preferred d Heat Gradual Low preferred e Heat Gradual Low preferred dissipating Gradual Low preferred Heat Gradual dissipating, Gradual Low preferred Heat, Gradual Low preferred e Heat Gradual Low preferred Heat, powered Gradual Low preferred throughout Sradual Low preferred Heat, Gradual Low preferred	a Withdrawn b Non heat Gradual High preferred c Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat Gradual Low preferred gissipating, Gradual Low preferred Heat, Gradual Low preferred e Heat, Gradual Low preferred Heat, Gradual Low preferred throughout Inroughout Inroughout Inroughout Inroughout Inroughout Inroughout	a Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat Gradual Low preferred gowered gowered Gradual Low preferred Heat, powered Gradual Low preferred htroughout Gradual Low preferred Heat, powered Gradual Low preferred	a Withdrawn Withdrawn b Non heat Gradual High preferred Non heat Gradual c Withdrawn Withdrawn Withdrawn Withdrawn d Heat dissipating Gradual Low preferred Heat Gradu e Heat dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradu		Specimen type	Temperature change	Air velocity	Specimen type	Temperature change	Air velocity
b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat dissipating Gradual Low preferred Heat Gradual Low preferred e Heat dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradual Low preferred	b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradual Low preferred	b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat, powered Gradual Low preferred powered throughout Gradual Low preferred Heat, powered Gradual Low preferred	b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat, powered Gradual Low preferred bowered bowered throughout Gradual Low preferred Heat, powered Throughout Low preferred	b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d dissipating Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat, powered Gradual Low preferred throughout Gradual Low preferred Heat, powered Gradual Low preferred	b Non heat Gradual High preferred Non heat Gradual High preferred c Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat Gradual Low preferred dissipating, Gradual Low preferred Heat, powered Gradual Low preferred throughout Inroughout Inroughout </td <td>b Non heat Gradual High preferred Non heat Gradu c Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradu e Heat Gradual Low preferred Heat, powered Gradu powered throughout Gradual Low preferred Heat, powered Gradu</td> <td>а</td> <td>6</td> <td>Withdrawn</td> <td>1</td> <td></td> <td>Withdrawn</td> <td></td>	b Non heat Gradual High preferred Non heat Gradu c Withdrawn Withdrawn Withdrawn Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradu e Heat Gradual Low preferred Heat, powered Gradu powered throughout Gradual Low preferred Heat, powered Gradu	а	6	Withdrawn	1		Withdrawn	
c Withdrawn d Heat dissipating Gradual Low preferred Heat Gradual Low preferred e Heat dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradual Low preferred	c Withdrawn d Heat dissipating Gradual Low preferred Heat Heat, powered Gradual Low preferred e Heat, dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradual Low preferred	c Withdrawn d Heat dissipating powered throughout Gradual Low preferred Heat powered throughout Gradual Low preferred	c Withdrawn Withdrawn d Heat Gradual Low preferred Heat Gradual Low preferred e Heat Gradual Low preferred Heat, powered Gradual Low preferred dissipating, powered throughout Gradual Low preferred Heat, powered throughout Low preferred	c Withdrawn Withdrawn d Heat dissipating isipating, powered throughout Gradual Low preferred	c Withdrawn d Heat dissipating Gradual Gradual Low preferred Heat powered throughout Gradual Low preferred	c Withdrawn Withdrawn d Heat dissipating Gradual Low preferred Heat powered Gradu e Heat dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradu	b	Non heat	Gradual	High preferred	Non heat	Gradual	High preferred
d Heat dissipating Gradual Low preferred Heat powered throughout Gradual Low preferred e Heat dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradual Low preferred	d Heat dissipating Gradual Low preferred Heat Heat, powered throughout Gradual Low preferred	d Heat dissipating, powered throughout Gradual Low preferred Heat powered throughout Gradual Low preferred	d Heat dissipating, powered throughout Gradual Low preferred Heat powered throughout Gradual Low preferred	d Heat dissipating powered throughout Gradual Low preferred Heat powered throughout Gradual Low preferred	d Heat dissipating powered powered throughout Gradual Low preferred Heat powered throughout Gradual Low preferred	d Heat dissipating Gradual Low preferred Heat powered Gradu e Heat dissipating, powered throughout Gradual Low preferred Heat, powered throughout Gradu	с		Withdrawn			Withdrawn	
e Heat Gradual Low preferred Heat, powered throughout Cradual Low preferred throughout Cradual Low preferred	e Heat dissipating, powered throughout Cradual Low preferred Low p	e Heat dissipating, powered throughout Gradual Low preferred throughout Low preferred throughout Compared	e Heat dissipating, powered throughout Gradual Low preferred	e Heat Gradual Low preferred Heat, Dowered throughout Cow preferred thr	e Heat dissipating, Gradual Low preferred Heat, powered throughout Cow preferred throughout Cow	e Heat Gradual Low preferred Heat, powered throughout Gradu	d	Heat dissipating	Gradual	Low preferred	Heat	Gradual	Low preferred
			o a ore tiew on a term of the or of	o Portien Oenerated During	o Preview Oenerated By The	o o o cuica de cuica	e	Heat dissipating, powered throughout	Gradual	Low preferred	Heat, powered throughout	Gradual	Low preferred
										CL.	92 92		
	5												52 172 5

- 6 -

ENVIRONMENTAL TESTING -

Part 2-1: Tests – Test A: Cold

1 Scope and object

This part of IEC 60068 deals with cold tests applicable to both non heat-dissipating and heatdissipating specimens. For non heat-dissipating specimens, Tests Ab and Ad do not deviate essentially from earlier issues. Test Ae has been added primarily for testing equipment that requires being operational throughout the test, including the conditioning periods.

The object of the cold test is limited to the determination of the ability of components, equipment or other articles to be used, transported or stored at low temperature.

Cold tests cover by this standard do not enable the ability of specimens to withstand or operate during the temperature variations to be assessed. In this case, it would be necessary to use IEC 60068-2-14.

The cold tests are subdivided as follows:

- Cold tests for non heat-dissipating specimens
 - with gradual change of temperature, Ab;
- Cold test for heat-dissipating specimens
 - with gradual change of temperature, Ad,
 - with gradual change of temperature, specimen powered throughout, Ae.

The procedures given in this standard are normally intended for specimens that achieve temperature stability during the performance of the test procedure.

Temperature chamber(s) are constructed and verified in accordance with specifications IEC 60068-3-5 and IEC 60068-3-7.

Further guidance for dry heat and cold tests can be found in IEC 60068-3-1 and general guidance in IEC 60068-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:1988, Environmental testing – Part 1: General and guidance

IEC 60068-2-14, Basic environmental test procedures – Part 2-14: Tests – Test N: Change of temperature

IEC 60068-3-1, Environmental testing – Part 3: Background information – Section one: Cold and dry heat tests

IEC 60068-3-5, Environmental testing – Part 3-5: Supporting documentation and guidance – Confirmation of the performance of temperature chambers

IEC 60068-3-7, Environmental testing – Part 3-7: Supporting documentation and guidance – Measurements in temperature chambers for tests A and B (with load)

IEC 60068-5-2, Environmental testing – Part 5-2: Guide to drafting of test methods – Terms and definitions

IEC 60721 (all parts), Classification of environmental conditions

3 Terms and definitions

For the purposes of this document, the definitions given in IEC 60068-5-2, as well as the following definitions, apply.

3.1

low air velocity in the working space

velocity of conditioning airflow within a working space which is sufficient to maintain conditions but low enough so that the temperature at any point on the test specimen is not reduced by more than 5 K by the influence of the circulation of the air (if possible, not more than 0.5 m/s)

3.2

high air velocity in the working space

velocity of conditioning airflow within a working space, which in order to maintain conditions, also reduces the temperature at any point on the test specimen by more than 5 K by the influence of the circulation of the air

4 Application of tests for non heat-dissipating specimens versus tests for heat-dissipating specimens

4.1 General

A specimen is considered to be heat-dissipating only if the hottest point on its surface, measured in free air conditions (i.e. with low air velocity circulation), is more than 5 K above the ambient temperature of the surrounding atmosphere after temperature stability has been reached (see 4.8 of IEC 60068-1). When the relevant specification calls for a storage or transportation test, or does not specify an applied load during the test, the Cold Test Ab will apply.

4.2 Ascertaining high or low air velocity in the test chamber

Under standard atmospheric conditions for measurements and test (see IEC 60068-1) with an air velocity <0,2 m/s achieved without induced air movement, the specimen shall be switched on or electrically loaded as specified for the low temperature at which the test is to be carried out.

When temperature stability of the specimen has been reached, the temperature of a number of representative points around or on the specimen shall be measured using a suitable monitoring device. The temperature rise that occurs at each point shall then be noted.