

**Elektriohutus madalpingevõrkudes  
vahelduvpingega kuni 1 kV ja alalispingega kuni 1,5  
kV. Kaitsesüsteemide katsetus-, mõõte- ja  
seireseadmed. Osa 12: Toimivuse mõõte- ja  
seireseadmed**

Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. - Equipment for testing, measuring or monitoring of protective measures -- Part 12: Performance measuring and monitoring devices (PMD)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN 61557-12:2008 sisaldab Euroopa standardi EN 61557-12:2008 ingliskeelset teksti.</p> <p>Standard on kinnitatud Eesti Standardikeskuse 24.07.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 15.05.2008.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 61557-12:2008 consists of the English text of the European standard EN 61557-12:2008.</p> <p>This standard is ratified with the order of Estonian Centre for Standardisation dated 24.07.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.</p> <p>Date of Availability of the European standard text 15.05.2008.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

ICS 17.220.20, 29.080.01, 29.240.01

**Võtmesõnad:**

### Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:  
Aru 10 Tallinn 10317 Eesti; [www.evs.ee](http://www.evs.ee); Telefon: 605 5050; E-post: [info@evs.ee](mailto:info@evs.ee)

**Electrical safety in low voltage distribution systems  
up to 1 000 V a.c. and 1 500 V d.c. -  
Equipment for testing, measuring or monitoring of protective measures -  
Part 12: Performance measuring and monitoring devices (PMD)  
(IEC 61557-12:2007)**

Sécurité électrique dans les réseaux  
de distribution basse tension  
de 1 000 V c.a. et 1 500 V c.c. -  
Dispositifs de contrôle, de mesure ou  
de surveillance de mesures de protection -  
Partie 12: Dispositifs de mesure et  
de surveillance des performances (PMD)  
(CEI 61557-12:2007)

Elektrische Sicherheit  
in Niederspannungsnetzen  
bis AC 1 000 V und DC 1 500 V -  
Geräte zum Prüfen, Messen oder  
Überwachen von Schutzmaßnahmen -  
Teil 12: Kombinierte Geräte zur Messung  
und Überwachung des Betriebsverhaltens  
(IEC 61557-12:2007)

This European Standard was approved by CENELEC on 2008-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## CENELEC

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Central Secretariat: rue de Stassart 35, B - 1050 Brussels**

## Foreword

The text of document 85/311/FDIS, future edition 1 of IEC 61557-12, prepared by IEC TC 85, Measuring equipment for electrical and electromagnetic quantities, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61557-12 on 2008-04-01.

This standard is to be used in conjunction with EN 61557-1:2007 (unless otherwise specified).

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2009-01-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-04-01

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and covers essential requirements of EC Directive 2004/108/EC. See Annex ZZ.

Annexes ZA and ZZ have been added by CENELEC.

---

## Endorsement notice

The text of the International Standard IEC 61557-12:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60044-1	NOTE Harmonized as EN 60044-1:1999 (modified).
IEC 60044-2	NOTE Harmonized as EN 60044-2:1999 (modified).
IEC 60044-7	NOTE Harmonized as EN 60044-7:2000 (not modified).
IEC 60044-8	NOTE Harmonized as EN 60044-8:2002 (not modified).
IEC 60071-1	NOTE Harmonized as EN 60071-1:2006 (not modified).
IEC 60359	NOTE Harmonized as EN 60359:2002 (not modified).
IEC 61000-4-7	NOTE Harmonized as EN 61000-4-7:2002 (not modified).
IEC 61140	NOTE Harmonized as EN 61140:2002 (not modified).
IEC 62052-11	NOTE Harmonized as EN 62052-11:2003 (not modified).

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-1	- <sup>1)</sup>	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	2007 <sup>2)</sup>
IEC 60068-2-2	- <sup>1)</sup>	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	2007 <sup>2)</sup>
IEC 60068-2-30	- <sup>1)</sup>	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005 <sup>2)</sup>
IEC 60364-6 (mod)	- <sup>1)</sup>	Low voltage electrical installations - Part 6: Verification	HD 60364-6	2007 <sup>2)</sup>
IEC 60529	- <sup>1)</sup>	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 <sup>2)</sup> 1993
IEC 61000-4-5	- <sup>1)</sup>	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2006 <sup>2)</sup>
IEC 61000-4-15	- <sup>1)</sup>	Electromagnetic compatibility (EMC) - Part 4-15: Testing and measurement techniques - Flickermeter - Functional and design specifications	EN 61000-4-15	1998 <sup>2)</sup>
IEC 61000-4-30	2003	Electromagnetic compatibility (EMC) - Part 4-30: Testing and measurement techniques - Power quality measurement methods	EN 61000-4-30	2003
IEC 61010	Series	Safety requirements for electrical equipment for measurement, control, and laboratory use	EN 61010	Series
IEC 61010-1	2001	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 1: General requirements	EN 61010-1 + corr. June	2001 2002
IEC 61326-1	2005	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements	EN 61326-1	2006
IEC 61557-1	2007	Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. - Equipment for testing, measuring or monitoring of protective measures - Part 1: General requirements	EN 61557-1	2007

<sup>1)</sup> Undated reference.

<sup>2)</sup> Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62053-21	2003	Electricity metering equipment (a.c.) - Particular requirements - Part 21: Static meters for active energy (classes 1 and 2)	EN 62053-21	2003
IEC 62053-22	2003	Electricity metering equipment (a.c.) - Particular requirements - Part 22: Static meters for active energy (classes 0,2 S and 0,5 S)	EN 62053-22	2003
IEC 62053-23	2003	Electricity metering equipment (a.c.) - Particular requirements - Part 23: Static meters for reactive energy (classes 2 and 3)	EN 62053-23	2003
IEC 62053-31	1998	Electricity metering equipment (a.c.) - Particular requirements - Part 31: Pulse output devices for electromechanical and electronic meters (two wires only)	EN 62053-31	1998

**Annex ZZ**  
(informative)

**Coverage of Essential Requirements of EC Directives**

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers all relevant essential requirements as given in Annex I of the EC Directive 2004/108/EC.

Compliance with this standard provides one means of conformity with the specified essential requirements of the Directive concerned.

WARNING: Other requirements and other EC Directives may be applicable to the products falling within the scope of this standard.

---

This document is a preview generated by EVS

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references.....	10
3 Terms and definitions.....	11
3.1 General definitions.....	11
3.2 Definitions related to uncertainty and performance.....	12
3.3 Definitions related to electric phenomena.....	15
3.4 Definitions related to measurement techniques.....	18
3.5 Notations.....	18
3.5.1 Functions.....	18
3.5.2 Symbols and abbreviations.....	19
3.5.3 Indices.....	19
4 Requirements.....	19
4.1 General requirements.....	19
4.2 PMD general architecture.....	20
4.3 Classification of PMD.....	20
4.4 List of applicable performance classes.....	21
4.4.1 List of applicable function performance classes for PMD without external sensors.....	21
4.4.2 List of applicable system performance classes for PMD with external sensors.....	22
4.5 Operating and reference conditions for PMD.....	22
4.5.1 Reference conditions.....	22
4.5.2 Rated operating conditions.....	22
4.6 Start-up conditions.....	24
4.7 Requirements for PMD functions (except PMD-A).....	24
4.7.1 Active power ( $P$ ) and active energy ( $E_a$ ) measurements.....	24
4.7.2 Reactive power ( $Q_A$ , $Q_V$ ) and reactive energy ( $E_{rA}$ , $E_{rV}$ ) measurements.....	29
4.7.3 Apparent power ( $S_A$ , $S_V$ ) and apparent energy ( $E_{apA}$ , $E_{apV}$ ) measurements.....	32
4.7.4 Frequency ( $f$ ) measurements.....	34
4.7.5 R.m.s. phase current ( $I$ ) and neutral current ( $I_N$ , $I_{Nc}$ ) measurements.....	35
4.7.6 R.m.s. voltage ( $U$ ) measurements.....	38
4.7.7 Power factor ( $PF_A$ , $PF_V$ ) measurements.....	40
4.7.8 Short term flicker ( $P_{St}$ ) and long term flicker ( $P_{lt}$ ) measurements.....	40
4.7.9 Voltage dip ( $U_{dip}$ ) and voltage swell ( $U_{SWI}$ ) measurements.....	41
4.7.10 Transients overvoltage ( $U_{tr}$ ) measurements.....	43
4.7.11 Voltage interruption ( $U_{int}$ ) measurements.....	43
4.7.12 Voltage unbalance ( $U_{nb}$ , $U_{nba}$ ) measurements.....	44
4.7.13 Voltage harmonics ( $U_h$ ) and voltage THD ( $THD_U$ and $THD-R_U$ ) measurements.....	45



4.7.14	Current harmonics ( $I_h$ ) and current THD ( $THD_i$ and $THD-R_i$ ) measurements .....	46
4.7.15	Minimum, maximum, peak, three-phases average and demand measurements .....	47
4.8	Requirements for PMD-A functions .....	47
4.9	General mechanical requirements .....	48
4.9.1	Vibration requirements .....	48
4.9.2	IP requirements .....	48
4.10	Safety requirements .....	49
4.10.1	Clearances and creepage distances .....	49
4.10.2	Connection of a fixed installed PMD with a current transformer .....	49
4.10.3	Connection of a PMD with a high voltage sensor .....	49
4.10.4	Accessible parts .....	49
4.10.5	Hazardous live parts .....	50
4.11	Analog outputs .....	50
4.11.1	General requirements .....	50
4.11.2	Compliance voltage .....	50
4.11.3	Analog output ripple content .....	50
4.11.4	Analog output response time .....	50
4.11.5	Limiting value of the analog output signal .....	50
4.11.6	Pulse outputs .....	51
5	Marking and operating instructions .....	51
5.1	Marking .....	51
5.2	Operating and installation instructions .....	51
5.2.1	General characteristics .....	51
5.2.2	Essential characteristics .....	52
5.2.3	Safety characteristics .....	54
6	Tests .....	54
6.1	Type tests of PMD .....	54
6.1.1	Test of temperature influence .....	55
6.1.2	Active power .....	55
6.1.3	Apparent power .....	58
6.1.4	Power factor .....	58
6.1.5	Common mode voltage rejection test .....	58
6.1.6	Frequency .....	59
6.1.7	Measurement of voltage harmonics .....	59
6.1.8	Measurement of current harmonics .....	59
6.1.9	Dips and swells .....	60
6.1.10	Voltage interruptions .....	60
6.1.11	Outputs tests .....	60
6.1.12	Climatic tests .....	61
6.1.13	EMC tests .....	62
6.1.14	Start up tests .....	62
6.2	Type tests of PMD-A .....	62
6.3	Routine tests .....	62
6.3.1	Protective bonding test .....	62
6.3.2	Dielectric strength test .....	63
6.3.3	Uncertainty test .....	63

Annex A (informative) Definitions of electrical parameters .....	64
Annex B (normative) Definitions of minimum, maximum, peak and demand values .....	68
Annex C (informative) Intrinsic uncertainty, operating uncertainty, and overall system uncertainty.....	70
Annex D (informative) Recommended sensor classes for the different kinds of PMD.....	72
Annex E (normative) Requirements applicable to PMD and to PMD-A.....	75
Bibliography.....	76
Figure 1 – PMD generic measurement chain.....	20
Figure 2 – Description of different types of PMD .....	21
Figure 3 – Relationship between ambient air temperature and relative humidity.....	24
Figure 4 – Waveform for odd harmonics influence test on active power measurement .....	55
Figure 5 – Spectral content for odd harmonics influence test on active power measurement .	56
Figure 6 – Waveform for sub-harmonics influence test on active power measurement .....	57
Figure 7 – Spectral content for sub-harmonics influence test on active power measurement .	57
Figure 8 – Common mode voltage influence testing .....	58
Figure 9 – Waveform for harmonics influence test on frequency measurement.....	59
Figure A.1 – Arithmetic and vector apparent powers in sinusoidal situation.....	66
Figure A.2 – Geometric representation of active and reactive power .....	67
Figure B.1 – Thermal current demand.....	68
Figure C.1 – Different kind of uncertainties .....	70
Table 1 – Classification of PMD .....	21
Table 2 – List of applicable function performance classes for PMD without external sensors	21
Table 3 – List of applicable system performance classes for PMD with external sensors.....	22
Table 4 – Reference conditions for testing .....	22
Table 5 – Rated operating temperatures for portable equipment .....	23
Table 6 – Rated operating temperatures for fixed installed equipment .....	23
Table 7 – Humidity and altitude operating conditions .....	23
Table 8 – Intrinsic uncertainty table for active power and active energy measurement .....	25
Table 9 – Influence quantities for active power and active energy measurement.....	26
Table 10 – Starting current for active power and active energy measurement .....	29
Table 11 – Intrinsic uncertainty table for reactive power and reactive energy measurement .	29
Table 12 – Influence quantities for reactive power and reactive energy measurement.....	30
Table 13 – Starting current for reactive energy measurement .....	32
Table 14 – Intrinsic uncertainty table for apparent power and apparent energy measurement .....	32
Table 15 – Influence quantities for apparent power and apparent energy measurement.....	33
Table 16 – Intrinsic uncertainty table for frequency measurement .....	34
Table 17 – Influence quantities for frequency measurement.....	34
Table 18 – Rated range of operation for phase current measurement .....	35
Table 19 – Rated range of operation for neutral current measurement .....	35

Table 20 – Intrinsic uncertainty table for phase current .....	36
Table 21 – Intrinsic uncertainty table for neutral current measurement.....	36
Table 22 – Intrinsic uncertainty table for neutral current calculation .....	36
Table 23 – Influence quantities for phase current and neutral current measurement .....	37
Table 24 – Rated range of operation for r.m.s. voltage measurement.....	38
Table 25 – Intrinsic uncertainty table for r.m.s. voltage measurement .....	38
Table 26 – Influence quantities for r.m.s. voltage measurement .....	39
Table 27 – Intrinsic uncertainty table for power factor measurement .....	40
Table 28 – Intrinsic uncertainty table for flicker measurement .....	40
Table 29 – Rated range of operation for voltage dips and swells measurement.....	41
Table 30 – Intrinsic uncertainty table for voltage dips and swells measurement .....	41
Table 31 – Influence quantities for dips and swells measurement .....	42
Table 32 – Intrinsic uncertainty table for transient overvoltage measurement.....	43
Table 33 – Intrinsic uncertainty table for voltage interruption measurement .....	44
Table 34 – Intrinsic uncertainty table for voltage unbalance measurement .....	44
Table 35 – Rated range of operation for voltage harmonics measurement .....	45
Table 36 – Intrinsic uncertainty table for voltage harmonics measurement .....	45
Table 37 – Intrinsic uncertainty table for voltage $THD_U$ or $THD-R_U$ measurement .....	45
Table 38 – Rated range of operation for current harmonics measurement.....	46
Table 39 – Intrinsic uncertainty table for current harmonics measurement .....	46
Table 40 – Intrinsic uncertainty table for current $THD_i$ and $THD-R_i$ measurement .....	47
Table 41 – Complementary characteristics of PMD-A.....	48
Table 42 – Minimum IP requirements for PMD .....	49
Table 43 – PMD specification form.....	52
Table 44 – Characteristics specification template.....	53
Table 45 – Characteristics specification template.....	54
Table A.1 – Symbols definition.....	64
Table A.2 – Calculation definitions of electrical parameters, for 3 phase unbalanced system with neutral.....	65
Table D.1 – PMD SD associated to current sensor or PMD DS associated to voltage sensor .....	72
Table D.2 – PMD SS with Current Sensor and Voltage Sensor association .....	73
Table D.3 – Range of applicable performance classes for PMD without its associated external sensors .....	74
Table D.4 – Range of applicable performance classes when calculating performance class of PMD with its associated external sensors .....	74
Table D.5 – List of functions affected by uncertainty of external sensors.....	74
Table E.1 – Requirements applicable to PMD and to PMD-A.....	75

## INTRODUCTION

As a complement to protection measures, it becomes more and more necessary to measure different electrical parameters, in order to monitor the required performances in energy distribution systems due to:

- installation standards evolutions, for instance over current detection is now a new requirement for the neutral conductor due to harmonic content;
- technological evolutions (electronic loads, electronic measuring methods, etc.);
- end-users needs (cost saving, compliance with aspects of building regulations, etc..);
- safety and continuity of service;
- sustainable development requirements where energy measurement for instance is recognised as an essential element of energy management, part of the overall drive to reduce carbon emissions and to improve the commercial efficiency of manufacturing, commercial organisations and public services.

The devices on the current market have different characteristics, which need a common system of references. Therefore there is a need for a new standard in order to facilitate the choices of the end-users in terms of performance, safety, interpretation of the indications, etc. This standard provides a basis by which such devices can be specified and described, and their performance evaluated.

**ELECTRICAL SAFETY IN LOW VOLTAGE DISTRIBUTION SYSTEMS  
UP TO 1 000 V a.c. AND 1 500 V d.c. –  
EQUIPMENT FOR TESTING, MEASURING OR MONITORING  
OF PROTECTIVE MEASURES –**

**Part 12: Performance measuring and monitoring devices (PMD)**

## **1 Scope**

This part of IEC 61557 specifies requirements for combined performance measuring and monitoring devices that measure and monitor the electrical parameters within electrical distribution systems. These requirements also define the performance, in single and three-phase a.c. or d.c. systems having rated voltages up to 1 000 V a.c. or up to 1 500 V d.c.

These devices are fixed installed or portable. They are intended to be used indoors and/or outdoors. This standard is not applicable for:

- electricity metering equipment that complies with IEC 62053-21, IEC 62053-22 and IEC 62053-23. Nevertheless, uncertainties defined in this standard for active and reactive energy measurement are derived from those defined in the IEC 62053 standards series.
- simple remote relays or simple monitoring relays.

This standard is intended to be used in conjunction with IEC 61557-1 (unless otherwise specified), which specifies the general requirements for measuring and monitoring equipment, as required in IEC 60364-6.

The standard does not include the measurement and monitoring of electrical parameters defined in Parts 2 to 9 of IEC 61557 or in IEC 62020.

Combined performance measuring and monitoring devices (PMD), as defined in this standard, give additional safety information, which aids the verification of the installation and enhances the performance of the distribution systems. For instance, those devices help to check if the level of harmonics is still compliant with the wiring systems as required in IEC 60364-5-52.

The combined performance measuring and monitoring devices (PMD) for electrical parameters described in this standard are used for general industrial and commercial applications. A PMD-A is a specific PMD complying with requirements of IEC 61000-4-30 class A, which may be used in "power quality assessment" applications.

NOTE 1 Generally such types of devices are used in the following applications or for the following general needs:

- energy management inside the installation;
- monitoring and/or measurement of electrical parameters that may be required or usual;
- measurement and/or monitoring of the quality of energy.

NOTE 2 A measuring and monitoring device of electrical parameters usually consists of several functional modules. All or some of the functional modules are combined in one device. Examples of functional modules are mentioned below:

- measurement and indication of several electrical parameters simultaneously;

- energy measurement and/or monitoring, and also sometimes compliance with aspects of building regulations;
- alarms functions;
- power quality (harmonics, over/undervoltages, voltage dips and swells, etc).

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2: Tests – Tests B: Dry heat*

IEC 60068-2-30, *Environmental testing – Part 2-30 – Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60364-6, *Low-voltage electrical installations – Part 6: Verification*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-15, *Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 15: Flickermeter – Functional and design specifications*

IEC 61000-4-30:2003, *Electromagnetic compatibility (EMC) – Part 4-30: Testing and measurement techniques – Power quality measurement methods*

IEC 61010 (all parts), *Safety requirements for electrical equipment for measurement, control, and laboratory use*

IEC 61010-1:2001, *Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 1: General requirements*

IEC 61326-1:2005, *Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 1: General requirements*

IEC 61557-1:2007, *Electrical safety in low voltage distribution systems up to 1000 V a.c. and 1500 V d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 1: General requirements*

IEC 62053-21:2003, *Electricity metering equipment (a.c.) – Particular requirements – Part 21: Static meters for active energy (classes 1 and 2)*

IEC 62053-22:2003, *Electricity metering equipment (a.c.) – Particular Requirements – Part 22: Static meters for active energy (classes 0,2 S and 0,5 S)*

IEC 62053-23:2003, *Electricity metering equipment (a.c.) – Particular requirements – Part 23: Static meters for reactive energy (classes 2 and 3)*

IEC 62053-31:1998, *Electricity metering equipment (a.c.) – Particular requirements – Part 31: Pulse output devices for electromechanical and electronic meters (two wires only)*