Superconductivity - Part 5: Matrix to superconductor volume ratio measurement; Copper to superconductor volume ratio of Cu/Nb-Ti composite superconductors



EESTI STANDARDIKESKUS ESTONIAN CENTRE FOR STANDARDISATION

FESTI STANDARDI FESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 61788-5:2002 sisaldab Euroopa standardi EN 61788-5:2001 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 18.12.2002 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 03.04.2001.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 61788-5:2002 consists of the English text of the European standard EN 61788-5:2001.

This standard is ratified with the order of Estonian Centre for Standardisation dated 18.12.2002 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 03.04.2001.

The standard is available from Estonian standardisation organisation.

ICS 29.050

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

oreview senerated by k Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute Estonian Standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: +372 605 5050; E-mail: info@evs

EUROPEAN STANDARD

EN 61788-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2001

ICS 29.050

English version

Superconductivity

Part 5: Matrix to superconductor volume ratio measurement
Copper to superconductor volume ratio

of Cu/Nb-Ti composite superconductors

(IEC 61788-5:2000)

Supraconductivité
Partie 5: Mesure du rapport volumique
matrice/supraconducteurs Rapport volumique
cuivre/supraconducteur des composites
supraconducteurs au Cu/Nb-Ti
(CEI 61788-5:2000)

Supraleitfähigkeit
Teil 5: Messung des Verhältnisses von
Matrixvolumen zu Supraleitervolumen Verhältnis von Kupfervolumen
zu Supraleitervolumen von
Cu/Nb Ti-Verbundsupraleitern

(IEC 61788-5:2000)

This European Standard was approved by CENELEC on 2000-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 90/81/FDIS, future edition 1 of IEC 61788-5, prepared by IEC TC 90, Superconductivity, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61788-5 on 2000-12-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2001-10-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2003-12-01

Annexes designated "normative" are part of the body of the standard. Annexes designated "informative" are given for information only.

In this standard, annexes A and ZA are normative and annexes B to D are informative.

Annex ZA has been added by CENELEC.

Endorsement notice

788-5:20.

Ochemologia de la companya del companya della companya The text of the International Standard IEC 61788-5:2000 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication Year Title EN/HD Year

IEC 60050-815 2000 International Electrotechnical Vocabulary

about the series of the series Chapter 815: Superconductivity

INTERNATIONAL

IEC 61788-5

> First edition 2000-12

Superconductivity –

Part 5:

Tix-to supercon

Tement – Co Matrix to superconductor volume ratio measurement - Copper to superconductor volume ratio of Cu/Nb-Ti composite superconductors

Supraconductivité

Partie 5:

Mesure du rapport volumique matrice/supraconducteur -Rapport volumique cuivre/supraconducteur des composites supraconducteurs de Cu/Nb-Ti



Reference number IEC 61788-5:2000(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (www.iec.ch)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/catlg-e.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (www.iec.ch/JP.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

INTERNATIONAL

IEC 61788-5

> First edition 2000-12

Superconductivity –

Part 5:

*ix to supercon

*ement – Cc

*(Nb-Ti Matrix to superconductor volume ratio measurement - Copper to superconductor volume ratio of Cu/Nb-Ti composite superconductors

Supraconductivité

Partie 5:

Mesure du rapport volumique matrice/supraconducteur -Rapport volumique cuivre/supraconducteur des composites supraconducteurs de Cu/Nb-Ti

© IEC 2000 — Copyright - all rights reserved

more part or tries publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

3, rue de Varembé Geneva, Switzerland International Electrotechnical Commission Telefax: +41 22 919 0300 e-mail: inmail@iec.ch IEC web site http://www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



Ν

For price, see current catalogue

CONTENTS

	Page	1
FO	REWORD 3	,
INT	RODUCTION	
	9,	
Clau	use O	
1	Scope	
2	Normative references	
3	Terminology	,
4	Principle	i
5	Chemicals6	i
6	Apparatus	
7	Measurement procedure	
8	Calculation of results	i
9	Precision and accuracy of the test method	i
10	Test report	i
۸		
	nex A (normative) Copper to superconductor volume ratio – copper mass method	
	nex C (informative) Mechanical removal of insulating cover materials	
AIII	nex D (informative) Second etch of specimen14	
	0,	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SUPERCONDUCTIVITY -

Part 5: Matrix to superconductor volume ratio measurement –
Copper to superconductor volume ratio of
Cu/Nb-Ti composite superconductors

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a world-wide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international cooperation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standard. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters, prepared by technical committees on which all the National Committees have a special interest therein are represented, express, as nearly as possible, an international consensus of opinion on the subjects dealt with.
- 3) They have the form of recommendations for international use published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standards and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provided no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61788-5 has been prepared by IEC technical committee 90: Superconductivity.

The text of this standard is based on the following documents

FDIS	Report on voting
90/81/FDIS	90/87/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annex A forms an integral part of this standard.

Annexes B, C and D are for information only.

The committee has decided that the contents of this publication will remain unchanged until 2005. At this date, the publication will be

- confirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

INTRODUCTION

The copper to superconductor volume ratio of composite superconductors is used mainly to calculate the critical current density of superconducting wires. The test with the method given in this International Standard may be used to provide part of the information needed to determine the suitability of a specific superconductor. Moreover, this method is useful for quality control, acceptance or research testing if the precautions given in this standard are observed.

min.
Nown.
Method
Inductors is

Inductors is

Method
Inductors is

Induc The test method given in this International Standard is based on the condition that the specific mass of Nb-Ti is known. If the specific mass of Nb-Ti and/or the fraction of Nb barrier are unknown, another method to determine the copper to superconductor volume ratio of composite superconductors is described in annex A.

SUPERCONDUCTIVITY -

Part 5: Matrix to superconductor volume ratio measurement –
Copper to superconductor volume ratio of
Cu/Nb-Ti composite superconductors

1 Scope

This part of IEC 61788 covers a test method for the determination of copper to superconductor volume ratio of Cu/Nb-Ti composite superconducting wire.

This test method is intended for use with Cu/Nb-Ti composite superconducting wires with a cross-sectional area of 0.1 mm 2 to 3 mm 2 , a diameter of the Nb-Ti filament(s) of 2 μ m to 200 μ m, and a copper to superconductor volume ratio of 0,5 or more.

The Cu/Nb-Ti composite test conductor discussed in this method has a monolithic structure with a round or rectangular cross-section. This test method is carried out by dissolving the copper with nitric acid. Deviations from this test method that are allowed for routine tests and other specific restrictions are given in this standard.

Cu/Nb-Ti conductors beyond the limits in the cross-sectional area, the filament diameter and the copper to superconductor volume ratio could be measured with this present method with an anticipated reduction in precision. Other, more specialized, specimen test geometries may be more appropriate for conductors beyond the limits and have been omitted from this present standard for simplicity and to retain precision.

The test method given in this standard is expected to apply to other superconducting composite wires after some appropriate modifications.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61788. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 61788 are encouraged to investigate the possibility of applying the most recent edition of the normative document indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60050-815:2000, International Electrotechnical Vocabulary (IEV) - Part 815: Superconductivity

3 Terminology

For the purposes of this part of IEC 61788, the definitions given in IEC 60050-815 and the following definition are applicable.

3.1

copper to superconductor volume ratio

the ratio of the area of the copper stabilizing material to the area without copper consisting of Nb-Ti filaments and their Nb barriers.