Railway applications - Electric equipment for rolling stock - Part 5: Electrotechnical components - Rules for HV fuses



### EESTI STANDARDI EESSÕNA

### NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 60077-5:2019 sisaldab Euroopa standardi EN IEC 60077-5:2019 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 60077-5:2019 consists of the English text of the European standard EN IEC 60077-5:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 20.12.2019.	Date of Availability of the European standard is 20.12.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

### ICS 45.060

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

### **EN IEC 60077-5**

December 2019

ICS 45.060

Supersedes EN 60077-5:2003 and all of its amendments and corrigenda (if any)

### **English Version**

# Railway applications - Electric equipment for rolling stock - Part 5: Electrotechnical components - Rules for HV fuses (IEC 60077-5:2019)

Applications ferroviaires - Équipements électriques du matériel roulant - Partie 5: Composants électrotechniques - Règles pour les fusibles à haute tension (IEC 60077-5:2019)

Bahnanwendungen - Elektrische Betriebsmittel auf Fahrzeugen - Teil 5: Elektrotechnische Bauteile - Regeln für Hochspannungssicherungen (IEC 60077-5:2019)

This European Standard was approved by CENELEC on 2019-12-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### **European foreword**

The text of document 9/2539/FDIS, future edition 2 of IEC 60077-5, prepared by IEC/TC 9 "Electrical equipment and systems for railways" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60077-5:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2020-09-04 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-12-04

This document supersedes EN 60077-5:2003 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 60077-5:2019 was approved by CENELEC as a European Standard without any modification.

### Annex ZA

(normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="https://www.cenelec.eu">www.cenelec.eu</a>.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60077-1	2017	Railway applications - Electric equipment for rolling stock - Part 1: General service conditions and general rules	EN 60077-1	2017
IEC 60077-2	2017	Railway applications - Electric equipment for rolling stock - Part 2: Electrotechnical components - General rules	EN 60077-2	2017
IEC 60269-1	2006	Low-voltage fuses - Part 1: General requirements	EN 60269-1	2007
+ A1	2009		+ A1	2009
+ A2	2014	2	+ A2	2014
IEC 60282-1	2009	High-voltage fuses - Part 1: Current-limiting fuses	EN 60282-1	2009
+ A1	2014		+ A1	2014
IEC 61373	-	Railway applications - Rolling stock equipment - Shock and vibration tests	EN 61373	-
ISO 3	-	Preferred numbers - Series of preferred numbers	5	-
				5

### CONTENTS

FC	DREWO	RD	4
1	Scop	e	6
2	Norm	ative references	6
3	Term	s, definitions and abbreviated terms	7
	3.1	Components	
	3.2	Operational characteristics	
	3.3	Abbreviated terms	
4		sification	
	4.1	Breaking range	
	4.2	Utilisation category	
5		acteristics	
6		uct information	
U		Documentation	
	6.1	Marking	
7	6.2	al service conditions	
7			
8		tructional and performance requirements	
	8.1	Constructional requirements	
	8.1.1	General	12
	8.1.2		
	8.1.3		
	8.1.4	Spring-loaded contacts	
	8.1.5	External terminals	
	8.2	Performance requirements Operating conditions	13
	8.2.1	Operating conditions	13
	8.2.2	Temperature limits	
	8.2.3	Dielectric properties	
	8.2.4	Rated voltage	13
	8.2.5	Rated current of the fuse-link	
	8.2.6 8.2.7	Rated current of the fuse-base  Breaking capacity	
	-	Time-current characteristics	14 14
0	8.2.8	Time-current characteristics	
9			
	9.1	Kinds of tests	
	9.1.1	General	
	9.1.2	31	
	9.1.3		
	9.1.4	Investigation tests	
	9.2	Tests for the verification of constructional requirements	
	9.2.1	General	
	9.2.2	Type tests	
	9.2.3	Routine tests	
	9.3	Type tests for the verification of performance requirements  Test sequence	
	9.3.1 9.3.2	•	
	g.J.Z	General lest conditions	17

	characteristics	10
9.3.4	Description of tests for the fuse-link	
	tine tests for the verification of performance requirements	
9.4.1	General	
9.4.2	Resistance measurement	23
Annex A (norm	native) Connection diagram for temperature rise tests	24
	mative) Comparison between "a" and "g" fuse time current	25
Annex C (infor	mative) Diagram of the test circuit for breaking capacity tests	26
Annex D (infor	mative) Verification of breaking capacity	27
•		
0 . ,		
Figure A.1 – C	onnection diagram for temperature rise tests	24
Figure B.1 – C	omparison between "a" and "g" fuse time current characteristics	25
Figure C.1 – D	riagram of the test circuit for breaking capacity tests	26
Figure D.1 – T	est circuit calibration	27
	reaking operation when the instant of arc initiation is after the peak	28
value of the cu	reaking operation when the instant of arc initiation is prior to the peak	28
Table 1 - Conv	ventional times for "g" fuse-links	11
	ventional times for "g" fuse-linksed and test voltages for DC fuse-links supplied from the contact line	
Table 2 – Rate	ed and test voltages for DC fuse-links supplied from the contact line	14
Table 2 – Rate Table 3 – Sequ	ed and test voltages for DC fuse-links supplied from the contact line uence of tests for the highest rating of a homogeneous series	14
Table 2 – Rate Table 3 – Sequ Table 4 – Sequ	ed and test voltages for DC fuse-links supplied from the contact line uence of tests for the highest rating of a homogeneous seriesuence of tests for the lowest rating of a homogeneous series	14 16
Table 2 – Rate Table 3 – Sequ Table 4 – Sequ Table 5 – Sequ	ed and test voltages for DC fuse-links supplied from the contact line uence of tests for the highest rating of a homogeneous series uence of tests for the lowest rating of a homogeneous series	14 16 17
Table 2 – Rate Table 3 – Sequ Table 4 – Sequ Table 5 – Sequ Table 6 – Tole	ed and test voltages for DC fuse-links supplied from the contact line uence of tests for the highest rating of a homogeneous series uence of tests for the lowest rating of a homogeneous series uence of tests for the intermediate ratings of a homogeneous series	14 16 17 17
Table 2 – Rate Table 3 – Sequ Table 4 – Sequ Table 5 – Sequ Table 6 – Tole Table 7 – Para	ed and test voltages for DC fuse-links supplied from the contact line uence of tests for the highest rating of a homogeneous series uence of tests for the lowest rating of a homogeneous series	14 16 17 17

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# RAILWAY APPLICATIONS – ELECTRIC EQUIPMENT FOR ROLLING STOCK –

# Part 5: Electrotechnical components – Rules for HV fuses

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60077-5 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This second edition cancels and replaces the first edition, issued in 2003. It constitutes a technical revision.

This edition includes the following main technical changes with regard to the previous edition:

a) test method of test duty III for verification of breaking capacity is reviewed.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
9/2539/FDIS	9/2555/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This document should be read in conjunction with IEC 60077-1 and IEC 60077-2.

A list of all parts in the IEC 60077 series, published under the general title Railway applications - Electric equipment for rolling stock, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# RAILWAY APPLICATIONS – ELECTRIC EQUIPMENT FOR ROLLING STOCK –

### Part 5: Electrotechnical components – Rules for HV fuses

### 1 Scope

The purpose of this part of IEC 60077 is to give additional or amended rules for high voltage (HV) fuses as a supplement to those given by IEC 60077-2.

NOTE 1 In this document the term high voltage fuses is used in the context of the voltages used in the field of railway rolling stock.

The high voltage fuses concerned are those connected into power and/or auxiliary circuits. The nominal voltage of these circuits lies between 600 V DC and 3 000 V DC, according to IEC 60850. These fuses can also be used in auxiliary AC circuits up to a nominal voltage of 1 500 V.

NOTE 2 Certain of these rules, after agreement between the user and the manufacturer, are used for fuses installed on vehicles other than rail rolling stock such as mine locomotives, trolleybuses, etc.

This document together with IEC 60077-2 states specifically:

- a) the characteristics of the fuses;
- b) the service conditions with which the fuses comply with reference to:
  - operation and behaviour in normal service;
  - operation and behaviour in case of short circuit;
  - dielectric properties.
- c) the tests intended for confirming the compliance of the fuse with the characteristics under the service conditions and the methods adopted for these tests;
- d) the information marked on, or given with, the fuse.

This document does not cover parallel connection of fuses.

During preparation of this document, IEC 60269-1 and IEC 60282-1 have been considered and their requirements have been kept as far as possible.

This document makes reference to the general rules for electrotechnical components given in IEC 60077-2, but for general conditions reference is made directly to IEC 60077-1.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60077-1:2017, Railway applications – Electric equipment for rolling stock – Part 1: General service conditions and general rules