

Electromechanical elementary relays -- Part 1: General requirements

Electromechanical elementary relays -- Part 1: General requirements

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN 61810-1:2008 sisaldab Euroopa standardi EN 61810-1:2008 ingliskeelset teksti.</p> <p>Standard on kinnitatud Eesti Standardikeskuse 24.07.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 04.06.2008.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 61810-1:2008 consists of the English text of the European standard EN 61810-1:2008.</p> <p>This standard is ratified with the order of Estonian Centre for Standardisation dated 24.07.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.</p> <p>Date of Availability of the European standard text 04.06.2008.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

ICS 29.120.70

Võttesõnad: all-or-nothing relays, non-specified time relays, requirements, tests

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

**Electromechanical elementary relays -
Part 1: General requirements
(IEC 61810-1:2008)**

Relais électromécaniques élémentaires -
Partie 1: Exigences générales
(CEI 61810-1:2008)

Elektromechanische Elementarrelais -
Teil 1: Allgemeine Anforderungen
(IEC 61810-1:2008)

This European Standard was approved by CENELEC on 2008-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in two official versions (English and German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 94/267/FDIS, future edition 3 of IEC 61810-1, prepared by IEC TC 94, All-or-nothing electrical relays, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61810-1 on 2008-05-01.

This European Standard supersedes EN 61810-1:2004.

The relevant modifications compared to EN 61810-1:2004 are:

- update of references;
- renumbering of clauses to bring them into a more logical order;
- inclusion of contact load categories (same as in EN 61810-2 and EN 61810-7);
- clarifications concerning electrical endurance (Clause 11);
- inclusion of provisions for insulation coordination in accordance with the basic safety standards EN 60664-3, EN 60664-4 and EN 60664-5 (Clause 13);
- renumbering of all annexes in the order they are referenced in the body of the standard;
- inclusion of new Annex C (normative) for the test set-up, and new Annex D (informative) for special loads (based upon similar annexes in EN 61810-2 and EN 61810-7);
- improvement of Annex B covering inductive contact loads.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2009-02-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-05-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61810-1:2008 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60335-1 + A1	NOTE	Harmonized as EN 60335-1:2002 (modified) + A1:2004 (not modified) .
IEC 60695-11-5	NOTE	Harmonized as EN 60695-11-5:2005 (not modified).
IEC 60730-1 + A1	NOTE	Harmonized as EN 60730-1:1995 (modified) + A1:1997 (modified).
IEC 60947-5-1	NOTE	Harmonized as EN 60947-5-1:2004 (not modified).
IEC 60950-1	NOTE	Harmonized as EN 60950-1:2006 (modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60038 (mod)	1983	IEC standard voltages ¹⁾	HD 472 S1	1989
-	-		+ corr. February	2002
-	-		A1	1995
A1	1994			
A2	1997			
IEC 60050	Series	International Electrotechnical Vocabulary (IEV)	-	-
IEC 60068-2-2	2007	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	2007
IEC 60068-2-17	1994	Environmental testing - Part 2: Tests - Test Q: Sealing	EN 60068-2-17	1994
IEC 60068-2-20 + A2	1979 1987	Environmental testing - Part 2: Tests - Test T: Soldering	HD 323.2.20 S3	1988
IEC 60085	2004	Electrical insulation - Thermal classification	EN 60085 ²⁾	2004
IEC 60112	2003	Method for the determination of the proof and the comparative tracking indices of solid insulating materials	EN 60112	2003
IEC 60364-4-44	2007	Low voltage electrical installations - Part 4-44: Protection for safety - Protection against voltage disturbances and electromagnetic disturbances	-	-
IEC 60417	Data-base	Graphical symbols for use on equipment	-	-
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60664-3	2003	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	2003
IEC 60664-4	2005	Insulation coordination for equipment within low-voltage systems - Part 4: Consideration of high-frequency voltage stress	EN 60664-4 + corr. October	2006 2006

¹⁾ The title of HD 472 S1 is: Nominal voltages for low voltage public electricity supply systems.

²⁾ EN 60085 is superseded by EN 60085:2008, which is based on IEC 60085:2007.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60664-5	2007	Insulation coordination for equipment within low-voltage systems - Part 5: Comprehensive method for determining clearances and creepage distances equal to or less than 2 mm	EN 60664-5	2007
IEC 60695-2-10	2000	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	2001
IEC 60695-2-11	2000	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products	EN 60695-2-11	2001
IEC 60695-2-12	2000	Fire hazard testing - Part 2-12: Glowing/hot-wire based test methods - Glow-wire flammability test method for materials	EN 60695-2-12	2001
IEC 60695-2-13	2000	Fire hazard testing - Part 2-13: Glowing/hot-wire based test methods - Glow-wire ignitability test method for materials	EN 60695-2-13	2001
IEC 60695-10-2	2003	Fire hazard testing - Part 10-2: Abnormal heat - Ball pressure test	EN 60695-10-2	2003
IEC 60721-3-3	1994	Classification of environmental conditions -	EN 60721-3-3	1995
A1	1995	Part 3: Classification of groups of	-	-
A2	1996	environmental parameters and their severities - Section 3: Stationary use at weatherprotected locations	A2	1997
IEC 60999-1	1999	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units - Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm ² up to 35 mm ² (included)	EN 60999-1	2000
IEC 61210 (mod)	1993	Connecting devices - Flat quick-connect terminations for electrical copper conductors - Safety requirements	EN 61210	1995
IEC 61760-1	2006	Surface mounting technology - Part 1: Standard method for the specification of surface mounting components (SMDs)	EN 61760-1	2006
IEC 61984	2001	Connectors - Safety requirements and tests	EN 61984	2001

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
3.1 Definitions related to general terms.....	9
3.2 Definitions of relay types	9
3.3 Definitions related to conditions and operations.....	10
3.4 Definitions of operating values	12
3.5 Definitions related to contacts	13
3.6 Definitions related to accessories	16
3.7 Definitions related to insulation	16
4 Influence quantities	18
5 Rated values	18
5.1 Rated coil voltage/rated coil voltage range	18
5.2 Operative range	19
5.3 Release.....	19
5.4 Reset	19
5.5 Electrical endurance.....	19
5.6 Frequency of operation.....	19
5.7 Contact loads	20
5.8 Ambient temperature	20
5.9 Categories of environmental protection	20
5.10 Duty factor	20
6 General provisions for testing	20
7 Documentation and marking	22
7.1 Data	22
7.2 Additional data	23
7.3 Marking	23
7.4 Symbols	23
8 Heating	24
8.1 Requirements.....	24
8.2 Test procedure	25
8.3 Terminals	26
8.3.1 General	26
8.3.2 Solder terminals	26
8.3.3 Flat quick-connect terminations	26
8.3.4 Screw and screwless type terminals	27
8.3.5 Alternative termination types	27
8.3.6 Sockets	27
9 Basic operating function	27
9.1 General test conditions.....	27
9.2 Operate (monostable relays)	27
9.3 Release (monostable relays)	28
9.4 Operate/reset (bistable relays)	28
10 Insulation resistance and dielectric strength	28

10.1	Preconditioning	28
10.2	Insulation resistance	28
10.3	Dielectric strength	28
11	Electrical endurance	30
12	Mechanical endurance	32
13	Clearances, creepage distances and solid insulation	32
13.1	General provisions	32
13.2	Clearances and creepage distances	33
13.3	Solid insulation	37
13.4	Accessible surfaces	37
14	Terminations	37
14.1	Screw terminals and screwless terminals	38
14.2	Flat quick-connect terminations	38
14.3	Solder terminals	38
14.3.1	Resistance to soldering heat	38
14.3.2	Solder pins	38
14.3.3	Terminals for surface mounting (SMD)	38
14.3.4	Other solder terminations (e.g. soldering lugs)	38
14.4	Sockets	38
14.5	Alternative termination types	39
15	Sealing	39
16	Heat and fire resistance	39
Annex A (normative)	Explanations regarding relays	40
Annex B (informative)	Inductive contact loads	43
Annex C (normative)	Test set-up	45
Annex D (informative)	Special loads	49
Annex E (normative)	Heating test arrangement	52
Annex F (normative)	Measurement of clearances and creepage distances	53
Annex G (normative)	Relation between rated impulse voltage, nominal voltage and overvoltage category	59
Annex H (normative)	Pollution degrees	60
Annex I (normative)	Proof tracking test	61
Annex J (informative)	Schematic diagram of families of terminations	62
Annex K (normative)	Glow-wire test	63
Annex L (normative)	Ball pressure test	64
Annex M (informative)	Needle flame test	65
	Alphabetical list of terms	66
	Bibliography	67
Figure A.1	Diagram explaining terms related to monostable relays	40
Figure A.2	Example explaining terms relating to contacts	41
Figure A.3	Explanations regarding the operative range of the coil voltage	41
Figure A.4	Explanation regarding the preconditioning and testing of the operate voltage according to 5.2.1 (Class 1) and 9.2	42

Figure A.5 – Explanation regarding the preconditioning and testing of the operate voltage according to 5.2.2 and 9.2	42
Figure C.1 – Standard test circuit.....	45
Figure C.2 – Functional block diagram	46
Figure C.3 – Contact load categories	48
Figure D.1 – Circuit for cable load.....	49
Figure D.2 – Test circuit for inrush current loads (e.g. capacitive loads and simulated tungsten filament lamp loads) – AC circuits.....	50
Figure D.3 – Example for a tungsten filament lamp test for relays rated 10/100 A/250 V~ / 2,5 ms	50
Figure D.4 – Test circuit for inrush current loads (e.g. capacitive loads and simulated lamp loads) – DC circuits	51
Figure D.5 – Test circuit for inrush current loads (e.g. simulated fluorescent lamp loads) with power-factor correction	51
Figure E.1 – Test arrangement	52
Figure J.1 – Schematic diagram of families of terminations	62
Figure L.1 – Ball pressure test apparatus.....	64
Table 1 – Reference values of influence quantities	18
Table 2 – Categories of protection	20
Table 3 – Type testing	21
Table 4 – Required relay data	22
Table 5 – Symbols	24
Table 6 – Examples for indication of rated values	24
Table 7 – Thermal classification.....	24
Table 8 – Cross-sectional areas and lengths of conductors dependent on the current carried by the terminal	26
Table 9 – Minimum values of insulation resistance.....	28
Table 10 – Dielectric strength – AC.....	29
Table 11 – Dielectric strength – DC	30
Table 12 – Schematics for contact loading.....	31
Table 13 – Provisions for the dimensioning of clearances and creepage distances	34
Table 14 – Minimum clearances in air for insulation coordination	35
Table 15 – Material groups	35
Table 16 – Minimum creepage distances for equipment subject to long-term stresses	36
Table 17 – Rated insulation voltage according to supply system voltage.....	37
Table 18 – Test conditions for test Tb	38
Table B.1 – Verification of the making and breaking capacity (abnormal conditions).....	43
Table B.2 – Verification of the making and breaking capacity (normal conditions)	44
Table B.3 – Electrical endurance test.....	44
Table C.1 – Characteristics of power sources for contact loads	46
Table C.2 – Standard contact load characteristics	47
Table G.1 – Rated impulse voltage for equipment energized directly from the low-voltage mains	59

ELECTROMECHANICAL ELEMENTARY RELAYS –

Part 1: General requirements

1 Scope

This part of IEC 61810 applies to electromechanical elementary relays (non-specified time all-or-nothing relays) for incorporation into equipment. It defines the basic functional requirements and safety-related aspects for applications in all areas of electrical engineering or electronics, such as:

- general industrial equipment,
- electrical facilities,
- electrical machines,
- electrical appliances for household and similar use,
- information technology and business equipment,
- building automation equipment,
- automation equipment,
- electrical installation equipment,
- medical equipment,
- control equipment,
- telecommunications,
- vehicles,
- transportation (e.g. railways).

Compliance with the requirements of this standard is verified by the type tests indicated.

In case the application of a relay determines additional requirements exceeding those specified in this standard, the relay should be assessed in line with this application in accordance with the relevant IEC standard(s) (e.g. IEC 60730-1, IEC 60335-1, IEC 60950-1).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038:1983, *IEC standard voltages*
Amendment 1 (1994)
Amendment 2 (1997)

IEC 60050, *International Electrotechnical Vocabulary*

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-17:1994, *Basic environmental testing procedures – Part 2: Tests – Test Q: Sealing*

IEC 60068-2-20:1979, *Basic environmental testing procedures – Part 2: Tests – Test T: Soldering*
Amendment 2 (1987)

IEC 60085:2004, *Electrical insulation – Thermal classification*

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60364-4-44:2007, *Low voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances*

IEC 60417:2007, *Graphical symbols for use on equipment*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60664-3:2003, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60664-4:2005, *Insulation coordination for equipment within low-voltage systems – Part 4: Consideration of high-frequency voltage stress*

IEC 60664-5:2007, *Insulation coordination for equipment within low-voltage systems – Part 5: Comprehensive method for determining clearances and creepage distances equal to or less than 2 mm*

IEC 60695-2-10:2000, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60695-2-11:2000, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products*

IEC 60695-2-12:2000, *Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability test method for materials*

IEC 60695-2-13:2000, *Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignitability test method for materials*

IEC 60695-10-2:2003, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test*

IEC 60721-3-3:2002, *Classification of environmental conditions – Part 3-3: Classification of groups of environmental parameters and their severities – Stationary use at weatherprotected locations*

Amendment 1 (1995)

Amendment 2 (1996)

IEC 60999-1:1999, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)*

IEC 61210:1993, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

IEC 61760-1:2006, *Surface mounting technology – Part 1: Standard method for the specification of surface mounting components (SMDs)*

IEC 61984:2001, *Connectors – Safety requirements and tests*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050, in particular IEC 60050-444 and the following apply.

An alphabetical list of terms can be found at the end of this standard.

NOTE In the text of this standard, the term *relay* is used instead of *elementary relay* to improve the readability.