



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.cl Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

• IEC Just Published: <u>www.iec.ch/online_news/justpub</u> Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Afurthe. Concorder of the other other of the Customer Service Centre: www.iec.ch/webstore/custserv Customer Service Centre: <u>www.lec.cn/webstore/custserv</u> If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre EAO or contact us:


Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00



CONTENTS

Figure 1 – Network Data Set message format 8 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 25 Figure 4 – Asset List message format 30	FO	REWC	ORD	3
2 Nomative references 0 3 Reference and information models 0 3.1 General 0 3.2 Interface reference model 0 3.3 Records and asset management functions and components 0 3.4 Static information model 0 4 Records and Asset message types 0 4.1 Summary 0 4.2 Network Data Set message type 0 4.2.1 Message content 0 4.2.2 Message content 0 4.3 Change Set message type 0 4.3 Message content 0 4.3.1 Message content 0 4.3.2 Message format 0 4.3.3 Message content 0 4.4.4 Message content 0 4.4.1 Message format 0 4.5 Asset List message type 0 4.5.1 Message content 0 4.5.2 Message format 0 4.6.1 Message content 0 4.	INT	RODU	UCTION	5
2 Nomative references 0 3 Reference and information models 0 3.1 General 0 3.2 Interface reference model 0 3.3 Records and asset management functions and components 0 3.4 Static information model 0 4 Records and Asset message types 0 4.1 Summary 0 4.2 Network Data Set message type 0 4.2.1 Message content 0 4.2.2 Message content 0 4.3 Change Set message type 0 4.3 Message content 0 4.3.1 Message content 0 4.3.2 Message format 0 4.3.3 Message content 0 4.4.4 Message content 0 4.4.1 Message format 0 4.5 Asset List message type 0 4.5.1 Message content 0 4.5.2 Message format 0 4.6.1 Message content 0 4.		6		
2 Nomative references 0 3 Reference and information models 0 3.1 General 0 3.2 Interface reference model 0 3.3 Records and asset management functions and components 0 3.4 Static information model 0 4 Records and Asset message types 0 4.1 Summary 0 4.2 Network Data Set message type 0 4.2.1 Message content 0 4.2.2 Message content 0 4.3 Change Set message type 0 4.3 Message content 0 4.3.1 Message content 0 4.3.2 Message format 0 4.3.3 Message content 0 4.4.4 Message content 0 4.4.1 Message format 0 4.5 Asset List message type 0 4.5.1 Message content 0 4.5.2 Message format 0 4.6.1 Message content 0 4.	1	Scon		6
3 Reference and information models				
3.1 General 0 3.2 Interface reference model 0 3.3 Records and asset management functions and components 0 3.4 Static information model 1 4 Records and Asset message types 1 4.1 Summary 1 4.2 Network Data Set message type 1 4.2.1 Message content 1 4.2.2 Message content 1 4.3 Change Set message type 2 4.3.1 Message content 2 4.3.2 Message format 2 4.3.4 Message content 2 4.3.5 Message format 2 4.4 Presentation message type 2 4.4.1 Message format 2 4.5.2 Message format 2 4.5.4 Message format 2 4.6.1 <t< td=""><td>_</td><td></td><td></td><td></td></t<>	_			
3.2 Interface reference model	3	Refer		
3.3 Records and asset management functions and components		3.1		
3.4 Static information model 4 Records and Asset message types 4.1 Summary 4.2 Network Data Set message type 4.2.1 Message content 4.2.2 Message content 4.3.3 Change Set message type 4.3.1 Message content 4.3.2 Message content 4.4 Presentation message type 4.4.1 Message content 4.4.2 Message content 4.5.3 Message content 4.5.4 Message content 4.5.5 Asset Catalogue message type 4.6.1 Message content 4.6.2 Message content 4.6.3 Message content 4.6.4 Message content 4.6.1 Message content 4.6.2 Message content 4.6.3 Message content </td <td></td> <td>3.2</td> <td></td> <td></td>		3.2		
4 Records and Asset message types 4.1 Summary 4.2 Network Data Set message type 4.2.1 4.2.1 Message content 4.2.2 4.2.1 Message format 2.2 4.3 Change Set message type 2.4 4.3.1 Message content 2.2 4.3.2 Message content 2.2 4.3.1 Message content 2.4 4.3.2 Message content 2.2 4.3.4 Presentation message type 2.4 4.4 Presentation message type 2.4 4.4.1 Message content 2.2 4.4.2 Message content 2.2 4.5.1 Message type 2.2 4.5.2 Message content 2.2 4.5.3 Message type 2.2 4.5.4 Message content 2.2 4.5.5 Message content 2.2 4.6.1 Message content 3.3 4.6.2 Message content 3.3 4.6.1 Message content 3.4 4.7 Type Asset Catalogue message type				
4.1 Summary 1 4.2 Network Data Set message type 1 4.2.1 Message content 1 4.2.2 Message format 1 4.3 Change Set message type 2 4.3.1 Message content 2 4.3.2 Message format 2 4.3.4 Presentation message type 2 4.4.1 Message content 2 4.4.2 Message format 2 4.4.1 Message content 2 4.4.2 Message format 2 4.5.1 Message content 2 4.5.2 Message format 2 4.5.1 Message content 2 4.5.2 Message format 2 4.5.2 Message format 3 4.6.1 Message content 3 4.6.2 Message content 3 4.6.3 Message format 3 4.7.1 Message content 4 4.7.2 Message format 4 A.7.2 Message format 4		-		
4.2 Network Data Set message type 1 4.2.1 Message content 1 4.2.2 Message format 1 4.3 Change Set message type 2 4.3.1 Message content 2 4.3.2 Message format 2 4.3.2 Message content 2 4.3.2 Message content 2 4.3.2 Message content 2 4.4.1 Message content 2 4.4.2 Message content 2 4.4.1 Message content 2 4.4.2 Message format 2 4.5.4 Message content 2 4.5.1 Message content 2 4.5.2 Message format 2 4.6.1 Message content 3 4.6.2 Message content 3 4.6.3 Message content 3 4.6.4 Message content 3 4.7.1 Message content 3 4.7.2 Message format 4 4.7.2 Message format 4 <td>4</td> <td>Reco</td> <td>ords and Asset message types</td> <td>7</td>	4	Reco	ords and Asset message types	7
4.2.1 Message content 4.2.2 Message format 4.3 Change Set message type 4.3.1 Message content 4.3.2 Message content 4.3.4 Presentation message type 4.4 Presentation message type 4.4.1 Message content 4.4.2 Message content 4.4.3 Message content 4.4.4 Message content 4.4.5 Message content 4.4.1 Message content 4.4.2 Message content 4.5 Asset List message type 4.5.1 Message content 4.5.2 Message format 4.6.4 Message content 4.6.2 Message format 4.6.2 Message format 4.6.2 Message format 4.7.1 Message format 4.7.2 Message format 4.7.3 Message format 4.7.4 Message format 4.7.5 Message format 4.7.6 Message format 4.7.7 Message format 4.7.1 <td></td> <td>4.1</td> <td>Summary</td> <td>7</td>		4.1	Summary	7
4.2.2 Message format 24 4.3 Change Set message type 24 4.3.1 Message content 24 4.3.2 Message format 24 4.3.4 Presentation message type 22 4.4.1 Message content 24 4.4.2 Message format 24 4.4.1 Message content 24 4.4.2 Message format 24 4.5.4 Message content 24 4.5.5 Asset List message type 26 4.5.1 Message content 26 4.5.2 Message format 22 4.6.1 Message content 26 4.6.2 Message format 30 4.6.3 Message content 30 4.6.4 Message content 30 4.6.7 Message content 30 4.6.8 Message format 30 4.7.1 Message content 41 4.7.2 Message format 30 4.7.1 Message content 42 4.7.2 Message format 42 4.7.4 Message content 42 4.7.5 Message format 42 4.7.1 Message content 42 4.7.2 Message format 42 Figu		4.2	Network Data Set message type	7
4.3 Change Set message type 24 4.3.1 Message content 24 4.3.2 Message format 24 4.3.4 Presentation message type 24 4.4 Presentation message type 24 4.4.1 Message content 22 4.4.2 Message content 22 4.5.4 Message content 22 4.5.5 Message format 22 4.5.6 Message content 23 4.5.2 Message content 24 4.5.4 Message content 26 4.6.1 Message content 36 4.6.2 Message content 36 4.6.3 Message content 36 4.6.4 Message content 36 4.6.7 Type Asset Catalogue message type 36 4.7.1 Message content 36 4.7.2 Message format 36 4.7.4 Message format 36 4.7.1 Message format 36 Figure 1 – Network Data Set message format 22 Figure 2 – Cha			4.2.1 Message content	7
4.3.1 Message content 24 4.3.2 Message format 24 4.4 Presentation message type 24 4.4.1 Message content 24 4.4.2 Message format 24 4.5 Asset List message type 26 4.5.1 Message content 22 4.5.2 Message content 22 4.5.3 Message content 22 4.5.4 Message content 22 4.5.2 Message format 22 4.6.1 Message content 36 4.6.2 Message format 36 4.6.1 Message content 36 4.6.2 Message format 36 4.7.1 Message content 42 4.7.2 Message format 42 4.7.3 Message format 42 4.7.4 Message format 42 4.7.2 Message format 42 Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format			4.2.2 Message format.	7
4.3.2 Message format 24 4.4 Presentation message type 24 4.4.1 Message content 24 4.4.2 Message format 24 4.5 Asset List message type 26 4.5.1 Message content 22 4.5.2 Message format 22 4.5.3 Message content 22 4.5.4 Message format 22 4.5.2 Message format 22 4.5.3 Message content 23 4.6.4 Message content 36 4.6.7 Type Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.7.4 Message content 36 4.7.5 Message format 36 4.7.1 Message format 36 4.7.2 Message format 42 Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 26 Figure 3 – Presentations message format 27 <		4.3	Change Set message type	24
4.4.1 Message content 24 4.4.2 Message format 24 4.5 Asset List message type 26 4.5.1 Message content 27 4.5.2 Message format 26 4.5.3 Message content 26 4.5.4 Message content 26 4.5.2 Message format 26 4.6 Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.6.3 Message content 36 4.6.4 Message content 36 4.6.2 Message format 36 4.7 Type Asset Catalogue message type 42 4.7.1 Message content 44 4.7.2 Message format 44 4.7.2 Message format 44 4.7.2 Message format 44 4.7.2 Message format 44 Figure 1 – Network Data Set message format 24 Figure 3 – Presentations message format 36 Figure 4 – Asset List me			4.3.1 Message content	24
4.4.1 Message content 24 4.4.2 Message format 24 4.5 Asset List message type 26 4.5.1 Message content 27 4.5.2 Message format 26 4.5.3 Message content 26 4.5.4 Message content 26 4.5.2 Message format 26 4.6 Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.6.3 Message content 36 4.6.4 Message content 36 4.6.2 Message format 36 4.7 Type Asset Catalogue message type 42 4.7.1 Message content 44 4.7.2 Message format 44 4.7.2 Message format 44 4.7.2 Message format 44 4.7.2 Message format 44 Figure 1 – Network Data Set message format 24 Figure 3 – Presentations message format 36 Figure 4 – Asset List me			4.3.2 Message format	24
4.5 Asset List message type 29 4.5.1 Message content 29 4.5.2 Message format 29 4.6 Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.6.3 Message format 36 4.6.4 Message content 36 4.6.2 Message format 36 4.7 Type Asset Catalogue message type 42 4.7.1 Message content 42 4.7.2 Message format 42 Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 33 Figure 5 – Asset Catalogue message format 33 Figure 6 – Type Asset Catalogue message format 44 <td></td> <td>4.4</td> <td>Presentation message type</td> <td>24</td>		4.4	Presentation message type	24
4.5 Asset List message type 29 4.5.1 Message content 29 4.5.2 Message format 29 4.6 Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.6.3 Message format 36 4.6.4 Message content 36 4.6.2 Message format 36 4.7 Type Asset Catalogue message type 42 4.7.1 Message content 42 4.7.2 Message format 42 Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 33 Figure 5 – Asset Catalogue message format 33 Figure 6 – Type Asset Catalogue message format 44 <td></td> <td></td> <td>4.4.1 Message content</td> <td>24</td>			4.4.1 Message content	24
4.5.1 Message content 24 4.5.2 Message format 26 4.6 Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.7 Type Asset Catalogue message type 42 4.7.1 Message content 42 4.7.2 Message format 42 4.7.2 Message format 42 4.7.2 Message format 42 Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 31 Figure 6 – Type Asset Catalogue message format 33 Figure 6 – Type Asset Catalogue message format 35			4.4.2 Message format	24
4.5.1 Message content 24 4.5.2 Message format 26 4.6 Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.7 Type Asset Catalogue message type 42 4.7.1 Message content 42 4.7.2 Message format 42 4.7.2 Message format 42 4.7.2 Message format 42 Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 31 Figure 6 – Type Asset Catalogue message format 33 Figure 6 – Type Asset Catalogue message format 35		4.5	Asset List message type	29
4.6 Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.7 Type Asset Catalogue message type 42 4.7.1 Message content 42 4.7.2 Message format 42 Annex A (informative) Use of the Geography Markup Language (GML 57 Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 36 Figure 5 – Asset Catalogue message format 37 Figure 6 – Type Asset Catalogue message format 37			4.5.1 Message content	29
4.6 Asset Catalogue message type 36 4.6.1 Message content 36 4.6.2 Message format 36 4.7 Type Asset Catalogue message type 42 4.7.1 Message content 42 4.7.2 Message format 42 Annex A (informative) Use of the Geography Markup Language (GML 57 Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 36 Figure 5 – Asset Catalogue message format 37 Figure 6 – Type Asset Catalogue message format 37			4.5.2 Message format	29
Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 57 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 37 Figure 6 – Type Asset Catalogue message format 37		4.6	Asset Catalogue message type	36
Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 57 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 37 Figure 6 – Type Asset Catalogue message format 37			4.6.1 Message content	36
Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 57 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 37 Figure 6 – Type Asset Catalogue message format 37			4.6.2 Message format	36
Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 57 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 37 Figure 6 – Type Asset Catalogue message format 37		4.7	Type Asset Catalogue message type	42
Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 57 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 37 Figure 6 – Type Asset Catalogue message format 37			4.7.1 Message content	42
Annex A (informative) Use of the Geography Markup Language (GML) 57 Figure 1 – Network Data Set message format 57 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 37 Figure 6 – Type Asset Catalogue message format 37			4.7.2 Message format	42
Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 25 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 31 Figure 6 – Type Asset Catalogue message format 42			í N	
Figure 1 – Network Data Set message format 24 Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 25 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 31 Figure 6 – Type Asset Catalogue message format 42	Anr	nex A	(informative) Use of the Geography Markup Language (GML)	51
Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 25 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 31 Figure 6 – Type Asset Catalogue message format 42				
Figure 2 – Change Set message format 24 Figure 3 – Presentations message format 25 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 31 Figure 6 – Type Asset Catalogue message format 42	Fia	ure 1 -	– Network Data Set message format	
Figure 3 – Presentations message format 24 Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 31 Figure 6 – Type Asset Catalogue message format 42	-			24
Figure 4 – Asset List message format 30 Figure 5 – Asset Catalogue message format 31 Figure 6 – Type Asset Catalogue message format 42	-			
Figure 5 – Asset Catalogue message format	-			
Figure 6 – Type Asset Catalogue message format				30
0,				37
Table 1 – Document overview for IEC 61968-4	Fig	ure 6 ·	- Type Asset Catalogue message format	43
Table 1 – Document overview for IEC 61968-4				()
	Tab	ole 1 –	– Document overview for IEC 61968-4	5

INTERNATIONAL ELECTROTECHNICAL COMMISSION



- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of JEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61968 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/880/FDIS	57/901/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts of the IEC 61968 series, under the general title Application integration at electric utilities - System interfaces for distribution management, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed •
- withdrawn;
- revised edition, or replaced b
- amended.

r Bennis a Dreview Generated with the operation of the op A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The IEC 61968 series of standards is intended to facilitate *inter-application integration* as opposed to *intra-application integration*. Intra-application integration is aimed at programs in the same application system, usually communicating with each other using middleware that is embedded in their underlying runtime environment, and tends to be optimized for close, real-time, synchronous connections and interactive request/reply or conversation communication models. IEC 61968, by contrast, is intended to support the inter-application integration of a utility enterprise that needs to connect disparate applications that are already built or new (legacy or purchased applications), each supported by dissimilar runtime environments. Therefore, these interface standards are relevant to loosely coupled applications with more heterogeneity in languages, operating systems, protocols and management tools. This series of standards is intended to support applications that need to exchange data every few seconds, minutes, or hours rather than waiting for a nightly batch run. This series of standards, which are intended to be implemented with middleware services that exchange messages among applications, will complement, not replace utility data warehouses, database gateways, and operational stores.

As used in the IEC 61968 series, a DMS consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management. Standards interfaces are defined for each class of applications identified in the Interface Reference Model (IRM), which is described in IEC 61968-1.

This Part of IEC 61968 contains the Clauses shown in Table 1.

Clause	Title	Purpose
1	Scope	The scope and purpose of the document are described.
2	Normative references	Documents that contain provisions which, through reference in this text, constitute provisions of this International Standard.
3	Reference and information models	Description of the relevant parts of the interface reference model, static information model and message type naming convention.
4	Records and asset management message types	Message types related to the exchange of information for network data sets, assets, and asset catalogues.

Table 1 – Document overview for IEC 61968-4

APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

Part 4: Interfaces for records and asset management

1 Scope

This Part of IEC 61968 specifies the information content of a set of message types that can be used to support many of the business functions related to records and asset management. Typical uses of the message types defined in this Part of IEC 61968 include network extension planning, copying feeder or other network data between systems, network or diagram edits and asset inspection. Message types defined in other Parts of IEC 61968 may also be relevant to these use cases.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61968-1, Application integration at electric utilities – System interfaces for distribution management – Part 1: Interface architecture and general requirements

IEC 61968-3, Application integration at electric utilities - System interfaces for distribution management - Part 3: Interface for network operations

3 Reference and information models

3.1 General

The message types defined in IEC 61968-4 are based on a logical partitioning of the DMS business functions and components called the IEC 61968-1 Interface reference model.

As described, in IEC 61968-1, the contents of the message types are based on a static information model to ensure consistency of field names and data types. Each message type is defined as a set of fields copied from the information model classes. The message types defined in this standard are intended to satisfy a majority of typical applications. In some particular project implementations, it may be desirable to modify the set of fields using a methodology such as that described in IEC 61968-1.

3.2 Interface reference model

It is not the intention of the IEC 61968 series to define the applications and systems that vendors should produce. It is expected that a concrete (physical) application will provide the functionality of one or more abstract (logical) components as listed in this standard. These abstract components are grouped by the business functions of the IEC 61968-1 interface reference model.

3.3 Records and asset management functions and components

The Records and Asset Management part of the IEC 61968-1 Interface reference model shows those functions and typical components that are applicable to the message types defined in IEC 61968-4.