TECHNICAL REPORT



Second edition 2007-07

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

Specification for radio disturbance and immunity measuring apparatus and methods –

Part 4-4:

17:500

Uncertainties, statistics and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services



Reference number CISPR 16-4-4/TR:2007(E)



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: <u>www.iec.ch/searchpub</u>

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Customer Service Centre: <u>www.iec.ch/webstore/custserv</u>

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

TECHNICAL REPORT

CISPR 16-4-4

Second edition 2007-07

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

Specification for radio disturbance and immunity measuring apparatus and methods –

Part 4-4:

17:500

Uncertainties, statistics and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



For price, see current catalogue

CONTENTS

FO	REWC)RD		4		
1	Scop	e		6		
2	Norm	Normative references				
3	Term	erms and definitions				
4	Statistics of complaints and sources of interference					
	4.1	Introdu	Iction and history	7		
	4.2	Relatio	onship between radio frequency interference and complaints	7		
		4.2.1	Radio frequency interference to a fixed radio receiver	7		
		4.2.2	Radio frequency interference to a mobile radio receiver	7		
		4.2.3	Consequences of the move from analogue to digital radio systems	7		
	4.3	1.3 Towards the loss of a precious indicator: interference complaints				
	4.4	4 CISPR recommendations for collation of statistical data on interference complaints and classification of interference sources				
	4.5	Forms	for statistics of interference complaints	9		
5	A mo	del for	the calculation of limits	14		
	5.1	Introduction				
		5.1.1	Generation of EM disturbances	14		
		5.1.2	Immunity from EM disturbances	14		
		5.1.3	Planning a radio service	14		
	5.2	Probat	pility of interference	15		
		5.2.1	Derivation of probability of interference	15		
	5.3	Circumstances of interferences				
		5.3.1	Close coupling and remote coupling	17		
		5.3.2	Measuring methods	18		
		5.3.3	Disturbance signal waveforms and associated spectra	20		
		5.3.4	Characteristics of interfered radio services	21		
		5.3.5	Operational aspects	22		
		5.3.6	Criteria for the determination of limits	23		
	5.4	A mathematical basis for the calculation of CISPR limits				
		5.4.1	Generation of EM disturbances (source of disturbance)			
		5.4.2	Immunity from EM disturbances (victim receiver)			
	5.5	Applica	ation of the mathematical basis			
		5.5.1	Radiation coupling			
	5.0	5.5.2	Wire-line coupling			
	5.0	Another suitable method for equipment in the frequency range 150 kHz to 1 GHz				
		5.6.1	Introduction			
		5.6.2	Derivation of limits			
		5.6.3	Application of limits	43		
		5.6.4	Given type of equipment	43		
	5.7	Rational for determination of CISPR limits in the frequency range above 1 GHz				
		5.7.1	Introduction	44		
		5.7.2	Consideration and estimated values of μ_{P1} to μ_{P7}	45		
		5.7.3	Equivalent EMC environment below and above 1 GHz	51		

5.7.4	Overview on parameters of radio communication services operating in the frequency range above 1 GHz and up to 16 GHz with effect to electromagnetic compatibility	52
Annex A Excerpt range 0,1 MHz to	from CISPR Report No. 31 Values of mains decoupling factor in the 200 MHz	55
Bibliography		60
Figure 1a – Stand radio services wit	dard form for statistics on interference complaints recommended for the analogue modulation and fixed or stationary radio reception	9
Figure 1b – Stand radio services wit	dard form for statistics on interference complaints recommended for the analogue modulation and mobile or portable radio reception	10
Figure 1c – Stand radio services wit	dard form for statistics on interference complaints recommended for the digital modulation and fixed or stationary radio reception	11
Figure 1d – Stand radio services wit	dard form for statistics on interference complaints recommended for the digital modulation and mobile or portable radio reception	12
Figure 2 – Model	for remote coupling situation derived disturbance field strength e _{ir} at e r	
Figure 3 – Model	for close coupling situations	26
Figure 4 – Examp dB) – at feed poir	ble of conversion factors – field strength / common-mode voltage (in nt, found in practice	35
Figure 5 – Examp mode voltage – a	ble of conversion factors – field strength generated by differential- t feed point, found in practice	36
Figure 6 – Examp mode voltage – o	ble of conversion factors – field strength generated by differential- utside buildings and electrical substations, found in practice	37
Figure 7 – Examp mode voltage – ir	ble of conversion factors – field strength generated by differential- nside buildings, found in practice	38
Figure A.1 – Mair	ns decoupling coefficient as measured by various authors	57
Figure A.2 – Med 0,1 MHz to 200 M	ian and minimum values of mains decoupling factor for the range 1Hz	58
Figure A.3 – Typi as indicated in Fi	cal distributions of deviations from median value of decoupling factor gure A.2	58
Figure A.4 – Mea	surement of the mains decoupling factor	59
Table 1 – Classifi complaint	ication of sources of radio frequency interference and other causes of	13
Table 2 – Guidan	ce survey of RFI measuring methods	20
Table 3 – Tabula range 0,150 MHz	tion of the method of determining limits for equipment in the frequency to 960 MHz	40
Table 4 – Calcula existing CISPR lin	ation of permissible limits for disturbances at about 1 800 MHz from mits in the frequency range of 900 MHz	52
Table 5 – List of	radio services, typical parameters, and influence factors	53

INTERNATIONAL ELECTROTECHNICAL COMMISSION INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY MEASURING APPARATUS AND METHODS –

Part 4-4: Uncertainties, statistics and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

This second edition of CISPR 16-4-4, which is a technical report, has been prepared by CISPR subcommittee H: Limits for the protection of radio services.

This second edition of CISPR 16-4-4 contains two thoroughly updated Clauses 4 and 5, compared with its first edition. It also contains, in its new Annex A, values of the classical CISPR mains decoupling factor which were determined by measurements in real LV AC mains grids in the 1960s. It is deemed that these mains decoupling factors are still valid and representative also for modern and well maintained LV AC mains grids around the world.

TR CISPR 16-4-4 © IEC:2007(E)

The information in Clause 4 – Statistics of complaints and sources of interference – was accomplished by the history and evolution of the CISPR statistics on complaints about radio frequency interference (RFI) and by background information on evolution in radio-based communication technologies. Furthermore, the forms for collation of actual RFI cases were detailed and structured in a way allowing for more qualified assessment and evaluation of compiled annual data in regard to the interference situation, as e.g. fixed or mobile radio reception, or analogue or digital modulation of the interfered with radio service or application concerned.

The information in Clause 5 – A model for the calculation of limits – was accomplished in several ways. The model itself was accomplished in respect of the remote coupling situation as well as the close coupling one. Further supplements of this model were incorporated regarding certain aspects of the coupling path via induction and wave propagation (radiation) of classical telecommunication networks. Furthermore, the calculation model on statistics and probability underwent revision and was brought in line with a more modern mathematical approach. Eventually the present model was extended for a possible determination of CISPR limits in the frequency range above 1 GHz.

The text of this standard is based on the following documents:

Enquiry draft	Report on voting
CISPR/H/147/DTR	CISPR/H/153/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY MEASURING APPARATUS AND METHODS –

Part 4-4: Uncertainties, statistics and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services

1 Scope

This part of CISPR 16 contains a recommendation on how to deal with statistics of radio interference complaints. Furthermore it describes the calculation of limits for disturbance field strength and voltage for the measurement on a test site based on models for the distribution of disturbances by radiated and conducted coupling, respectively.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(161), International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility

CISPR 11, Industrial, scientific and medical (ISM) radio-frequency equipment – Electromagnetic disturbance characteristics – Limits and methods of measurement

CISPR 16-4-3, Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-3: Uncertainties, statistics and limit modelling – Statistical considerations in the determination of EMC compliance of mass-produced products

3 Terms and definitions

For the purposes of this document, the terms and definitions in IEC 60050(161) as well as the following apply.

3.1

complaint

a request for assistance made to the RFI investigation service by the user of a radio receiving equipment who complains that reception is degraded by radio frequency interference (RFI)

3.2

RFI investigation service

institution having the task of investigating reported cases of radio frequency interference and which operates at the national basis

NOTE Examples include a radio service provider, a CATV network provider, an administration, or a regulatory authority.

3.3

source

any type of electric or electronic equipment, system, or (part of) installation emanating disturbances in the radio frequency (RF) range which can cause radio frequency interference to a certain kind of radio receiving equipment