



Edition 4.1 2007-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Rotating electrical machines -Part 9: Noise limits

Machines électriques tournantes – Partie 9: Limites de bruit



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur. Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: <u>www.electropedia.org</u>

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: <u>www.iec.ch/webstore/custserv</u>

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: <u>csc@iec.ch</u> Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: <u>www.iec.ch/webstore/custserv/custserv_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00





Edition 4.1 2007-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Rotating electrical machines -Part 9: Noise limits

Machines électriques tournantes – Partie 9: Limites de bruit

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE



ICS 29.160

ISBN 2-8318-9087-X

CONTENTS

INT		
	RODUCTION	۶5
	1	
1	Scope	
2	Normative r	eferences
3	Terms and o	lefinitions 7
4	Methods of	measurement 8
5	Test conditio	ans 8
5	5.1 Machi	ne mounting
	5.1 Macm	Precautions 8
	5.1.2	Resilient mounting 8
	5.1.3	Rigid mounting
	5.2 Test o	perating conditions
6	Sound powe	r level limits
7	Determinatio	on of noise increments caused by converter supply
8	Determinatio	on of sound pressure level
9	Declaration	and verification of sound power values
	ne 3 – Maxim	um expected increase, over no-load condition, in A-weighted sound
pow	ver levels, Δ <i>l</i>	num expected increase, over no-load condition, in A-weighted sound WA in dB, for rated load condition (for motors according to table 2)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ROTATING ELECTRICAL MACHINES –

Part 9: Noise limits

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60034-9 has been prepared by IEC technical committee 2: Rotating machinery.

This edition includes the following significant technical changes:

- this edition reduces the no-load noise limits for single-speed, cage-induction motors according to Table 2;
- it also provides informative guidance on
 - the measurement surface to be used during some tests,
 - a method for the determination of an average sound pressure level,
 - an indication of "uncertainty" based upon the category of test procedure.

This consolidated version of IEC 60034-9 consists of the fourth edition (2003) [documents 2/1256/FDIS and 2/1272/RVD] and its amendment 1 (2007) [documents 2/1383/CDV and 2/1413/RVC].

The technical content is therefore identical to the base edition and its amendment(s) and has been prepared for user convenience.

It bears the edition number 4.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed, •
- withdrawn, ٠
- Or CHEN CONSTRUCT OF THE OF TH replaced by a revised edition, or
- amended. •

INTRODUCTION

Acoustic quantities can be expressed in sound pressure terms or sound power terms. The use er, intal i e gy and hav. of a sound power level, which can be specified independently of the measurement surface and environmental conditions, avoids the complications associated with sound pressure levels, which require additional data to be specified. Sound power levels provide a measure of radiated energy and have advantages in acoustic analysis and design.

ROTATING ELECTRICAL MACHINES –

Part 9: Noise limits

1 Scope

This part of IEC 60034:

- specifies test methods for the determination of sound power level of rotating electrical machines;
- specifies maximum A-weighted sound power levels for factory acceptance testing of network-supplied, rotating electrical machines in accordance with IEC 60034-1, having methods of cooling according to IEC 60034-6 and degrees of protection according to IEC 60034-5, and having the following characteristics:
 - standard design, either a.c. or d.c., without additional special electrical, mechanical, or acoustical modifications intended to reduce the sound power level;
 - rated output from 1 kW (or kVA) up to and including 5 500 kW (or kVA);
 - rated speed not greater than 3 750 min⁻¹.
- provides guidance for the determination of noise levels for a.c. cage induction motors supplied by converters.

Excluded are a.c. motors supplied by converters. For these conditions see IEC 60034-17 for guidance.

The object of this standard is to determine maximum A-weighted sound power levels, L_{WA} in decibels, dB, for airborne noise emitted by rotating electrical machines of standard design, as a function of power, speed and load, and to specify the method of measurement and the test conditions appropriate for the determination of the sound power level of the machines to provide a standardized evaluation of machine noise up to the maximum specified sound power levels. This standard does not provide correction for the existence of tonal characteristics.

Sound pressure levels at a distance from the machine may be required in some applications, such as hearing protection programs. Information is provided on such a procedure in Clause 8 based on a standardized test environment.

NOTE 1 This standard recognizes the economic reason for the availability of standard noise-level machines for use in non-critical areas or for use with supplementary means of noise attenuation.

NOTE 2 Where sound power levels lower than those specified in Tables 1 or 2 are required, these should be agreed between the manufacturer and the purchaser, as special electrical, mechanical, or acoustical design may involve additional measures.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, Rotating electrical machines – Part 1: Rating and performance

IEC 60034-5, Rotating electrical machines – Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) – Classification

IEC 60034-6, Rotating electrical machines – Part 6: Methods of cooling (IC Code)

IEC 60034-17, Rotating electrical machines – Part 17: Cage induction motors when fed from convertors – Application guide

ISO 3741, Acoustics – Determination of sound power levels of noise sources using sound pressure – Precision methods for reverberation rooms

ISO 3743-1, Acoustics – Determination of sound power levels of noise sources – Engineering methods for small, movable sources in reverberant fields – Part 1: Comparison method for hard-walled test rooms

ISO 3743-2, Acoustics – Determination of sound power levels of noise sources using sound pressure – Engineering methods for small, movable sources in reverberant fields – Part 2: Method for special reverberation test rooms

ISO 3744: Acoustics – Determination of sound power levels of noise sources using sound pressure – Engineering method in an essentially free field over a reflecting plane

ISO 3745, Acoustics – Determination of sound power levels of noise sources – Precision methods for anechoic and semi-anechoic rooms

ISO 3746, Acoustics – Determination of sound power levels of noise sources using sound pressure – Survey method using an enveloping measurement surface over a reflecting plane

ISO 3747, Acoustics – Determination of sound power levels of noise sources using sound pressure – Comparison method in situ

ISO 4871, Acoustics – Declaration and verification of noise emission values of machinery and equipment

ISO 9614-1, Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 1: Measurement at discrete points

ISO 9614-2, Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 2: Measurement by scanning

3 Terms and definitions

For the purposes of this document, the terms and definitions given in the standards listed in the normative references together with the following apply.

3.1

sound power level

 L_{W}

ten times the logarithm to the base 10 of the ratio of the sound power radiated by the source under test to the reference sound power $[W_0 = 1 \text{ pW} (10^{-12} \text{ W})]$ expressed in decibels

3.2

sound pressure level

 $L_{\rm p}$

ten times the logarithm to the base 10 of the ratio of the square of the sound pressure to the square of the reference sound pressure [$P_0 = 20 \ \mu Pa \ (2 \times 10^{-5} Pa)$] expressed in decibels