
Gaseous hydrogen — Land vehicle fuel containers

*Hydrogène gazeux — Réservoirs de carburant pour véhicules
terrestres*

This document is a preview generated by EVS



This document is a preview generated by EMS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Service conditions	5
4.1 General.....	5
4.1.1 Standard service conditions.....	5
4.1.2 Category.....	6
4.1.3 Service life.....	6
4.1.4 Periodic in-service inspections.....	6
4.2 Pressures.....	6
4.2.1 Nominal working pressures.....	6
4.2.2 Maximum pressures.....	6
4.3 Maximum number of filling cycles.....	6
4.4 Temperature range.....	7
4.4.1 Settled gas temperatures.....	7
4.4.2 Container temperatures.....	7
4.4.3 Transient gas temperatures.....	7
4.4.4 Test temperatures.....	7
4.5 Gas composition.....	7
4.6 External surfaces.....	7
4.7 Installation requirements.....	7
5 Compliance	8
6 Material qualification tests and requirements	8
6.1 General.....	8
6.2 Material requirements.....	8
6.3 Metal containers and metal liners.....	9
6.3.1 Material properties.....	9
6.3.2 Impact test for steel.....	9
6.3.3 Tensile tests for metals.....	9
6.3.4 Sustained load cracking (SLC) test for aluminum alloys.....	9
6.3.5 Corrosion tests for aluminum alloys.....	10
6.4 Ultraviolet resistance of external coatings.....	10
6.5 Fibers.....	10
6.6 Resins.....	10
6.7 Nonmetallic liners (Type 4).....	10
6.8 Bosses for Type 4 containers.....	10
7 Wall thickness	11
7.1 Type 1 containers.....	11
7.2 Liners for Type 2, Type 3, and Type 4 containers.....	11
7.3 Composite reinforcement for Type 2, Type 3, and Type 4 containers.....	11
7.3.1 Stress analysis.....	11
7.3.2 Stress ratios.....	12
7.3.3 Modified stress ratio test.....	12
7.3.4 Hybrid designs.....	12
7.4 External loads on containers.....	12
8 Threaded openings	12
9 Manufacture	13
9.1 General.....	13
9.2 Metal containers and metal liners.....	13

9.3	Nonmetallic liners	13
9.4	Composite containers with metallic liners	13
9.5	Composite containers with nonmetallic liners	13
9.6	Brazing	14
9.7	Welding	14
9.8	End closing by forming	14
9.9	Mounting and protection	14
9.10	Batch definitions	14
9.11	Design qualification tests	14
10	Production tests and examinations	15
10.1	General	15
10.2	Hydrostatic test	15
10.3	Leak test	16
11	Batch tests	16
11.1	General	16
11.2	Batch material tests	16
11.3	Coated containers	16
11.4	Burst test	17
	11.4.1 Batch burst test	17
	11.4.2 Periodic burst test	17
11.5	Cycle test	17
	11.5.1 Batch cycle test	17
	11.5.2 Periodic pressure cycling test	17
12	Rejected containers and liners	18
12.1	Physical test	18
12.2	Leak test	19
12.3	Hydrostatic test	19
12.4	Cycle test	19
12.5	Burst test	19
13	Pressure relief devices	19
14	Records of manufacture	19
15	Marking and dispatch	19
15.1	Markings	19
	15.1.1 General	19
	15.1.2 Marking information	19
15.2	Dispatch inspection	20
16	Quality assurance	20
17	Design qualification tests	20
17.1	General	20
17.2	Test requirements	20
17.3	Category A, B and C: design qualification tests	22
	17.3.1 Test requirements	22
	17.3.2 Ambient cycling test	22
	17.3.3 Environmental test	22
	17.3.4 Extreme temperature cycling test	24
	17.3.5 Hydrostatic burst test	24
	17.3.6 Flaw tolerance test	25
	17.3.7 Drop test	25
	17.3.8 Fire test	26
	17.3.9 Accelerated stress rupture test	29
	17.3.10 High strain rate impact test	30
	17.3.11 Permeation test	30
	17.3.12 Boss torque test	31
	17.3.13 Hydrogen gas cycling test	31

17.3.14	Leak before break test.....	32
17.4	Change of design.....	32
17.5	Category B: design qualification tests.....	35
17.5.1	General test requirements.....	35
17.5.2	Ambient cycling test.....	35
17.5.3	Hydrostatic burst test.....	35
17.5.4	Container test for performance durability.....	35
17.5.5	Container test for expected on-road performance.....	37
17.6	Category C: design qualification conditions and limitations.....	37
17.6.1	Marking information.....	37
17.6.2	Material tests for steel containers and liners.....	37
17.6.3	Material tests for aluminum alloy containers and liners.....	37
17.7	Qualification test results.....	38
Annex A (informative) Visual inspection.....		39
Annex B (informative) Non-destructive examination.....		40
Annex C (informative) Records of manufacture.....		42
Annex D (informative) Design qualification test rationale.....		45
Bibliography.....		53

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee TC 197, *Hydrogen technologies*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The purpose of this document is to promote the implementation of hydrogen powered land vehicles through the creation of performance based testing requirements for compressed hydrogen fuel containers. The successful commercialization of hydrogen land vehicle technologies requires standards pertaining to fueling stations, vehicle fuel system components and the global homologation of standards requirements for technologies with the same end use. This will allow manufacturers to achieve economies of scale in production through the ability to manufacture one product for global use.

This document is based on the CSA Standard ANSI/HGV 2-2014.

Gaseous hydrogen — Land vehicle fuel containers

1 Scope

This document contains requirements for the material, design, manufacture, marking and testing of serially produced, refillable containers intended only for the storage of compressed hydrogen gas for land vehicle operation. These containers

- a) are permanently attached to the vehicle,
- b) have a capacity of up to 1 000 l water capacity, and
- c) have a nominal working pressure that does not exceed 70 MPa.

The scope of this document is limited to fuel containers containing fuel cell grade hydrogen according to ISO 14687 for fuel cell land vehicles and Grade A or better hydrogen as per ISO 14687 for internal combustion engine land vehicles. This document also contains requirements for hydrogen fuel containers acceptable for use on-board light duty vehicles, heavy duty vehicles and industrial powered trucks such as forklifts and other material handling vehicles.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 148-1, *Metallic materials — Charpy pendulum impact test — Part 1: Test method*

ISO 306, *Plastics — Thermoplastic Materials — Determination of Vicat Softening Temperature (VST)*

ISO 7866:2012, *Gas cylinders — Refillable seamless aluminium alloy gas cylinders — Design, construction and testing*

ISO 9809-1:2010, *Gas cylinders — Refillable seamless steel gas cylinders — Design, construction and testing — Part 1: Quenched and tempered steel cylinders with tensile strength less than 1 100 MPa*

ISO 9809-2:2010, *Gas cylinders — Refillable seamless steel gas cylinders — Design, construction and testing — Part 2: Quenched and tempered steel cylinders with tensile strength greater than or equal to 1 100 MPa*

ISO 11439:2013, *Gas cylinders — High pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles*

ISO 19078:2013, *Gas cylinders — Inspection of the cylinder installation, and requalification of high pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles*

ISO 19882, *Gaseous hydrogen — Thermally activated pressure relief devices for compressed hydrogen vehicle fuel containers*

ASTM D638, *Standard Test Method for Tensile Properties of Plastics*

ASTM D2344/D2344M-00, *Standard Test Method for Short-Beam Strength of Polymer Matrix Composite Materials and Their Laminates*

ASTM D3359, *Standard Test Methods for Measuring Adhesion by Tape Test*

ASTM D3418, *Standard Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry*

ASTM D4138, *Standard Practices for Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross Sectioning Means*

ASTM D4814, *Standard Specification for Automotive Spark-Ignition Engine Fuel*

ASTM D7091, *Standard Practice for Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic, Nonconductive Coatings Applied to Non-Ferrous Metals*

ASTM E8/E8M, *Standard Test Methods for Tension Testing of Metallic Materials*

ASTM E23, *Standard Test Methods for Notched Bar Impact Testing of Metallic Materials*

ASTM G154-12, *Standard Practice for Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials*

CGA C-1-2009, *Methods for Pressure Testing Compressed Gas Cylinders*

CGA C-6.4, *Methods for External Visual Inspection of Natural Gas Vehicle (NGV) and Hydrogen Gas Vehicle (HGV) Fuel Containers and Their Installations*

SAE J2579:2013, *Standard for Fuel Systems in Fuel Cell and Other Hydrogen Vehicles*

SAE J2601, *Fueling Protocols for Light Duty Gaseous Hydrogen Surface Vehicles*

UN GTR No. 13, *UN Global Technical Regulation on Hydrogen and Fuel Cell Vehicles*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 autofrettage

pressure application procedure, used in manufacturing composite containers with metal *liners* (3.14), which strains the *liner* (3.14) past its yield point sufficiently to cause permanent plastic deformation that results in the *liner* (3.14) having residual compressive stresses and the fibers having residual tensile stresses at zero internal pressure

3.2 burst pressure

highest pressure reached in a container during a burst test

3.3 composite

filament and resin system

3.4 container category

unique class of containers that are intended for a specific usage