

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 61850-7-410:2013 sisaldb Euroopa standardi EN 61850-7-410:2013 ingliskeelset teksti.	This Estonian standard EVS-EN 61850-7-410:2013 consists of the English text of the European standard EN 61850-7-410:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kätesaadavaks 18.01.2013.	Date of Availability of the European standard is 18.01.2013.
Standard on kätesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 33.200

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English version

**Communication networks and systems for power utility automation -
Part 7-410: Basic communication structure -
Hydroelectric power plants -
Communication for monitoring and control
(IEC 61850-7-410:2012)**

Réseaux et systèmes de communication
pour l'automatisation
des systèmes électriques -
Partie 7-410: Structure
de communication de base -
Centrales hydroélectriques -
Communication pour le contrôle-
commande
(CEI 61850-7-410:2012)

Kommunikationsnetze und -systeme für
die Automatisierung in der elektrischen
Energieversorgung -
Teil 7-410: Wasserkraftwerke -
Kommunikation für Überwachung,
Regelung und Steuerung
(IEC 61850-7-410:2012)

This European Standard was approved by CENELEC on 2012-12-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 57/1274/FDIS, future edition 2 of IEC 61850-7-410, prepared by IEC TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61850-7-410:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-09-04
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-12-04

This document supersedes EN 61850-7-410:2007.

EN 61850-7-410:2013 includes the following significant technical changes with respect to EN 61850-7-410:2007:

- a) The logical nodes in EN 61850-7-410:2007 that were not specific to hydropower plants have been transferred to EN 61850-7-4:2010 and have been removed from this edition of EN 61850-7-410.
- b) The definitions of logical nodes in this edition of EN 61850-7-410 have been updated using the format introduced in EN 61850-7-4:2010.
- c) Most of the modelling examples and background information that was included in EN 61850-7-410:2007 has been transferred to IEC/TR 61850-7-510.
- d) However, this edition of EN 61850-7-410 includes additional general-purpose logical nodes that were not included in EN 61850-7-4:2010, but are required in order to represent the complete control and monitoring system of a hydropower plant.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61850-7-410:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61362	NOTE Harmonized as EN 61362.
IEC 61850-10	NOTE Harmonized as EN 61850-10.
IEC 61970-301	NOTE Harmonized as EN 61970-301.
IEC 62270	NOTE Harmonized as EN 62270.

Annex ZA
(normative)**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/TS 61850-2	-	Communication networks and systems in substations - Part 2: Glossary	-	-
IEC 61850-7-1	-	Communication networks and systems for power utility automation - Part 7-1: Basic communication structure - Principles and models	EN 61850-7-1	-
IEC 61850-7-2	2010	Communication networks and systems for power utility automation - Part 7-2: Basic information and communication structure - Abstract communication service interface (ACSI)	EN 61850-7-2	2010
IEC 61850-7-3	2010	Communication networks and systems for power utility automation - Part 7-3: Basic communication structure - Common data classes	EN 61850-7-3	2011
IEC 61850-7-4	2010	Communication networks and systems for power utility automation - Part 7-4: Basic communication structure - Compatible logical node classes and data object classes	EN 61850-7-4	2010

CONTENTS

FOREWORD	5
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Abbreviated terms	7
5 Logical node classes	8
5.1 Logical node groups	8
5.2 Interpretation of logical node tables	9
5.3 Summary of logical nodes to be used in hydropower plants	11
5.3.1 General	11
5.3.2 Group A – Automatic functions	11
5.3.3 Group F – Functional blocks	11
5.3.4 Group H – Hydropower specific logical nodes	11
5.3.5 Group I – Interface and archiving	12
5.3.6 Group K – Mechanical and non-electrical primary equipment	13
5.3.7 Group P – Protection functions	13
5.3.8 Group R – Protection related functions	13
5.3.9 Group S – Supervision and monitoring	13
5.3.10 Group X – Switchgear	13
5.4 Automatic control logical nodes LN group A	13
5.4.1 Modelling remarks	13
5.4.2 LN: Control mode selection Name: ACTM	14
5.4.3 LN: Joint control Name: AJCL	14
5.4.4 LN: PSS 4B filter function Name: APSF	14
5.4.5 LN: PSS control, common information Name: APSS	16
5.4.6 LN: PSS 2A/B filter function Name: APST	17
5.5 Functional logical nodes LN Group F	17
5.5.1 Modelling remarks	17
5.5.2 LN: Functional heartbeat Name: FHBT	18
5.5.3 LN: Scheduler Name: FSCH	18
5.5.4 LN: Functional priority status Name: FXPS	18
5.6 Hydropower specific logical nodes LN group H	19
5.6.1 Modelling remarks	19
5.6.2 LN: Turbine – generator shaft bearing Name: HBRG	19
5.6.3 LN: Combinator Name: HCOM	20
5.6.4 LN: Hydropower dam Name: HDAM	20
5.6.5 LN: Deflector control Name: HDFL	20
5.6.6 LN: Dam leakage supervision Name: HDLS	21
5.6.7 LN: Electrical brake Name: HEBR	21
5.6.8 LN: Governor control mode Name: HGOV	21
5.6.9 LN: Gate position indicator Name: HGPI	22
5.6.10 LN: Dam gate Name: HGTE	22
5.6.11 LN: Intake gate Name: HITG	23
5.6.12 LN: Joint control Name: HJCL	23
5.6.13 LN: Leakage supervision Name: HLKG	24
5.6.14 LN: Water level indicator Name: HLVL	24

5.6.15 LN: Mechanical brake Name: HMBR	25
5.6.16 LN: Needle control Name: HNDL	25
5.6.17 LN: Water net head data Name: HNHD	26
5.6.18 LN: Dam over-topping protection Name: HOTP	26
5.6.19 LN: Hydropower / water reservoir Name: HRES	27
5.6.20 LN: Hydropower unit sequencer Name: HSEQ	27
5.6.21 LN: Speed monitoring Name: HSPD	27
5.6.22 LN: Surge shaft Name: HSST	28
5.6.23 LN: Guide vanes (wicket gate) Name: HTGV	29
5.6.24 LN: Runner blades Name: HTRB	29
5.6.25 LN: Trash rack Name: HTRK	30
5.6.26 LN: Turbine Name: HTUR	30
5.6.27 LN: Hydropower unit Name: HUNT	31
5.6.28 LN: Valve (butterfly valve, ball valve) Name: HVLV	32
5.6.29 LN: Water control Name: HWCL	33
5.7 Logical nodes for interface and archiving LN group I	34
5.7.1 Modelling remarks	34
5.7.2 LN: Fire detection and alarm Name: IFIR	34
5.7.3 LN: Hand interface Name: IHND	34
5.8 Logical nodes for mechanical and non-electric primary equipment LN group K	35
5.8.1 Modelling remarks	35
5.8.2 LN: Heater, cubicle heater Name: KHTR	35
5.9 Logical nodes for protection functions LN group P	35
5.9.1 Modelling remarks	35
5.9.2 LN: Rotor protection Name: PRTR	35
5.10 Logical nodes for protection related functions LN group R	36
5.10.1 Modelling remarks	36
5.10.2 LN: Field breaker configuration Name: RFBC	36
5.11 Logical nodes for supervision and monitoring LN group S	36
5.11.1 Modelling remarks	36
5.11.2 LN: Supervision of media flow Name: SFLW	36
5.11.3 LN: Supervision of media level Name: SLVL	37
5.11.4 LN: Supervision of the position of a device Name: SPOS	38
5.11.5 LN: Supervision media pressure Name: SPRS	39
5.12 Logical nodes for switchgear LN group X	41
5.12.1 Modelling remarks	41
5.12.2 LN: Switching control for field flashing Name: XFFL	41
6 Data name semantics	41
7 Common data classes	54
7.1 General	54
7.2 Maintenance and operational tag (TAG)	54
7.3 Operational restriction (RST)	55
8 Data attribute semantics	55
Bibliography	59
Table 1 – Abbreviated terms	8
Table 2 – List of logical node groups	9

Table 3 – Interpretation of logical node tables.....	10
Table 4 – Logical nodes for automatic functions.....	11
Table 5 – Logical nodes representing functional blocks.....	11
Table 6 – Hydropower specific logical nodes.....	11
Table 7 – Logical nodes for interface and archiving	12
Table 8 – Logical nodes for mechanical and non-electric primary equipment.....	13
Table 9 – Logical nodes for protections.....	13
Table 10 – Logical nodes for protection related functions.....	13
Table 11 – Logical nodes for supervision and monitoring	13
Table 12 – Logical nodes for switchgear	13
Table 13 – PSS filter comparison.....	16
Table 14 – Description of data	41
Table 15 – Semantics of data attributes	56

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 7-410: Basic communication structure – Hydroelectric power plants – Communication for monitoring and control

1 Scope

This part of IEC 61850 specifies the additional common data classes, logical nodes and data objects required for the use of IEC 61850 in a hydropower plant.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TS 61850-2, *Communication networks and systems in substations – Part 2: Glossary*

IEC 61850-7-1, *Communication networks and systems for power utility automation – Part 7-1: Basic communication structure – Principles and models*

IEC 61850-7-2:2010, *Communication networks and systems for power utility automation – Part 7-2: Basic information and communication structure – Abstract communication service interface (ACSI)*

IEC 61850-7-3:2010, *Communication networks and systems for power utility automation – Part 7-3: Basic communication structure for substations and feeder equipment – Common data classes*

IEC 61850-7-4:2010, *Communication networks and systems for power utility automation – Part 7-4: Basic communication structure – Compatible logical node classes and data object classes*

3 Terms and definitions

For the purpose of this document, the terms and definitions given in IEC 61850-2 apply.

4 Abbreviated terms

The terms listed in Table 1 are used to build concatenated Data Object Names in this document. IEC 61850-7-410 inherits all the abbreviated terms described in Clause 4 of IEC 61850-7-4:2010.

NOTE Data Object Names in the logical nodes representing PSS filter functions follow names in IEEE 421.5 as closely as possible. These names are not included in Table 1.