

Communication networks and systems for power utility automation - Part 8-1: Specific Communication Service Mapping (SCSM) - Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 61850-8-1:2011 sisaldab Euroopa standardi EN 61850-8-1:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 30.09.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 02.09.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 61850-8-1:2011 consists of the English text of the European standard EN 61850-8-1:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 30.09.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 02.09.2011.

The standard is available from Estonian standardisation organisation.

ICS 33.200

Standardite reprodutseerimis- ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

**Communication networks and systems for power utility automation -
Part 8-1: Specific communication service mapping (SCSM) -
Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3
(IEC 61850-8-1:2011)**

Réseaux et systèmes de communication
pour l'automatisation des systèmes
électriques -
Partie 8-1: Mise en correspondance des
services de communication spécifiques
(SCSM) -
Mises en correspondance pour MMS (ISO
9506-1 et ISO 9506-2) et
pour l'ISO/CEI 8802-3
(CEI 61850-8-1:2011)

Kommunikationsnetze und -systeme für
die Automatisierung der elektrischen
Energieversorgung -
Teil 8-1: Spezifische Abbildung von
Kommunikationsdiensten (SCSM) -
Abbildungen auf MMS (nach ISO 9506-1
und ISO 9506-2) und ISO/IEC 8802-3
(IEC 61850-8-1:2011)

This European Standard was approved by CENELEC on 2011-07-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 57/1109/FDIS, future edition 2 of IEC 61850-8-1, prepared by IEC TC 57, Power systems management and associated information exchange, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61850-8-1 on 2011-07-22.

This European Standard supersedes EN 61850-8-1:2004.

The main changes with respect to EN 61850-8-1:2004 are listed below:

- the support of gigabit Ethernet,
- the link layer redundancy,
- the extension of the length of the object reference,
- the extension of the reason for inclusion type for comprehensive logging,
- the mapping of the tracking services,
- a second mapping of the objectReference when used in the tracking services, or as linking,
- the extension of the AdditionalCause enumeration,
- the simulation of GOOSE telegram,
- the so-called fixed-length encoded GOOSE,
- the removal of the SCL Control Block,
- the mappings of ACSI service error codes and ISO 9506 error codes have changed (see 8.1.3.4). One change that should be noted is the change in usage of object-undefined. The object-undefined code has been replaced by object-non-existent in many responses.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2012-04-22 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2014-07-22 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61850-8-1:2011 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60874-10-1	1997	Connectors for optical fibres and cables - Part 10-1: Detail specification for fibre optic connector type BFOC/2,5 terminated to multimode fibre type A1	-	-
IEC 60874-10-2	1997	Connectors for optical fibres and cables - Part 10-2: Detail specification for fibre optic connector type BFOC/2,5 terminated to single-mode fibre type B1	-	-
IEC 60874-10-3	1997	Connectors for optical fibres and cables - Part 10-3: Detail specification for fibre optic adaptor type BFOC/2,5 for single and multimode fibre	-	-
IEC 61850	Series	Communication networks and systems in substations	EN 61850	Series
IEC/TS 61850-2	-	Communication networks and systems in substations - Part 2: Glossary	-	-
IEC 61850-5	-	Communication networks and systems in substations - Part 5: Communication requirements for functions and device models	EN 61850-5	-
IEC 61850-6	2009	Communication networks and systems for power utility automation - Part 6: Configuration description language for communication in electrical substations related to IEDs	EN 61850-6	2010
IEC 61850-7-1	201X ¹⁾	Communication networks and systems for power utility automation - Part 7-1: Basic communication structure - Principles and models	EN 61850-7-1	201X ¹⁾
IEC 61850-7-2	2010	Communication networks and systems for power utility automation - Part 7-2: Basic information and communication structure - Abstract communication service interface (ACSI)	EN 61850-7-2	2010
IEC 61850-7-3	2010	Communication networks and systems for power utility automation - Part 7-3: Basic communication structure - Common data classes	EN 61850-7-3	2011

¹⁾ At draft stage.

IEC 61850-7-4	2010	Communication networks and systems for power utility automation - Part 7-4: Basic communication structure - Compatible logical node classes and data object classes	EN 61850-7-4	2010
IEC 61850-9-1	2003	Communication networks and systems in substations - Part 9-1: Specific Communication Service Mapping (SCSM) - Sampled values over serial unidirectional multidrop point to point link	EN 61850-9-1	2003
IEC 61850-9-2	201X ¹⁾	Communication networks and systems for power utility automation - Part 9-2: Specific Communication Service Mapping (SCSM) - Sampled values over ISO/IEC 8802-3	EN 61850-9-2	201X ¹⁾
IEC/TS 62351-6	-	Power systems management and associated information exchange - Data and communications security - Part 6: Security for IEC 61850	-	-
IEC 62439-3 + A1	2010 201X ¹⁾	Industrial communication networks - High availability automation networks - Part 3: Parallel Redundancy Protocol (PRP) and High availability Seamless Redundancy (HSR)	EN 62439-3 + A1	2010 201X ¹⁾
ISO/IEC 7498-1	1994	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 7498-3	1997	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	-	-
ISO/IEC 8072	1996	Information technology - Open systems interconnection - Transport service definition	-	-
ISO/IEC 8073	1997	Information technology - Open Systems Interconnection - Protocol for providing the connection-mode transport service	-	-
ISO/IEC 8326	1996	Information technology - Open systems Interconnection - Session service definition	-	-
ISO/IEC 8327-1	1997	Information technology - Open Systems Interconnection - Connection-oriented Session protocol: Protocol specification	-	-
ISO/IEC 8348	2002	Information technology - Open Systems Interconnection - Network service definition	-	-
ISO/IEC 8473-1	1998	Information technology - Protocol for providing the connectionless-mode network service: Protocol specification	-	-
ISO/IEC 8473-2	1996	Information technology - Protocol for providing the connectionless mode network service - Part 2: Provision of the underlying service by an ISO/IEC 8802 subnetwork	-	-
ISO/IEC 8602	1995	Information technology - Protocol for providing the OSI connectionless-mode transport service	-	-

ISO/IEC 8649	1996	Information technology - Open systems interconnection - Service definition for the Association Control Service Element (ACSE)	-	-
ISO/IEC 8650-1	1996	Information technology - Open systems interconnection - Connection-oriented protocol for the association control service element: Protocol specification	-	-
ISO/IEC 8802-2	1998	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 2: Logical link control	-	-
ISO/IEC 8802-3	2000	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 8822	1994	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8823-1	1994	Information technology - Open Systems Interconnection - Connection-oriented presentation protocol: Protocol specification	-	-
ISO/IEC 8824-1	2008	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 8825-1	2008	Information technology - ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)	-	-
ISO/IEC 8877	1992	Information technology - Telecommunications and information exchange between systems - Interface connector and contact assignments for ISDN Basic Access Interface located at reference points S and T	-	-
ISO/IEC 9542	1988	Information processing systems - Telecommunications and information exchange between systems - End system to intermediate system routing exchange protocol for use in conjunction with the Protocol for providing the connectionless-mode network service (ISO 8473)	-	-
ISO/IEC 9548-1	1996	Information technology - Open Systems Interconnection - Connectionless Session protocol: Protocol specification	-	-
ISO/IEC 9576-1	1995	Information technology - Open Systems Interconnection - Connectionless Presentation protocol: Protocol specification	-	-
ISO/IEC 10035-1 + A1	1995 1998	Information technology - Open Systems Interconnection - Connectionless protocol for the Association Control Service Element: Protocol specification	- -	- -

ISO/IEC ISP 10608-1	1992	Information technology - International Standardized Profile TAnnnn - Connection-mode Transport Service over Connectionless-mode Network Service - Part 1: General overview and subnetwork-independent requirements	-	-
ISO/IEC ISP 10608-2	1992	Information technology - International Standardized Profile TAnnnn - Connection-mode Transport Service over Connectionless-mode Network Service - Part 2: TA51 profile including subnetwork-dependent requirements for CSMA/CD Local Area Networks (LANs)	-	-
ISO/IEC 11188-1	1995	Information technology - International Standardized Profile - Common upper layer requirements - Part 1: Basic connection oriented requirements	-	-
ISO/IEC 11188-3	1996	Information technology - Common upper layer requirements - Part 3: Minimal OSI upper layer facilities	-	-
ISO 9506	Series	Industrial automation systems - Manufacturing-Message Specification	-	-
ISO 9506-1	2003	Industrial automation systems - Manufacturing-Message Specification - Part 1: Service definition	-	-
ISO 9506-2	2003	Industrial automation systems - Manufacturing-Message Specification - Part 2: Protocol specification	-	-
ISO/ISP 14226-1	1996	Industrial automation systems - International Standardized Profile AMM11: MMS General Applications Base Profile - Part 1: Specification of ACSE, Presentation and Session protocols for the use by MMS	-	-
ISO/ISP 14226-2	1996	Industrial automation systems - International Standardized Profile AMM11: MMS General Applications Base Profile - Part 2: Common MMS requirements	-	-
ISO/ISP 14226-3	1996	Industrial automation systems - International Standardized Profile AMM11: MMS General Applications Base Profile - Part 3: Specific MMS requirements	-	-
IEEE C37.111	1999	IEEE Standard for Common Format for Transient Data Exchange (COMTRADE) for Power Systems	-	-
IEEE 754	1985	Binary Floating-Point Arithmetic (R1990)	-	-
IEEE 802.1Q	1998	IEEE Standard for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks	-	-
IEEE 802.1D	2004	IEEE Standard for Local and Metropolitan Area Networks - Media Access Control (MAC) Bridges	-	-
RFC 614	-	Comments on the File Transfer Protocol	-	-
RFC 640	-	Revised FTP reply codes	-	-

RFC 768	-	User Datagram Protocol	-	-
RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-
RFC 792	-	Internet Control Message Protocol	-	-
RFC 793	-	Transmission Control Protocol - DARPA Internet Program Protocol Specification	-	-
RFC 826	-	Ethernet Address Resolution Protocol	-	-
RFC 894	-	Standard for the Transmission of IP Datagrams over Ethernet Networks	-	-
RFC 922	-	Broadcasting Internet Datagrams in the presence of subnets	-	-
RFC 950	-	Internet Standard Subnetting Procedure	-	-
RFC 1006	-	ISO transport services on top of TCP: Version 3	-	-
RFC 1112	-	Host Extensions for IP Multicasting	-	-
RFC 1122	-	Requirements for Internet Hosts - Communication Layers	-	-
RFC 1123	-	Requirements for Internet Hosts - Application and Support	-	-
RFC 4330	-	Simple Network Time Protocol (SNTP) Version 4 for IPv4, IPv6 and OSI	-	-

CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	14
2 Normative references	14
3 Terms and definitions	18
4 Abbreviations	20
5 Overview	22
5.1 General	22
5.2 MMS communication profiles	23
5.3 Non-MMS communication profiles	23
5.4 MMS objects being used	23
6 Communication stack	24
6.1 Overview of the protocol usage	24
6.2 Client/server services and communication profiles	25
6.2.1 Client/server services	25
6.2.2 A-Profile	26
6.2.3 TCP/IP T-Profile	26
6.2.4 OSI T-Profile	28
6.3 GSE management and GOOSE services communication profiles.....	29
6.3.1 GSE mapping overview	29
6.3.2 A-Profile	29
6.3.3 T-Profile	29
6.4 Time sync.....	30
6.4.1 Conformance statement.....	30
6.4.2 A-Profile	31
6.4.3 T-Profile	31
7 Objects of IEC 61850	32
7.1 Server	32
7.2 Logical device (LD)	32
7.3 Logical node (LN).....	32
7.3.1 General	32
7.3.2 Mapping of LNReference to VariableAccessSpecifications.....	34
7.3.3 DataObjects	34
7.3.4 DataAttributes (DataAttr)	35
8 Mapping of IEC 61850-7-2 and IEC 61850-7-3 data attributes	35
8.1 Mapping of Attributes specified in IEC 61850-7-2	35
8.1.1 BasicTypes.....	35
8.1.2 Additional definitions of BasicType	36
8.1.3 Common ACSITypes	37
8.2 Mapping of quality common data attribute type specified in IEC 61850-7-3.....	55
9 Server class model	55
9.1 Server mapping.....	55
9.2 Server class attributes.....	56
9.2.1 ServiceAccessPoint.....	56
9.2.2 Logical devices.....	56

9.2.3	Files	56
9.2.4	Client associations	56
9.3	Server class service GetServerDirectory	56
10	Association model	58
10.1	Association relation to communication profiles	58
10.2	Two party association model for client/server communication profile	58
10.2.1	Association mapping	58
10.2.2	Association services	59
10.3	Two party association model for GSE management communication profile	60
10.4	Two party association model for time sync	60
10.5	Multicast association model	60
11	Logical device model	60
12	Logical node model	60
12.1	GenLogicalNodeClass	60
12.2	GenLogicalNodeClass attributes	61
12.3	GenLogicalNodeClass services	61
12.3.1	GetLogicalNodeDirectory	61
12.3.2	GetAllDataValues	62
13	DataObject, DataAttribute, SubDataAttribute model	63
13.1	GenDataObjectClass	63
13.2	GenDataAttributeClass	63
13.3	GenSubDataAttributeClass	64
13.4	GenDataObjectClass services	64
13.4.1	GetDataValues	64
13.4.2	SetDataValues	64
13.4.3	GetDataDirectory	64
13.4.4	GetDataDefinition	65
14	Data set class model	65
14.1	Data set class	65
14.2	Data set attributes	65
14.3	Data set services	65
14.3.1	GetDataSetValues	65
14.3.2	SetDataSetValues	66
14.3.3	CreateDataSet	66
14.3.4	DeleteDataSet	67
14.3.5	GetDataSetDirectory	67
15	ServiceTracking model	68
15.1	General	68
15.2	Common Service Tracking – CST	68
15.3	Mapping of the Buffered Report Tracking Service – BTS	70
15.4	Mapping of the Unbuffered Report Tracking Service – UTS	71
15.5	Mapping of the Log Control Block Tracking Service Tracking – LTS	71
15.6	Mapping of the Log Tracking Service – OTS	72
15.7	Mapping of the GOOSE Control Block Tracking Service – GTS	72
15.8	Mapping of the Setting Group Control Block Tracking Service – STS	72
15.9	Mapping of the tracking service for MSVCB control block – MTS	73
15.10	Mapping of the tracking service of the USVCB control block – NTS	73
16	Setting group control class model	73

16.1	Setting group control block definition	73
16.2	Setting group control class services	74
16.2.1	SelectActiveSG	74
16.2.2	SelectEditSG	74
16.2.3	SetEditSGValue	74
16.2.4	ConfirmEditSGValues	74
16.2.5	GetEditSGValue	75
16.2.6	GetSGCBValues	75
17	Reporting and logging class model	75
17.1	Report model – Report control blocks	75
17.1.1	Functional Constraint for Report Control Blocks	75
17.1.2	Buffered report control block	75
17.1.3	Unbuffered report control block	76
17.2	Reporting services	77
17.2.1	Report service	77
17.2.2	GetBRCBValues	79
17.2.3	SetBRCBValues	80
17.2.4	GetURCBValues	80
17.2.5	SetURCBValues	80
17.3	Log model	80
17.3.1	General	80
17.3.2	Mapping of log control class	80
17.3.3	Mapping of log class	80
17.3.4	Mapping of log and log control services	85
17.3.5	Conformance	86
18	Mapping of the generic substation event model (GSE)	87
18.1	Generic object oriented substation event (GOOSE)	87
18.1.1	GOOSE control definition	87
18.1.2	GOOSE services	88
19	Transmission of sampled values class model	97
20	Control class model	97
20.1	General	97
20.2	Control service parameters	97
20.3	Mapping of control objects and CO_CtrlObjectRef	97
20.4	Mapping of control services	99
20.5	Select	100
20.5.1	Select service parameter mapping	100
20.5.2	Mapping of the select service	100
20.5.3	Select request	100
20.5.4	Select response+	100
20.5.5	Select response–	100
20.6	SelectWithValue	101
20.6.1	SelectWithValue service parameter mapping	101
20.6.2	Mapping of the SelectWithValue service	101
20.6.3	SelectWithValue request	102
20.6.4	SelectWithValue response+	102
20.6.5	SelectWithValue response–	103
20.7	Cancel	103

20.7.1	Cancel service parameter mapping	103
20.7.2	Mapping of the Cancel service	103
20.7.3	Cancel request	104
20.7.4	Cancel response+	104
20.7.5	Cancel response–	104
20.8	Operate	105
20.8.1	Operate service parameter mapping	105
20.8.2	Mapping of the Operate service	105
20.8.3	Operate request	106
20.8.4	Operate response+	106
20.8.5	Operate response–	107
20.9	CommandTermination	107
20.9.1	CommandTermination service parameter mapping	107
20.9.2	Mapping of the CommandTermination service	107
20.10	TimeActivatedOperate	108
20.10.1	TimeActivatedOperate service parameter mapping	108
20.10.2	Mapping of the TimeActivatedOperate service	108
20.10.3	Mapping of the TimeActivatedOperateTermination service	110
20.11	AdditionalCauseDiagnosis in negative control service responses	111
21	Time and time synchronization model	113
22	Naming conventions	113
23	File transfer	114
23.1	File transfer model	114
23.2	File services	115
23.2.1	GetFile	115
23.2.2	SetFile	117
23.2.3	DeleteFile	119
23.2.4	GetFileAttributeValues	119
24	Conformance	120
24.1	Notation	120
24.2	PICS	120
24.2.1	Profile conformance	120
24.2.2	MMS conformance	121
24.3	PICS Statement	132
24.3.1	General	132
24.3.2	Logical device	132
24.3.3	GOOSE Services	132
24.3.4	Substation configuration language	133
25	Substation Configuration Language (SCL)	133
25.1	SCL file and SCL extensions	133
25.2	General	133
25.3	SCSM specific address element definitions	133
25.3.1	Client/server addressing – element “address”	133
25.3.2	GOOSE addressing	134
25.3.3	GSSE definition	135
25.4	Subnetwork protocol type	135
25.5	SCSM NameSpace	135

Annex A (normative) Application protocol specification for GOOSE and GSE management.....	136
Annex B (informative) Multicast address selection	143
Annex C (normative) Overview of ISO/IEC 8802-3 frame structure for GSE management and GOOSE.....	144
Annex D (informative) SCL conformance	151
Annex E (informative) Time scales and epochs	152
Annex F (normative) Type extensions to ISO 9506-1:2003 and ISO 9506-2:2003.....	155
Annex G (informative) Example SCL File	158
Annex H (informative) Generic Substation State Event (GSSE).....	176
Annex I (informative) Certificate management.....	189
Figure 1 – Overview of functionality and profiles	23
Figure 2 – OSI reference model and profiles	24
Figure 3 – Algorithm for logical node mapping	33
Figure 4 – Ordered list of functional constraints	33
Figure 5 – Relationship of LCB attributes to IEC 61850-7-2 log definitions	81
Figure 6 – GetGoReference service primitives	89
Figure 7 – GetGOOSEElementNumber service primitives	91
Figure 8 – Transmission time for events	93
Figure 9 – SendGooseMessage message service primitives	94
Figure 10 – Publisher state machine for GOOSE service	94
Figure 11 – Subscriber state machine for GOOSE service	95
Figure 12 – Mapping of ACSI GetFile to MMS FileOpen, FileRead, FileClose	116
Figure 13 – Mapping of ACSI SetFile service	118
Figure A.1 – Basic encoding rules format.....	138
Figure A.2 – Format of the tag octets	138
Figure C.1 – ISO/IEC 8802-3 frame format	145
Figure C.2 – ISO/IEC 8802-3 frame format with HSR link redundancy.....	146
Figure C.3 – ISO/IEC 8802-3 frame format with PRP link redundancy.....	147
Figure C.4 – Virtual LAN tag	148
Figure C.5 – Reserved 1	150
Figure H.1 – Overview of functionality and profiles.....	176
Figure H.2 – GetGsReference service primitives	181
Figure H.3 – GetGSSEDataOffset service primitives	183
Figure H.4 – GSSE service primitives	185
Figure H.5 – Client state machine for GSSE service	185
Figure H.6 – Server state machine for GSSE service	186
Table 1 – MMS objects and services in use within this SCSM	24
Table 2 – Services requiring client/server Communication Profile	25
Table 3 – Service and protocols for client/server communication A-Profile	26
Table 4 – Service and protocols for client/server TCP/IP T-Profile	27
Table 5 – Service and protocols for client/server OSI T-Profile	28

Table 6 – Services requiring GSE Management and GOOSE communication profile	29
Table 7 – Service and protocols for GSE Management and GOOSE communication A-Profile	29
Table 8 – GOOSE/GSE T-Profile	30
Table 9 – Time sync A-Profile	31
Table 10 – Time sync T-Profile	31
Table 11 – Mapping of ACSI BasicTypes	36
Table 12 – PHYCOMADDR structure	39
Table 13 – Associate ACSI service error mappings	40
Table 14 – Release service error mappings	41
Table 15 – GetNameList conflicting IEC 61850 objectClass and objectScope	41
Table 16 – GetNameList service error mappings	41
Table 17 – Read of NamedVariableList object error mappings	42
Table 18 – Write of NamedVariableList object error mappings	43
Table 19 – DefineNamedVariableList service error mappings	44
Table 20 – GetNamedVariableListAttributes service error mappings	45
Table 21 – DeleteNamedVariableList service error mappings	46
Table 22 – Read service error mappings	47
Table 23 – Write service error mappings	48
Table 24 – GetVariableAccessAttributes service error mappings	49
Table 25 – ServiceError mappings for Log services	49
Table 26 – FileDirectory service error mappings	50
Table 27 – Mappings of ACSI ServiceErrors to ObtainFile Service Errors	51
Table 28 – Mappings of ACSI ServiceErrors to FileOpen Service Errors	51
Table 29 – Mappings of ACSI ServiceErrors to FileRead Service Errors	52
Table 30 – Mappings of ACSI ServiceErrors to FileClose Service Errors	52
Table 31 – Mappings of ACSI ServiceErrors to FileDelete Service Errors	53
Table 32 – Encoding of IEC 61850-7-2 TimeQuality	54
Table 33 – Encoding of IEC 61850-7-3 quality	55
Table 34 – Mapping of ACSI GetServerDirectory(LOGICAL DEVICE) to MMS	57
Table 35 – Mapping of ACSI GetServerDirectory(FILE) to MMS	57
Table 36 – Association model versus communication profiles	58
Table 37 – Mapping of ACSI Associate service to MMS	59
Table 38 – Mapping of ACSI Release service to MMS	59
Table 39 – GetNameList classes for GetLogicalNodeDirectory service	61
Table 40 – Mapping of ACSI GetLogicalNodeDirectory(DataObject) service to MMS	62
Table 41 – Mapping of ACSI GetAllDataValues service to MMS	63
Table 42 – Mapping of GetDataValues service parameters	64
Table 43 – Mapping of SetDataValues service parameters	64
Table 44 – Mapping of GetDataDirectory service parameters	65
Table 45 – Mapping of GetDataSetValues service parameters	65
Table 46 – Mapping of SetDataSetValues service parameters	66
Table 47 – Mapping of CreateDataSet service parameters	66

Table 48 – Mapping of DeleteDataSet service parameters	67
Table 49 – Mapping of GetDataSetDirectory service parameters.....	67
Table 50 – Mapping of CDC CST to MMS type definition.....	68
Table 51 – Mapping of ACSI ServiceType values	68
Table 52 – Mapping of ACSI ServiceError values	70
Table 53 – Mapping of CDC BTS to MMS type definition.....	70
Table 54 – Mapping of CDC UTS to MMS type definition.....	71
Table 55 – Mapping of CDC LTS to MMS type definition	71
Table 56 – Mapping of CDC GTS to MMS type definition	72
Table 57 – Mapping of CDC STS to MMS type definition.....	72
Table 58 – Mapping of CDC MTS to MMS type definition	73
Table 59 – Mapping of CDC NTS to MMS type definition.....	73
Table 60 – Mapping of SGCB to MMS type definition	74
Table 61 – Mapping of BRCB to MMS type definition	75
Table 62 – Mapping of OptFlds within Bitstring	76
Table 63 – Mapping of URCB to MMS type definition	77
Table 64 – Order of AccessResults for variableListName report.....	78
Table 65 – Definition of an MMS log control block.....	82
Table 66 – Mapping of values for LogEna	82
Table 67 – Mapping of ACSI LogEntries.....	83
Table 68 – General mappings of ACSI log model services	85
Table 69 – Mapping of QueryLogByTime request parameters	86
Table 70 – Mapping of response parameters	86
Table 71 – Mapping of QueryLogAfter request parameters.....	86
Table 72 – Log conformance requirements	87
Table 73 – MMS TypeDescription definition for GoCB MMS structure	87
Table 74 – DstAddress structure.....	88
Table 75 – Mapping of GetGoReference service	89
Table 76 – GetGoReference	90
Table 77 – Mapping of GetGOOSEElementNumber service	92
Table 78 – GetGOOSEElementNumber.....	92
Table 79 – GOOSE service parameter mapping.....	95
Table 80 – Controllable service parameters	97
Table 81 – Mapping of IEC 61850-7-2 control model to MMS control components.....	98
Table 82 – Mapping of control services	99
Table 83 – Select service parameter mapping.....	100
Table 84 – Mapping of the Select service.....	100
Table 85 – SelectWithValue service parameter mapping.....	101
Table 86 – Mapping of the SelectWithValue service.....	102
Table 87 – SelectWithValue, Oper and Cancel AccessResult specification	103
Table 88 – Cancel service parameter mapping.....	103
Table 89 – Mapping of the Cancel service.....	104
Table 90 – Operate service parameter mapping.....	105

Table 91 – Mapping of the Operate service	106
Table 92 – Mapping of the CommandTermination service	107
Table 93 – TimeActivatedOperate service parameter mapping	108
Table 94 – Mapping of the TimeActivatedOperate service	109
Table 95 – Mapping of the TimeActivatedOperate_Termination service	110
Table 96 – Definition of LastApplError variable structure	111
Table 97 – Mapping of ACSI AddCause values	113
Table 98 – Mapping of ACSI file class to MMS file object	114
Table 99 – Reserved file suffixes	115
Table 100 – Mapping of ACSI GetFile service parameters	116
Table 101 – Mapping of ACSI GetFile service	117
Table 102 – Mappings of GetFile ServiceErrors to MMS Service Errors	117
Table 103 – Mapping of ACSI SetFile parameters	118
Table 104 – Mapping of ACSI DeleteFile service	119
Table 105 – Mapping of ACSI GetFileAttributeValues parameters	119
Table 106 – Mapping of ACSI ListOfDirectoryEntry	120
Table 107 – PICS for A-Profile support	120
Table 108 – PICS for T-Profile support	121
Table 109 – MMS InitiateRequest general parameters	122
Table 110 – MMS InitiateResponse general parameters	122
Table 111 – MMS service supported conformance table	123
Table 112 – MMS Parameter CBB	125
Table 113 – GetNameList conformance statement	126
Table 114 – AlternateAccessSelection conformance statement	126
Table 115 – VariableAccessSpecification conformance statement	127
Table 116 – VariableSpecification conformance statement	127
Table 117 – Read conformance statement	127
Table 118 – Write conformance statement	128
Table 119 – InformationReport conformance statement	128
Table 120 – GetVariableAccessAttributes conformance statement	128
Table 121 – DefineNamedVariableList conformance statement	129
Table 122 – GetNamedVariableListAttributes conformance statement	129
Table 123 – DeleteNamedVariableList conformance statement	129
Table 124 – ReadJournal conformance statement	130
Table 125 – JournalEntry conformance statement	130
Table 126 – InitializeJournal conformance statement	131
Table 127 – FileDirectory conformance statement	131
Table 128 – FileOpen conformance statement	131
Table 129 – FileRead conformance statement	132
Table 130 – FileClose conformance statement	132
Table 131 – GOOSE conformance statement	133
Table 132 – Allowed P-Type definitions for client/server addressing	133
Table 133 – Definitions for GSE SCL	134

Table A.1 – Encoding allData in Fixed-length GOOSE message – the GOOSE Header	139
Table A.2 – Encoding allData in Fixed-length GOOSE message – the basic data types	140
Table A.3 – Encoding example for Data	141
Table B.1 – Recommended multicast addressing example	143
Table C.1 – Default virtual LAN IDs and priorities	149
Table C.2 – Assigned Ethertype values	149
Table D.1 – SCL conformance degrees	151
Table D.2 – Supported ACSI services for SCL.2	151
Table E.1 – Relationships between timescales	153
Table E.2 – Examples of timescale correspondence	154
Table H.1 – Service requiring GSSE communication profile	176
Table H.2 – Service and protocols for GSSE communication A-Profile	177
Table H.3 – GSSE T-Profile	177
Table H.4 – MMS TypeDescription Definition for GSSE control block MMS structure	178
Table H.5 – Mapping of LSentData	179
Table H.6 – Definition of integer values of PhsID	180
Table H.7 – Definition of double-bit GSSE values	180
Table H.8 – Mapping of GetGsReference service	181
Table H.9 – GetGsReference	182
Table H.10 – Mapping of GetGSEDataOffset service	183
Table H.11 – GetGSEDataOffset	184
Table H.12 – GSSE service	186
Table H.13 – Mapping of test values to bit-pair values	187
Table H.14 – GSSE conformance statement	188

INTRODUCTION

This document is part of a set of specifications which details layered utility communication architecture.

This part of IEC 61850 is intended to provide inter-device operation of a variety of devices to achieve interoperability providing detailed information on how to create and exchange concrete communication messages that implement abstract services and models specified in IEC 61850-7-4, IEC 61850-7-3, and IEC 61850-7-2.

The mapping allows for data exchange over ISO/IEC 8802-3 Local Area Networks between all kinds of utility devices. Some of the protocol stacks used within this document are routable. Therefore the actual communications path may not be restricted to the LAN. Data exchange consists of real-time monitoring and control data, including measured values, to name just a few.

NOTE This part of IEC 61850 does not provide tutorial material. It is recommended that IEC 61850-5 and IEC 61850-7-1 be read in conjunction with IEC 61850-7-2.

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3

1 Scope

This part of IEC 61850 specifies a method of exchanging time-critical and non-time-critical data through local-area networks by mapping ACSI to MMS and ISO/IEC 8802-3 frames.

MMS services and protocol are specified to operate over full OSI and TCP compliant communications profiles. The use of MMS allows provisions for supporting both centralized and distributed architectures. This standard includes the exchange of real-time data indications, control operations, report notification.

It specifies the mapping of the objects and services of the ACSI (Abstract Communication Service Interface, IEC 61850-7-2) to MMS (Manufacturing Message Specification, ISO 9506) and ISO/IEC 8802-3 frames.

This standard also specifies the mapping of time-critical information exchanges to non-MMS protocol. The protocol semantics are defined in IEC 61850-7-2. It contains the protocol syntax, definition, mapping to ISO/IEC 8802-3 frame formats and any relevant procedures specific to the use of ISO/IEC 8802-3.

This mapping of ACSI to MMS defines how the concepts, objects, and services of the ACSI are to be implemented using MMS concepts, objects, and services. This mapping allows interoperability across functions implemented by different manufacturers.

This part of IEC 61850 defines a standardized method of using the ISO 9506 services to implement the exchange of data. For those ACSI services defined in IEC 61850-7-2 that are not mapped to MMS, this part defines additional protocols. It describes real utility devices with respect to their external visible data and behaviour using an object oriented approach. The objects are abstract in nature and may be used to a wide variety of applications. The use of this mapping goes far beyond the application in the utility communications.

This part of IEC 61850 provides mappings for the services and objects specified within IEC 61850-7-2, IEC 61850-7-3, and IEC 61850-7-4.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60874-10-1:1997, *Connectors for optical fibres and cables – Part 10-1: Detail specification for fibre optic connector type BFOC/2,5 terminated to multimode fibre type A1*

IEC 60874-10-2:1997, *Connectors for optical fibres and cables – Part 10-2: Detail specification for fibre optic connector type BFOC/2,5 terminated to single-mode fibre type B1*

IEC 60874-10-3:1997, *Connectors for optical fibres and cables – Part 10-3: Detail specification for fibre optic connector type BFOC/2,5 for single and multimode fibre*

IEC 61850 (all parts), *Communication networks and systems for power utility automation*

IEC 61850-2, *Communication networks and systems in substations – Part 2: Glossary*

IEC 61850-5, *Communication networks and systems in substations – Part 5: Communication requirements for functions and device models*

IEC 61850-6:2009, *Communication networks and systems for power utility automation – Part 6: Configuration description language for communication in electrical substations related to IEDs*

IEC 61850-7-1:2011, *Communication networks and systems for power utility automation – Part 7-1: Basic communication structure – Part 7-1: Principles and models*

IEC 61850-7-2:2010, *Communication networks and systems for power utility automation – Part 7-2: Basic communication structure – Abstract communication service interface (ACSI)*

IEC 61850-7-3:2010, *Communication networks and systems for power utility automation – Part 7-3: Basic communication structure – Common data classes*

IEC 61850-7-4:2010, *Communication networks and systems for power utility automation – Part 7-4: Basic communication structure – Compatible logical node classes and data object classes*

IEC 61850-9-1:2003, *Communication networks and systems in substations – Part 9-1: Specific Communication Service Mapping (SCSM) – Sampled values over serial unidirectional multidrop point to point link*

IEC 61850-9-2:2011, *Communication networks and systems for power utility automation – Part 9-2: Specific Communication Service Mapping (SCSM) – Sampled values over ISO/IEC 8802-3*

IEC 62351-6, *Power systems management and associated information exchange – Data and Communication Security – Part 6: Security for IEC 61850*

IEC 62439-3:2010, *Industrial communication networks – High availability automation networks – Part 3: Parallel Redundancy Protocol (PRP) and High availability Seamless Redundancy (HSR)*

Amendment 1¹

ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 7498-3:1997, *Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing*

ISO/IEC 8072:1996, *Information technology – Open systems interconnection – Transport service definition*

¹ To be published.

ISO/IEC 8073:1997, *Information technology – Open Systems Interconnection – Protocol for providing the connection-mode transport service definition*

ISO/IEC 8326:1996, *Information processing system – Open Systems Interconnection – Session service definition*

ISO/IEC 8327-1:1997, *Information technology – Open Systems Interconnection – Connection-oriented session protocols: Protocol specification*

ISO/IEC 8348:2002, *Information technology – Open Systems Interconnection – Network service definition*

ISO/IEC 8473-1:1998, *Information technology – Protocol for providing the connectionless-mode network service: Protocol specification*

ISO/IEC 8473-2:1996, *Information technology – Protocol for providing the connectionless-mode network service – Part 2: Provision of the underlying service by an ISO/IEC 8802 subnetwork*

ISO/IEC 8602:1995, *Information technology – Protocol for providing the OSI connectionless-mode transport service*

ISO/IEC 8649:1996, *Information technology – Open Systems Interconnection – Service definition for the Associated Control Service Element*

ISO/IEC 8650-1:1996, *Information technology – Open Systems Interconnection – Connection-oriented protocol for the Association Control Service Element: Protocol specification*

ISO/IEC 8802-2:1998, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 2: Logical link control*

ISO/IEC 8802-3:2000, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO/IEC 8822:1994, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8823-1:1994, *Information technology – Open Systems Interconnection – Connection-oriented presentation protocol: Protocol specification*

ISO/IEC 8824-1:2008, *Information technology – Abstract Syntax Notation One (ASN. 1): Specification of basic notation*

ISO/IEC 8825-1:2008, *Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)*

ISO/IEC 8877:1992, *Information technology – Telecommunications and information exchange between systems – Interface connector and contact assignments for ISDN Basic Access Interface located at reference points S and T*

ISO/IEC 9542:1988, *Information processing systems – Telecommunications and information exchange between systems – End system to Intermediate system routing exchange protocol*

for use in conjunction with the Protocol for providing the connectionless-mode network service (ISO 8473)

ISO/IEC 9548-1:1996, Information technology – Open Systems Interconnection – Connectionless Session protocol: Protocol specification

ISO/IEC 9576-1:1995, Information technology – Open Systems Interconnection – Connectionless Presentation protocol: Protocol specification

ISO/IEC 10035-1:1995, Information technology – Open Systems Interconnection – Connectionless protocol for the Association Control Service Element: Protocol specification

Amendment 1 (1997)

ISO/IEC ISP 10608-1:1992, Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 1: General overview and subnetwork-independent requirements

ISO/IEC ISP 10608-2:1992, Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 2: TA51 profile including subnetwork-dependent requirements for CSMA/CD Local Area Networks (LANs)

ISO/IEC ISP 11188-1:1995, Information technology – International Standardized Profile – Common upper layer requirements – Part 1: Basic connection oriented requirements

ISO/IEC ISP 11188-3:1996, Information technology – International Standardized Profile – Common upper layer requirements – Part 3: Minimal OSI upper layer facilities

ISO 9506 series, Industrial automation systems – Manufacturing Message Specification

ISO 9506-1:2003, Industrial automation systems – Manufacturing Message Specification – Part 1: Service definition

ISO 9506-2:2003, Industrial automation systems – Manufacturing Message Specification – Part 2: Protocol specification

ISO/ISP 14226-1:1996, Industrial automation systems – International Standardized Profile AMM11: MMS General Applications Base Profile – Part 1: Specification of ACSE, Presentation and Session protocols for use by MMS

ISO/ISP 14226-2:1996, Industrial automation systems – International Standardized Profile AMM11: MMS General Applications Base Profile – Part 2: Common MMS requirements

ISO/ISP 14226-3:1996, Industrial automation systems – International Standardized Profile AMM11: MMS General Applications Base Profile – Part 3: Specific MMS requirements

IEEE C37.111:1999, IEEE Standard Common Format for Transient Data Exchange (COMTRADE) for Power Systems

IEEE 754:1985, IEEE Standard for Binary Floating-Point Arithmetic

IEEE 802.1Q:1998, IEEE Standards for Local and Metropolitan Networks: Virtual Bridged Local Area Networks

IEEE 802.1D:2004, *IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges*

RFC 614, *Comments on the File Transfer Protocol, IETF*, available at <http://www.ietf.org>

RFC 640, *Revised FTP reply codes, IETF*, available at <http://www.ietf.org>

RFC 768, *User Datagram Protocol, IETF*, available at <http://www.ietf.org>
RFC 791, *Internet Protocol – DARPA Internet Program – Protocol Specification, IETF*, available at <http://www.ietf.org>

RFC 791, *Internet Protocol – DARPA Internet Program – Protocol Specification, IETF*, available at <http://www.ietf.org>

RFC 792, *Internet Control Message Protocol – DARPA Internet Program – Protocol Specification, IETF*, available at <http://www.ietf.org>

RFC 793, *Transmission Control Procedure – DARPA Internet Program – Protocol Specification, IETF*, available at <http://www.ietf.org>

RFC 826, *An Ethernet Address Resolution Protocol or Converting Network Protocol Addresses to 48.bit Ethernet Address for Transmission on Ethernet Hardware, IETF*, available at <http://www.ietf.org>

RFC 894, *A Standard for the Transmission of IP datagrams over Ethernet Networks, IETF*, available at <http://www.ietf.org>
RFC 919, *Broadcasting Internet Datagrams, IETF*, available at <http://www.ietf.org>

RFC 922, *Broadcasting Internet Datagrams in the presence of subnets, IETF*, available at <http://www.ietf.org>

RFC 950, *Internet Standard Subnetting Procedure, IETF*, available at <http://www.ietf.org>

RFC 1006, *ISO Transport Service on top of TCP: Version 3, IETF*, available at <http://www.ietf.org>

RFC 1112, *Host Extensions for IP Multicasting, IETF*, available at <http://www.ietf.org>

RFC 1122, *Requirements for Internet Hosts – Communication Layers, IETF*, available at <http://www.ietf.org>

RFC 1123, *Requirements for Internet Hosts – Application and Support, IETF*, available at <http://www.ietf.org>

RFC 4330, *Simple Network Time Protocol (SNTP) Version 4 for IPv4, IPv6 and OSI, IETF*, available at <http://www.ietf.org>

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61850-2 as well as the following apply.

3.1

(n)-layer

any specific layer