
**Information technology — Programming
languages — Prolog —**

**Part 2:
Modules**

*Technologies de l'information — Langages de programmation — Prolog —
Partie 2: Modules*

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO/IEC 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

1.1	Notes	1
2	Normative reference	1
3	Terms and definitions	1
4	Compliance	3
4.1	Prolog processor	3
4.2	Module text	3
4.3	Prolog goal	3
4.4	Prolog modules	-316 (.) -329 (.) -316 (.) -329
6.2.4	Module directives	6
6.2.5	Module body	7
6.2.6	Clauses	7
6.3	Complete database	8
6.3.1	Visible database	8
6.3.2	Examples	8
6.4	Context sensitive predicates	8
6.4.1	Metapredicate built-ins	8
6.4.2	Context sensitive built-ins	9
6.4.3	Module name expansion	9
6.4.4	Examples: Metapredicates	9
6.5	Converting a term to a clause, and a clause to a term	10
6.5.1	Converting a term to the head of a clause	10
6.5.2	Converting a module qualified term to a body	10
6.5.3	Converting the body of a clause to a term	11
6.6		

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 13211 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 13211-2 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*.

ISO/IEC 13211 consists of the following parts, under the general title *Information technology — Programming languages — Prolog*:

- Part 1: General core
- Part 2: Modules

Introduction

This is the first International Standard for Prolog, Part 2 (Modules). It was produced on May 1, 2000.

Prolog (Programming in Logic) combines the concepts of logical and algorithmic programming, and is recognized not just as an important tool in AI (Artificial Intelligence) and expert systems, but as a general purpose high-level programming language with some unique properties.

The language originates from work in the early 1970s by Robert A. Kowalski while at Edinburgh University (and ever since at Imperial College, London) and Alain Colmerauer at the University of Aix-Marseilles in France. Their efforts led in 1972 to the use of formal logic as the basis for a programming language. Kowalski's research provided the theoretical framework, while Colmerauer's gave rise to the programming language Prolog. Colmerauer and his team then built the first interpreter, and David Warren at the AI Department, University of Edinburgh, produced the first compiler.

The crucial features of Prolog are unification and backtracking. Unification shows how two arbitrary structures can be made equal, and Prolog processors employ a search strategy which tries to find a solution to a problem by backtracking to other paths if any one particular search comes to a dead end.

Prolog is good for windowing and multimedia because of the ease of building complex data structures dynamically, and also because the concept of backing out of an operation is built into the language. Prolog is also good for interactive web applications because the language lends itself to both the production and analysis of text, allowing for production of HTML 'on the fly'.

This International Standard defines syntax and semantics of modules in ISO Prolog. There is no other International Standard for Prolog modules.

Modules in Prolog serve to partition the name space and support encapsulation for the purposes of constructing large systems out of smaller components. The module system is procedure-based rather than atom-based. This means that each procedure is to be defined in a given name space. The requirements for Prolog modules are rendered more complex by the existence of context sensitive procedures.

Information technology — Programming languages — Prolog — Part 2: Modules

1 Scope

This part of ISO/IEC 13211 is designed to promote the applicability and portability of Prolog modules that contain Prolog text complying with the requirements of the Programming Language Prolog as specified in this part of ISO/IEC 13211.

This part of ISO/IEC 13211 specifies:

- a) The representation of Prolog text that constitutes a Prolog module,
- b) The constraints that shall be satisfied to prepare Prolog modules for execution, and
- c) The requirements, restrictions and limits imposed on a conforming Prolog processor that processes modules.

This part of ISO/IEC 13211 does not specify:

- a) The size or number of Prolog modules that will exceed the capacity of any specific data processing system or language processor, or the actions to be taken when the limit is exceeded,
- b) The methods of activating the Prolog processor or the set of commands used to control the environment in which Prolog modules are prepared for execution,
- c) The mechanisms by which Prolog modules are loaded,
- d) The relationship between Prolog modules and the processor-specific file system.

1.1 Notes

Notes in this part of ISO/IEC 13211 have no effect on the language, Prolog text, module text or Prolog processors that are defined as conforming to this part of ISO/IEC 13211. Reasons for including a note include:

- a) Cross references to other clauses and subclauses of this part of ISO/IEC 13211 in order to help readers find their way around,
- b) Warnings when a built-in predicate as defined in this part of ISO/IEC 13211 has a different meaning in some existing implementations.

2 Normative reference

The following normative document contains provision which, through reference in this text, constitute provisions of this part of ISO/IEC 13211. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO/IEC 13211 are encouraged to investigate the possibility of applying the most

recent edition of the normative document indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 13211-1 : 1995, *Information technology — Programming languages — Prolog Part 1: General core*.

3 Terms and definitions

The terminology for this part of ISO/IEC 13211 has a format modeled on that of ISO 2382.

An entry consists of a phrase (in **bold type**) being defined, followed by its definition. Words and phrases defined in the glossary are printed in *italics* when they are defined in ISO/IEC 13211-1 or other entries of this part of ISO/IEC 13211. When a definition contains two words or phrases defined in separate entries directly following each other (or separated only by a punctuation sign), * (an asterisk) separates them.

Words and phrases not defined in the glossary are assumed to have the meaning given in ISO 2382-15 and ISO/IEC 13211-1; if they do not appear in ISO 2382-15 or ISO/IEC 13211-1, then they are assumed to have their usual meaning.

A double asterisk (**) is used to denote those definitions where there is a change from the meaning given in ISO/IEC 13211-1.

3.1 accessible procedure: See 3.39 – *procedure, accessible*.

3.2 activation, of a procedure: A *procedure* has been activated when it is called for execution.

3.3 argument, qualified: A *qualified term* which is an *argument* in a *module name qualified * predication*.

3.4 calling context: The set of *visible procedures*, the *operator table*, the *character conversion mapping* and *Prolog flag values* denoted by a *module name*, and used as a context for activation of a *context sensitive procedure*.

3.5 database, visible: The *visible database* of a *module M* is the set of *procedures* that can be activated without *module name qualification* from within *M*.

3.6 defining module: See 3.23 – *module, defining*.

3.7 export: To make a *procedure* of an *exporting module* available for *import* or *re-export* by other *modules*.

3.8 exported procedure: See 3.41 – *procedure, exported*.