

Edition 1.0 2007-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

High-voltage switchgear and controlgear – Part 1: Common specifications

Appareillage à haute tension – Partie 1: Spécifications communes





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: <u>www.iec.ch/online_news/justpub</u>

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 1.0 2007-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

High-voltage switchgear and controlgear – Part 1: Common specifications

Appareillage à haute tension – Partie 1: Spécifications communes

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

CONTENTS

FO	REWC)RD	6
			•
1		ral	
		Scope	
2		Normative references	
2		al and special service conditions	
	2.1	Normal service conditions	
^	2.2	Special service conditions	
3		s and definitions	
	3.1	General terms	
	3.2	Assemblies of switchgear and controlgear	
	3.3	Parts of assemblies	
	3.4	Switching devices	
	3.5 3.6	Parts of switchgear and controlgear Operation	
	3.7	Characteristic quantities	
	3.8	Index of definitions	
4		gs	
•	4.1	Rated voltage (U_r)	
	4.2	Rated insulation level	
	4.3	Rated frequency (f_{Γ})	
	4.4	Rated normal current and temperature rise	
	4.5	Rated short-time withstand current (I_k)	
	4.6	Rated peak withstand current (I_{D})	
	4.7	Rated duration of short circuit (t_k)	41
	4.8	Rated supply voltage of closing and opening devices and of auxiliary and control circuits (U_a)	
	4.9	Rated supply frequency of closing and opening devices and of auxiliary circuits	
	4.10	Rated pressure of compressed gas supply for controlled pressure systems	
	4 11	Rated filling levels for insulation and/or operation	43
5	Desig	gn and construction	43
	5.1	Requirements for liquids in switchgear and controlgear	
	5.2	Requirements for gases in switchgear and controlgear	
	5.3	Earthing of switchgear and controlgear	44
	5.4	Auxiliary and control equipment	44
	5.5	Dependent power operation	50
	5.6	Stored energy operation	50
	5.7	Independent manual or power operation (independent unlatched operation)	. 51
	5.8	Operation of releases	. 51
	5.9	Low- and high-pressure interlocking and monitoring devices	.52
	5.10	Nameplates	
	5.11	Interlocking devices	
		Position indication	
	5.13	Degrees of protection provided by enclosures	
		Creepage distances for outdoor insulators	
	5.15	Gas and vacuum tightness	56

		Liquid tightness	
	5.17	Fire hazard (flammability)	57
	5.18	Electromagnetic compatibility (EMC)	57
	5.19	X-ray emission	57
	5.20	Corrosion	58
6	Type	tests	58
	6.1	General	58
	6.2	Dielectric tests	60
	6.3	Radio interference voltage (r.i.v.) test	67
	6.4	Measurement of the resistance of circuits	67
	6.5	Temperature-rise tests	68
	6.6	Short-time withstand current and peak withstand current tests	71
	6.7	Verification of the protection	73
	6.8	Tightness tests	
	6.9	Electromagnetic compatibility tests (EMC)	76
	6.10	Additional tests on auxiliary and control circuits	
		X-radiation test procedure for vacuum interrupters	
7	Routi	ne tests	88
	7.1	Dielectric test on the main circuit	88
	7.2	Tests on auxiliary and control circuits	88
	7.3	Measurement of the resistance of the main circuit	
	7.4	Tightness test	89
	7.5	Design and visual checks	90
8	Guide to the selection of switchgear and controlgear		90
	8.1	Selection of rated values	91
	8.2	Continuous or temporary overload due to changed service conditions	91
9	Infor	mation to be given with enquiries, tenders and orders	92
	9.1	Information with enquiries and orders	93
	9.2	Information with tenders	93
10	Transport, storage, installation, operation and maintenance		94
	10.1	Conditions during transport, storage and installation	94
		Installation	
		Operation	
		Maintenance	
11		y	
	11.1	Precautions by manufacturers	100
	11.2	Precautions by users	100
		Electrical aspects	
		Mechanical aspects	
		Thermal aspects	
		Operation aspects	A
12		ence of the product on the environment	
		·	
Δnı	ηργ Δ	(normative) Identification of test specimens	102
		(normative) Determination of the equivalent r.m.s. value of a short-time	102
		uring a short circuit of a given duration	104
		(normative) Method for the weatherproofing test for outdoor switchgear and	
	trolae		105

Annex D (normative) Requirements for auxiliary and control circuit components	108				
Annex E (informative) Tightness (information, example and guidance)	110				
Annex F (normative) Tolerances on test quantities during tests					
Annex G (informative) Information and technical requirements to be given with enquiries, tenders and orders	115				
Annex H (informative) Corrosion: Information regarding service conditions and recommended test requirements	118				
Annex I (informative) List of symbols and abbreviations used in IEC 62271-1	119				
Annex J (informative) Electromagnetic compatibility on site	121				
Annex K (informative) List of notes concerning certain countries	122				
Bibliography	123				
Figure 1 – Altitude correction factor					
Figure 2 – Examples of classes of contacts					
Figure 3 – Diagram of connections of a three-pole switching device					
Figure 4 – Diagram of a test circuit for the radio interference voltage test					
Figure 5 – Test location of radiation meter					
Figure B.1 – Determination of short-time current					
Figure C.1 – Arrangement for weatherproofing test					
Figure C.2 – Nozzle for weatherproofing test	107				
Figure E.1 – Example of a tightness coordination chart, TC, for closed pressure systems	110				
Figure E.2 – Sensitivity and applicability of different leak-detection methods for tightness tests					
Table 1a – Rated insulation levels for rated voltages of range I, series I	34				
Table 1b – Rated insulation levels for rated voltages of range I, series II (based on current practice in some areas, including North America) ^a	35				
Table 2a – Rated insulation levels for rated voltages of range II	36				
Table 2b – Additional rated insulation levels, based on current practice in some areas, including North America for range II	37				
Table 3 – Limits of temperature and temperature rise for various parts, materials and dielectrics of high-voltage switchgear and controlgear					
Table 4 – Direct current voltage	41				
Table 5 – Alternating current voltage	42				
Table 6 – Auxiliary contact classes	48				
Table 7 – Degrees of protection	55				
Table 8 – Example of grouping	58				
Table 9 – Test conditions in general case					
Table 10 – Power-frequency test conditions					
Table 11 – Impulse test conditions					
Table 12 – Test conditions for the alternative method					
Table 13 – Permissible temporary leakage rates for gas systems	75				
Table 14 – Application of voltages at the fast transient/burst test					

62271-1 © IEC:2007	- 5 -
Table 15 – Application of voltage at	the damped oscillatory wave test81
	transient disturbance immunity81
Table D.1 – List of reference docum	nents for auxiliary and control circuit components 108
Table F.1 – Tolerances on test quar	ntities for type test113
9,	
C)	
2	
.03	
	\sim
	<i>-</i> :
	· O:
	0,

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 1: Common specifications

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62271-1 has been prepared by subcommittee 17A: High-voltage switchgear and controlgear, of IEC technical committee 17: Switchgear and controlgear.

This standard cancels and replaces IEC 60694 published in 1996. This first edition of IEC 62271-1 constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
17A/799/FDIS	17A/804/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The reader's attention is drawn to the fact that Annex K lists all of the "in-some-country"

clauses on differing practices of a less permanent nature relating to the subject of this standard.

The list of all parts of the IEC 62271 series under the general title, High-voltage switchgear and controlgear, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- d edition, replaced by a revised edition, or
- amended.

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 1: Common specifications

1 General

1.1 Scope

This part of IEC 62271 applies to a.c. switchgear and controlgear designed for indoor and outdoor installation and for operation at service frequencies up to and including 60 Hz on systems having voltages above 1 000 V.

This standard applies to all high-voltage switchgear and controlgear except as otherwise specified in the relevant IEC standards for the particular type of switchgear and controlgear.

NOTE For the use of this standard, high voltage (see IEV 601-01-27) is the rated voltage above 1 000 V. However, the term medium voltage (see IEV 601-01-28) is commonly used for distribution systems with voltages above 1 kV and generally applied up to and including 52 kV.

1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, Rotating electrical machines – Part 1: Rating and performance

IEC 60038:1983, IEC standard voltages

IEC 60050-131, International Electrotechnical Vocabulary (IEV) - Part 131: Circuit theory

IEC 60050-151, International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices

IEC 60050-191, International Electrotechnical Vocabulary (IEV) – Chapter 191: Dependability and quality of service

IEC 60050-351, International Electrotechnical Vocabulary (IEV) – Part 351: Control technology

IEC 60050-441, International Electrotechnical Vocabulary (IEV) – Chapter 441: Switchgear, controlgear and fuses

IEC 60050-446, International Electrotechnical Vocabulary (IEV) - Chapter 446: Electrical relays

IEC 60050-551, International Electrotechnical Vocabulary (IEV) – Power electronics

IEC 60050-581, International Electrotechnical Vocabulary (IEV) – Chapter 581: Electromechanical components for electronic equipment

IEC 60050-601, International Electrotechnical Vocabulary (IEV) – Chapter 601:Generation, transmission and distribution of electricity – General

IEC 60050-604, International Electrotechnical Vocabulary (IEV) – Chapter 604: Generation, transmission and distribution of electricity – Operation

IEC 60050-605, International Electrotechnical Vocabulary (IEV) – Chapter 605: Generation, transmission and distribution of electricity – Substations

IEC 60050-811, International Electrotechnical Vocabulary (IEV) – Chapter 811: Electric traction

IEC 60050-826, International Electrotechnical Vocabulary (IEV) – Part 826: Electrical installations

IEC 60051-1, Direct acting indicating analogue electrical measuring instruments and their accessories – Part 1: Definitions and general requirements common to all parts

IEC 60051-2, Direct acting indicating analogue electrical measuring instruments and their accessories – Part 2: Special requirements for ammeters and voltmeters

IEC 60051-4, Direct acting indicating analogue electrical measuring instruments and their accessories – Part 4: Special requirements for frequency meters

IEC 60051-5, Direct acting indicating analogue electrical measuring instruments and their accessories – Part 5: Special requirements for phase meters, power factor meters and synchroscopes

IEC 60059, IEC standard current ratings

IEC 60060-1:1989, High-voltage test techniques – Part 1: General definitions and test requirements

IEC 60064, Tungsten filament lamps for domestic and similar general lighting purposes – Performance requirements

IEC 60068-2 (all parts), Environmental testing – Part 2: Tests

IEC 60071-1:2006, Insulation co-ordination – Part 1: Definitions, principles and rules

IEC 60071-2:1996, Insulation co-ordination – Part 2: Application guide

IEC 60073, Basic and safety principles for man-machine interface, marking and identification – Coding principles for indicators and actuators

IEC 60081, Double-capped fluorescent lamps – Performance specifications

IEC/TR 60083, Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC

IEC 60085, Electrical insulation - Thermal classification

IEC 60115-4 (all parts), Fixed resistors for use in electronic equipment – Part 4: Sectional specification: Fixed power resistors

IEC 60130 (all parts), Connectors for frequencies below 3 MHz

IEC 60227 (all parts), Polyvinyl chloride insulated cables of rated voltages up to and including $450/750\ V$

IEC 60228, Conductors of insulated cables

IEC 60245 (all parts), Rubber insulated cables - Rated voltages up to and including 450/750 V

IEC 60255-8, Electrical relays – Part 8: Thermal electrical relays

IEC 60255-21-1, Electrical relays – Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment – Section One: Vibration tests (sinusoidal)

IEC 60255-21-3, Electrical relays – Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment – Section 3: Seismic tests

IEC 60269-2, Low-voltage fuses – Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to I

IEC 60270, High-voltage test techniques – Partial discharge measurements

IEC 60296: Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear

IEC 60309-1, Plugs, socket-outlets and couplers for industrial purposes – Part 1: General requirements

IEC 60309-2, Plugs, socket-outlets and couplers for industrial purposes – Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories

IEC 60376, Specification of technical grade sulfur hexafluoride (SF₆) for use in electrical equipment

IEC 60393-1, Potentiometers for use in electronic equipment – Part 1: Generic specification

IEC 60417, Graphical symbols for use on equipment

IEC 60445, Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals and conductors terminations

IEC 60480, Guidelines for the checking and treatment of sulfur hexafluoride (SF₆) taken from electrical equipment and specification for its re-use

IEC 60502-1, Power cables with extruded insulation and their accessories for rated voltages from 1 kV ($U_{\rm m}$ = 1,2 kV) up to 30 kV ($U_{\rm m}$ = 36 kV) – Part 1: Cables for rated voltages of 1 kV ($U_{\rm m}$ = 1,2 kV) and 3 kV ($U_{\rm m}$ = 3,6 kV)

IEC 60507, Artificial pollution tests on high-voltage insulators to be used on a.c. systems

IEC 60512-2 (all parts), Connectors for electronic equipment – Tests and measurements – Part 2: Electrical continuity and contact resistance tests

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60617, Graphical symbols for diagrams

IEC 60669-1, Switches for household and similar fixed-electrical installations – Part 1: General requirements

IEC 60695-1 (all parts), Fire hazard testing – Part 1: Guidance for assessing the fire hazard of electrotechnical products

IEC 60695-7 (all parts), Fire hazard testing – Part 7:Toxicity of fire effluent

IEC 60721-1, Classification of environmental conditions - Part 1: Environmental parameters

and their severities

- IEC 60721-2 (all parts), Classification of environmental conditions Part 2: Environmental conditions appearing in nature Temperature and humidity
- IEC 60721-3 (all parts), Classification of environmental conditions Part 3: Classification of groups of environmental parameters and their severities
- IEC 60730-2-9, Automatic electrical controls for household and similar use Part 2-9: Particular requirements for temperature sensing controls
- IEC 60730-2-13, Automatic electrical controls for household and similar use Part 2-13: Particular requirements for humidity sensing controls
- IEC 60815:1986, Guide for the selection of insulators in respect of polluted conditions
- IEC 60909-0, Short-circuit currents in three-phase a.c. systems Part 0: Calculation of currents
- IEC 60909-1, Short-circuit currents in three-phase a.c. systems Part 1: Factors for the calculations of short-circuit currents according to IEC 60909-0
- IEC 60932, Additional requirements for enclosed switchgear and controlgear from 1 kV to 72,5 kV to be used in severe climatic conditions
- IEC 60947-2, Low-voltage switchgear and controlgear Part 2: Circuit-breakers
- IEC 60947-3, Low-voltage switchgear and controlgear Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units
- IEC 60947-4-1, Low-voltage switchgear and controlgear Part 4-1: Contactors and motor-starters Electromechanical contactors and motor-starters
- IEC 60947-4-2, Low-voltage switchgear and controlgear Part 4-2: Contactors and motor-starters AC semiconductor motor controllers and starters
- IEC 60947-5-1, Low-voltage switchgear and controlgear Part 5-1: Control circuit devices and switching elements Electromechanical control circuit devices
- IEC 60947-7-1, Low-voltage switchgear and controlgear Part 7-1: Ancillary equipment Terminal blocks for copper conductors
- IEC 60947-7-2, Low-voltage switchgear and controlgear Part 7-2: Ancillary equipment Protective conductor terminal blocks for copper conductors
- IEC 61000-4-1, Electromagnetic compatibility (EMC) Part 4-1: Testing and measurement techniques Overview of IEC 61000-4 series
- IEC 61000-4-4, Electromagnetic compatibility (EMC) Part 4-4: Testing and measurement techniques Electrical fast transient/burst immunity test
- IEC 61000-4-11, Electromagnetic compatibility (EMC) Part 4-11: Testing and measurement techniques Voltage dips, short interruptions and voltage variations immunity tests
- IEC 61000-4-18, Electromagnetic compatibility (EMC) Part 4-18: Testing and measurement techniques Damped oscillatory wave immunity test

IEC 61000-4-17, Electromagnetic compatibility (EMC) – Part 4-17: Testing and measurement techniques – Ripple on d.c. input power port immunity test

IEC 61000-4-29, Electromagnetic compatibility (EMC) – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests

IEC 61000-5 (all parts), Electromagnetic compatibility (EMC) – Part 5: Installation and mitigation guidelines

IEC 61000-6-2, Eletromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity for industrial environments

IEC 61000-6-5, Electromagnetic compatibility (EMC) – Part 6-5: Generic standards – Immunity for power station and substation environments

IEC 61020-4: Electromechanical switches for use in electronic equipment – Part 4: Sectional specification for lever (toggle) switches

IEC 61180-1, High-voltage test techniques for low-voltage equipment – Part 1: Definitions, test and procedure requirements

IEC 61634, High-voltage switchgear and controlgear – Use and handling of sulphur hexafluoride (SF_6) in high-voltage switchgear and controlgear

IEC 61810 (all parts), Electromechanical elementary relays

IEC 62063, High-voltage switchgear and controlgear – The use of electronic and associated technologies in auxiliary equipment of switchgear and controlgear

IEC 62262, Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)

IEC 62271-2, High-voltage switchgear and controlgear – Part 2: Seismic qualification for rated voltages of 72,5 kV and above

IEC/TR 62271-300, High-voltage switchgear and controlgear – Part 300: Seismic qualification of alternating current circuit-breakers

IEC 62326-1, Printed boards – Part 1:Generic specification

CISPR 11, Industrial, scientific and medical (ISM) radio-frequency equipment – Electromagnetic disturbance characteristics – Limits and methods of measurement

CISPR 16-1 (all parts), Specification for radio disturbance and immunity measuring apparatus and methods – Part 1: Radio disturbance and immunity measuring apparatus

CISPR 18-2, Radio interference characteristics of overhead power lines and high-voltage equipment – Part 2: Methods of measurement and procedure for determining limits

2 Normal and special service conditions

Unless otherwise specified, high-voltage switchgear and controlgear, including the operating devices and the auxiliary equipment which form an integral part of them, are intended to be used in accordance with their rated characteristics and the normal service conditions listed in 2.1.