INTERNATIONAL STANDARD

ISO 15527

> Third edition 2018-11

Plastics — Compression-moulded sheets of polyethylene (PE-UHMW, PE-HD) — Requirements and test methods

tique.
MW, PE-. Plastiques — Plaques moulées par compression en polyéthylène (PE-





© ISO 2018

Vementation, no par hanical, includin requested fir All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

| Contents | | | Page |
|----------|------------|--|------|
| Fore | word | | iv |
| 1 | Scop | e | 1 |
| 2 | Norn | native references | 1 |
| 3 | Term | is and definitions | 1 |
| 4 | | rial | |
| 5 | | | |
| | 5.1 | i rements Appearance | |
| | 5.2 | Dimensional tolerances | |
| | | 5.2.1 Thickness | |
| | | 5.2.2 Length and width | |
| | 5.3 | 5.2.3 Rectangularity | |
| | 5.5 | Properties 5.3.1 Physical properties 5.3.1 | |
| | | 5.3.2 Physiological behaviour | |
| 6 | Test | methods | 3 |
| | 6.1 | Test specimens | |
| | | 6.1.1 Preparation of test specimens | |
| | | 6.1.2 Conditioning | |
| | 6.2 | 6.1.3 Testing | |
| | 6.2 6.3 | Delivery conditionAppearance | |
| | 6.4 | Dimensions | |
| | | 6.4.1 Thickness, <i>h</i> | |
| | | 6.4.2 Length, <i>l</i> , and width, <i>b</i> | |
| | | 6.4.3 Rectangularity | |
| | 6.5 | Density Determination of abragion proporting | |
| | 6.6 6.7 | Determination of abrasion properties. Tensile stress at yield, σ_y , and tensile strain at yield, ε_y | |
| | 6.8 | Modulus of elasticity in tension, $E_{\rm t}$ | 5 |
| | 6.9 | Impact strength of notched specimens | 6 |
| | | 6.9.1 Charpy impact strength of double-notched specimens | 6 |
| | (10 | 6.9.2 Charpy impact strength of single-notched specimens, a_{cN} | 6 |
| | 6.10 | Melt mass-flow rate (MFR) | 6 |
| 7 | Desig | gnation | 6 |
| 8 | | ring | |
| Ann | ex A (no | rmative) Requirements for rectangularity | 7 |
| Ann | ex B (no | ormative) Determination of abrasion properties | 8 |
| | - | formative) Example of apparatus for the determination of abrasion properties | |
| | | y | |
| | -0 | | |
| | | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 11, *Products*.

This third edition cancels and replaces the second edition (ISO 15527:2010), of which it constitutes a minor revision. The changes compared to the previous edition are as follows:

- <u>Clause 2</u> has been revised (in <u>6.9.2</u>, ISO 179-1, rather than ISO 11542-2, is now used to determine the Charpy impact strength);
- the requirements given in Table 2 for the abrasion properties have been modified;
- <u>Clause 3</u>, Terms and definitions, has been added and the succeding clauses have been renumbered;
- the document has been editorially revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

2

Plastics — Compression-moulded sheets of polyethylene (PE-UHMW, PE-HD) — Requirements and test methods

1 Scope

This document specifies the requirements and test methods for solid flat compression-moulded sheets of polyethylene (PE-UHMW and PE-HD, see ISO 1043-1) without fillers or reinforcing materials. It applies only to thicknesses from 10 mm to 200 mm.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 179-1, Plastics — Determination of Charpy impact properties — Part 1: Non-instrumented impact test

ISO 291, Plastics — Standard atmospheres for conditioning and testing

ISO 527-2, Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics

ISO 1133-1, Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 1: Standard method

ISO 1183 (all parts), Plastics — Methods for determining the density of non-cellular plastics

ISO 11542-1, Plastics — Ultra-high-molecular-weight polyethylene (PE-UHMW) moulding and extrusion materials — Part 1: Designation system and basis for specifications

ISO 11542-2, Plastics — Ultra-high-molecular-weight polyethylene (PE-UHMW) moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties

ISO 17855-1, Plastics — Polyethylene (PE) moulding and extrusion materials — Part 1: Designation system and basis for specifications

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Material

Sheets shall consist of PE-UHMW moulding materials as defined in ISO 11542-1 or PE-HD selected from polyethylene (PE) moulding materials as defined in ISO 17855-1, without fillers or reinforcing materials. Materials and additives of unknown identity shall not be used.

NOTE Legal conditions can necessitate a specific choice of moulding material (see <u>5.3.2</u>).