

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –  
Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination  
units**

**Appareillage à basse tension –  
Partie 3: Interrupteurs, sectionneurs, interrupteurs-sectionneurs et combinés-  
fusibles**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00



IEC 60947-3

Edition 3.0 2008-08

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –  
Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination  
units**

**Appareillage à basse tension –  
Partie 3: Interrupteurs, sectionneurs, interrupteurs-sectionneurs et combinés-  
fusibles**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

**XA**

ICS 29.120.40; 29.130.20

ISBN 2-8318-9965-6

## CONTENTS

FOREWORD.....	4
1 General .....	6
1.1 Scope and object.....	6
1.2 Normative references .....	7
2 Terms and definitions .....	8
3 Classification .....	11
3.1 According to the utilization category.....	11
3.2 According to the method of operation of manually operated equipment.....	11
3.3 According to suitability for isolation .....	11
3.4 According to the degree of protection provided.....	11
4 Characteristics.....	12
4.1 Summary of characteristics.....	12
4.2 Type of equipment.....	12
4.3 Rated and limiting values for the main circuit .....	12
4.4 Utilization category .....	14
4.5 Control circuits .....	15
4.6 Auxiliary circuits .....	15
4.7 Relays and releases .....	15
5 Product information.....	15
5.1 Nature of information .....	15
5.2 Marking .....	16
5.3 Instructions for installation, operation and maintenance.....	17
6 Normal service, mounting and transport conditions.....	17
7 Constructional and performance requirements .....	17
7.1 Constructional requirements .....	17
7.2 Performance requirements.....	19
7.3 Electromagnetic compatibility.....	22
8 Tests.....	24
8.1 Kind of tests .....	24
8.2 Type tests for constructional requirements .....	25
8.3 Performance.....	29
8.4 Electromagnetic compatibility tests .....	45
8.5 Special tests.....	46
Annex A (normative) Equipment for direct switching of a single motor.....	47
Annex B (informative) Items subject to agreement between manufacturer and user.....	53
Annex C (normative) Single pole operated three pole switches .....	54
Bibliography .....	57
Figure 1 – Actuator applied force $F$ .....	28
Figure C.1 – Typical arrangements .....	55
Table 1 – Summary of equipment definitions .....	11
Table 2 – Utilization categories.....	15
Table 3 – Verification of rated making and breaking capacities (see 8.3.3.3) – Conditions for making and breaking corresponding to the various utilization categories.....	20

Table 4 – Verification of operational performance – Number of operating cycles corresponding to the rated operational current.....	21
Table 5 – Test circuit parameters for Table 4.....	21
Table 6 – Immunity tests .....	23
Table 7 – Emission limits.....	23
Table 8 – Actuator test forces.....	27
Table 9 – List of type tests applicable to a given equipment .....	29
Table 10 – Overall scheme of test sequences.....	30
Table 11 – Test sequence I: general performance characteristics .....	34
Table 12 – Temperature-rise limits for terminals and accessible parts.....	37
Table 13 – Test sequence II: operational performance capability .....	37
Table 14 – Test sequence III: short-circuit performance capability .....	39
Table 15 – Test sequence IV: conditional short-circuit current.....	43
Table 16 – Test sequence V: overload performance capability .....	45
Table A.1 – Utilization categories .....	48
Table A.2 – Rated making and breaking capacity conditions corresponding to several utilization categories .....	48
Table A.3 – Relationship between current broken $I_C$ and off-time for the verification of the rated making and breaking capacities .....	49
Table A.4 – Operational performance – Conditions for making and breaking corresponding to several utilization categories.....	49
Table A.5 – Verification of the number of on-load operating cycles – Conditions for making and breaking corresponding to several utilization categories.....	52

new generated by EVS

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –****Part 3: Switches, disconnectors, switch-disconnectors  
and fuse-combination units**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-3 has been prepared by subcommittee 17B: Low-voltage switchgear and controlgear, of IEC technical committee 17: Switchgear and controlgear.

This third edition cancels and replaces the second edition published in 1999, Amendment 1 (2001) and Amendment 2 (2005). This edition constitutes a technical revision.

The document 17B/1601/FDIS, circulated to the National Committees as amendment 3, led to the publication of the new edition.

This edition includes the following significant technical changes with respect to the previous edition:

- alignment with the fifth edition of IEC 60947-1;
- a switching operation without current allowed between making and breaking operation (Table 3);
- increased number of operations for AC-23 allowed with agreement of the manufacturer (Table 3);

- simplified test procedure amended, f) added to 8.3.2.1.3;
- temperature rise test shall be made at the rated operational current  $I_e$  instead of the conventional enclosed thermal current  $I_{the}$  (8.3.3.1).

The text of this standard is based on the first edition, its amendment 1, amendment 2 and the following documents:

FDIS	Report on voting
17B/1601/FDIS	17B/1608/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60947 series can be found, under the general title *Low-voltage switchgear and controlgear*, on the IEC website.

This part is to be used in conjunction with IEC 60947-1. The numbering of the subclauses is sometimes not continuous because it is based on IEC 60947-1.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition; or
- amended.

## LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

### Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units

#### 1 General

The provisions of the general rules dealt with in IEC 60947-1 are applicable to this part, where specifically called for. Clauses and subclauses, tables, figures and appendices of the general rules thus applicable are identified by reference IEC 60947-1, e.g., 4.3.4.1 of IEC 60947-1, Table 4 of IEC 60947-1, or Annex A of IEC 60947-1.

##### 1.1 Scope and object

This part of IEC 60947 applies to switches, disconnectors, switch-disconnectors and fuse-combination units to be used in distribution circuits and motor circuits of which the rated voltage does not exceed 1 000 V a.c. or 1 500 V d.c.

The manufacturer shall specify the type, ratings and characteristics according to the relevant standard of any incorporated fuses.

This part does not apply to equipment coming within the scope of IEC 60947-2, IEC 60947-4-1 and IEC 60947-5-1; however, when switches and fuse-combination units coming into the scope of this part are normally used to start, accelerate and/or stop an individual motor they shall also comply with the additional requirements given in Annex A.

The requirements for single pole operated three pole switches are included in Annex C.

Auxiliary switches fitted to equipment within the scope of this part shall comply with the requirements of IEC 60947-5-1.

This part does not include the additional requirements necessary for electrical apparatus for explosive gas atmospheres.

NOTE 1 Depending on its design, a switch (or disconnector) can be referred to as "a rotary switch (disconnector)", "cam-operated switch (disconnector)", "knife-switch (disconnector)", etc.

NOTE 2 In this part, the word "switch" also applies to the apparatus referred to in French as "commutateurs", intended to modify the connections between several circuits and *inter alia* to substitute a part of a circuit for another.

NOTE 3 In general, throughout this part switches, disconnectors, switch-disconnectors and fuse-combination units will be referred to as "equipment".

The object of this part is to state

- a) the characteristics of the equipment;
- b) the conditions with which the equipment shall comply with reference to
  - 1) operation and behaviour in normal service;
  - 2) operation and behaviour in case of specified abnormal conditions, e.g. short circuit;
  - 3) dielectric properties;
- c) the tests for confirming that these conditions have been met and the methods to be adopted for these tests;



- d) the information to be marked on the equipment or made available by the manufacturer, e.g. in the catalogue.

## 1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-441:1984, *International Electrotechnical Vocabulary (IEV) – Chapter 441: Switchgear, controlgear and fuses*  
Amendment 1 (2000)

IEC 60269 (all parts), *Low-voltage fuses*

IEC 60410:1973, *Sampling plans and procedures for inspection by attributes*

IEC 60417-DB:2000<sup>1</sup>, *Graphical symbols for use on equipment*

IEC 60947-1:2007, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 60947-2:2006, *Low-voltage switchgear and controlgear – Part 2: Circuit-breakers*

IEC 60947-4-1:2000, *Low-voltage switchgear and controlgear – Part 4-1: Contactors and motor-starters – Electromechanical contactors and motor-starters*  
Amendment 1 (2002)  
Amendment 2 (2005)

IEC 60947-5-1:2003, *Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices*

IEC 61000-4-2:1995, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*  
Amendment 1 (1998)  
Amendment 2 (2000)

IEC 61000-4-3:2006, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*  
Amendment 1 (2007)

IEC 61000-4-4:2004, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5:2005, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6:2003, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*  
Amendment 1 (2004)  
Amendment 2 (2006)

CISPR 11:2003, *Industrial, scientific and medical (ISM) radio-frequency equipment – Electromagnetic disturbance characteristics – Limits and methods of measurement*

---

<sup>1</sup> "DB" refers to the IEC on-line database.

Amendment 1 (2004)  
Amendment 2 (2006)

CISPR 22:2005, *Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement*

Amendment 1 (2005)  
Amendment 2 (2006)

## 2 Terms and definitions

For the purposes of this part of IEC 60947, the terms and definitions given in IEC 60050-441, IEC 60947-1 and the following apply.

	Reference
D	
Dependent manual operation (of a mechanical switching device) .....	2.13
Disconnecter .....	2.2
Disconnecter-fuse .....	2.7
F	
Fuse-combination unit .....	2.4
Fuse-disconnector .....	2.8
Fuse-switch .....	2.6
Fuse-switch-disconnector .....	2.10
I	
Independent manual operation (of a mechanical switching device) .....	2.14
M	
Multiple tip contact system .....	2.12
S	
Semi-independent manual operation .....	2.15
Single pole operated three pole switch .....	2.11
Stored energy operation (of a mechanical switching device) .....	2.16
Switch (mechanical) .....	2.1
Switch-disconnector .....	2.3
Switch-disconnector-fuse .....	2.9
Switch-fuse .....	2.5

### 2.1

#### **(mechanical) switch**

mechanical switching device capable of making, carrying and breaking currents under normal circuit conditions which may include specified operating overload conditions and also carrying for a specified time currents under specified abnormal circuit conditions such as those of short-circuit

NOTE A switch may be capable of making, but not breaking, short-circuit currents.

[IEV 441-14-10]

### 2.2

#### **disconnecter**

mechanical switching device which, in the open position, complies with the requirements specified for the isolating function

[IEV 441-14-05, modified]

NOTE 1 This definition differs from IEC 441-14-05 by referring to isolating function instead of isolating distance.