

Edition 4.0 2010-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Cable networks for television signals, sound signals and interactive services – Part 3: Active wideband equipment for cable networks

Réseaux de distribution par câbles pour signaux de télévision, signaux de radiodiffusion sonore et services interactifs –

Partie 3: Matériel actif à large bande pour réseaux de distribution par câbles





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: <u>csc@iec.ch</u> Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

■ Service Clients: <u>www.iec.ch/webstore/custserv/custserv_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 4.0 2010-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Cable networks for television signals, sound signals and interactive services – Part 3: Active wideband equipment for cable networks

Réseaux de distribution par câbles pour signaux de télévision, signaux de radiodiffusion sonore et services interactifs –

Partie 3: Matériel actif à large bande pour réseaux de distribution par câbles

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 33.060.40; 33.170 ISBN 978-2-88912-576-0

CONTENTS

INT	RODU	JCTION	l	8			
1	Scop	e		9			
2	Norm	ative re	eferences	9			
3	Term	Terms, definitions, symbols and abbreviations					
	3.1	Terms	s and definitions				
	3.2		Symbols				
	3.3		viations				
4	Methods of measurement						
	4.1	Genera	eneral				
	4.2	Linear distortion					
		4.2.1	Return loss				
		4.2.2	Flatness				
		4.2.3	Chrominance/luminance delay inequality for PAL/SECAM only	19			
	4.3	Non-lir	near distortion	20			
		4.3.1	General	20			
		4.3.2	Types of measurements	20			
		4.3.3	Intermodulation	20			
		4.3.4	Composite triple beat	22			
		4.3.5	Composite second order beat	25			
		4.3.6	Composite crossmodulation	26			
		4.3.7	Method of measurement of non-linearity for pure digital channel load				
		4.3.8	Hum modulation of carrier	29			
	4.4	Automatic gain and slope control step response					
		4.4.1	Definitions	33			
		4.4.2	Equipment required				
		4.4.3	Connection of equipment				
		4.4.4	Measurement procedure	34			
	4.5	Noise figure					
		4.5.1	General	35			
		4.5.2	Equipment required				
		4.5.3	Connection of equipment				
		4.5.4	Measurement procedure				
	4.6	Crosstalk attenuation					
		4.6.1	Crosstalk attenuation for loop through ports	36			
		4.6.2	Crosstalk attenuation for output ports				
	4.7	Signal level for digitally modulated signals					
	4.8	Measu	Measurement of composite intermodulation noise ratio (CINR)				
		4.8.1	General				
		4.8.2	Equipment required				
		4.8.3	Connection of equipment				
		4.8.4	Measurement procedure				
		4.8.5	Presentation of the results				
	4.9	Immunity to surge voltages					
		4.9.1	General				
		4.9.2	Equipment required	42			

		4.9.3	Connection of equipment	42	
		4.9.4	Measurement procedure	42	
5	Equip	ment re	equirements	42	
	5.1	Genera	al requirements	42	
	5.2	Safety		43	
	5.3	Electro	magnetic compatibility (EMC)	43	
	5.4	Freque	ncy range	43	
	5.5	Impeda	ance and return loss	43	
	5.6	Gain		44	
		5.6.1 Minimum and maximum gain			
		5.6.2	Gain control	44	
		5.6.3	Slope and slope control	44	
	5.7	Flatnes	SS	44	
	5.8	Test points			
	5.9	Group	delaydelay	45	
		5.9.1	Chrominance/luminance delay inequality	45	
		5.9.2	Chrominance/luminance delay inequality for other television standards and modulation systems	45	
	5.10	Noise f	igure	45	
	5.11	Non-lin	ear distortion	45	
		5.11.1	General	45	
		5.11.2	Second order distortion	45	
		5.11.3	Third order distortion	45	
		5.11.4	Composite triple beat	46	
		5.11.5	Composite second order	46	
		5.11.6	Composite crossmodulation	46	
		5.11.7	Maximum operating level for pure digital channel load	46	
			atic gain and slope control		
			odulation		
			supply		
	5.15		nmental		
		5.15.1	General	47	
		5.15.2	Storage (simulated effects of)	47	
			Transportation		
			Installation or maintenance		
			Operation		
			Energy efficiency of equipment		
	5.16		g		
		5.16.1	Marking of equipment	47	
			Marking of ports		
	5.17		operating time between failure (MTBF)		
	5.18	Requirements for multi-switches			
			Control signals for multi-switches		
			Amplitude frequency response flatness		
			Return loss		
			Through loss		
			Isolation		
			Crosstalk attenuation		
		h 12 7	Satellite IF to terrestrial signal isolation	48	

5.19 Immunity to surge voltages	49
5.19.1 Degrees of testing levels	49
5.19.2 Recommendation of testing level degree	
Annex A (informative) Derivation of non-linear distortion	
Annex B (normative) Test carriers, levels and intermodulation products	
Annex C (normative) Checks on test equipment	54
Annex D (informative) Test frequency plan for composite triple beat (CTB), composite second order (CSO) and crossmodulation (XM) measurement	55
Annex E (informative) Measurement errors which occur due to mismatched equipment	56
Annex F (informative) Examples of signals, methods of measurement and network design for return paths	
Bibliography	64
Figure 1 – Maximum error a for measurement of return loss using VSWR-bridge with directivity D = 46 dB and 26 dB test port return loss	18
Figure 2 – Measurement of return loss	19
Figure 3 – Basic arrangement of test equipment for evaluation of the ratio of signal to intermodulation product	21
Figure 4 – Connection of test equipment for the measurement of non-linear distortion by composite beat	24
Figure 5 – Connection of test equipment for the measurement of composite crossmodulation	
Figure 6 – Carrier/hum ratio	30
Figure 7 – Test set-up for local-powered objects	31
Figure 8 – Test set-up for remote-powered objects	
Figure 9 – Oscilloscope display	32
Figure 10 – Time constant $T_{\mathbf{C}}$	
Figure 11 – Measurement of AGC step response	34
Figure 12 – Measurement of noise figure	35
Figure 13 – Measurement of crosstalk attenuation for loop trough ports of multi-switches	
Figure 14 – Characteristic of the noise filter	39
Figure 15 – Test setup for the non-linearity measurement	39
Figure 16 – Presentation of the result of CINR	41
Figure 17 – Measurement set-up for surge immunity test	42
Figure B.1 – An example showing products formed when $2f_a > f_b$	52
Figure B.2 – An example showing products formed when $2f_a < f_b$	53
Figure B.3 – Products of the form $f_{a} \pm f_{b} \pm f_{c}$	53
Figure E.1 – Error concerning return loss measurement	56
Figure E.2 – Maximum ripple	
Figure F.1 – Spectrum of a QPSK-modulated signal	
Figure F.2 – Measurement of non-linearity using wideband noise	
Figure F.3 – Network used in the design example	
Figure F.4 – A test result measured from a real 20 dB return amplifier	
Figure F.5 – The <i>CINR</i> curve of one amplifier is modified to represent the <i>CINR</i> of the	3 1
whole coaxial section of the network	62

	of an optical link as a function of <i>OMI</i> , example	00			
	ctors where the modulation used is other than 100 %				
	equencies				
	equirements for all equipment				
Table 4 - Parameters of surge voltages for different degrees of testing levels					
	tions for degree of testing levels				
able D.1 – Frequency allocation plan55 able F.1 – Application of methods of measurement in IEC 60728-3 for return path					
quipment		58			
able F.2 – Application quipment	of methods of measurement in IEC 60728-6 for return path	58			
	of methods of measurement in IEC 60728-6 for return path	25			

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 3: Active wideband equipment for cable networks

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-3 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This fourth edition cancels and replaces the third edition published in 2005 of which it constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- extension of upper frequency range limit for cable network equipment from 862 MHz to 1 000 MHz:
- method of measurement and requirements for immunity to surge voltages;
- extension of scope to equipment using symmetrical ports;
- additional normative references;

· additional terms and definitions and abbreviations.

This bilingual version, published in 2011-07, corresponds to the English version.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/1746/FDIS	100/1766/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Standards of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television signals, sound signals and their associated data signals and for processing, interfacing and transmitting all kinds of signals for interactive services using all applicable transmission media.

This includes

- CATV1-networks;
- MATV-networks and SMATV-networks;
- · individual receiving networks;

and all kinds of equipment, systems and installations installed in such networks.

For active equipment with balanced RF signal ports this standard applies to those ports which carry RF broadband signals for services as described in the scope of this standard.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input.

3., tui zed and The standardization of any user terminals (i.e., tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

¹ This word encompasses the HFC (Hybrid Fibre Cable) networks used nowadays to provide telecommunications services, voice, data, audio and video both broadcast and narrowcast.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 3: Active wideband equipment for cable networks

1 Scope

This part of IEC 60728 lays down the measuring methods, performance requirements and data publication requirements for active wideband equipment of cable networks for television signals, sound signals and interactive services.

This standard

- applies to all broadband amplifiers used in cable networks;
- covers the frequency range 5 MHz to 3 000 MHz;

NOTE The upper limit of 3 000 MHz is an example, but not a strict value. The frequency range, or ranges, over which the equipment is specified, should be published.

- · applies to one-way and two-way equipment;
- lays down the basic methods of measurement of the operational characteristics of the active equipment in order to assess the performance of this equipment;
- identifies the performance specifications to be published by the manufacturers;
- states the minimum performance requirements of certain parameters.

Amplifiers are divided into the following two quality levels:

Grade 1: amplifiers typically intended to be cascaded;

Grade 2: amplifiers for use typically within an apartment block, or within a single residence, to feed a few outlets.

Practical experience has shown that these types meet most of the technical requirements necessary for supplying a minimum signal quality to the subscribers. This classification is not a requirement but is provided to users and manufacturers for information about minimum quality criteria of the material required to install networks of different sizes. The system operator has to select appropriate material to meet the minimum signal quality at the subscriber's outlet, and to optimise cost/performance, taking into account the size of the network and local circumstances.

All requirements and published data are understood as guaranteed values within the specified frequency range and in well-matched conditions.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60065, Audio, video and similar electronic apparatus – Safety requirements

IEC 60068-1:1998, Environmental testing – Part 1: General and guidance

IEC 60068-2-1, Environmental testing – Part 2-1: Tests – Tests A: Cold

- IEC 60068-2-2, Environmental testing Part 2-2: Tests Tests B: Dry heat
- IEC 60068-2-6, Environmental testing Part 2-6: Tests Test Fc: Vibration (sinusoidal)
- IEC 60068-2-14, Environmental testing Part 2-14: Tests Test N: Change of temperature
- IEC 60068-2-27, Environmental testing Part 2-27: Tests Test Ea and guidance: Shock
- IEC 60068-2-29, Basic environmental testing procedures Part 2-29: Tests Test Eb and guidance: Bump
- IEC 60068-2-30, Environmental testing Part 2-30: Tests Test dB: Damp heat, cyclic (12 h + 12 h cycle)
- IEC 60068-2-31, Environmental testing Part 2-31: Tests Test Ec: Rough handling shocks, primarily for equipment-type specimens
- IEC 60068-2-32, Basic environmental testing procedures Part 2-32: Tests Test Ed: Free fall
- IEC 60068-2-40, Basic environmental testing procedures Part 2-40: Tests Test Z/AM: Combined cold/low air pressure tests
- IEC 60068-2-48, Basic environmental testing procedures Part 2-48: Tests Guidance on the application of the tests of IEC publication 60068 to simulate the effects of storage
- IEC 60529, Degrees of protection provided by enclosures (IP Code)
- IEC 60728-1, Cable networks for television signals, sound signals and interactive services Part 1: System performance of forward paths
- IEC 60728-2, Cable networks for television signals, sound signals and interactive services Part 2: Electromagnetic compatibility for equipment
- IEC 60728-4, Cable networks for television signals, sound signals and interactive services Part 4: Passive wideband equipment for coaxial cable networks
- IEC 60728-5, Cable networks for television signals, sound signals and interactive services Part 5: Headend equipment
- IEC 60728-11, Cable networks for television signals, sound signals and interactive services Part 11: Safety
- IEC 60950-1, Information technology equipment Safety Part 1: General requirements
- IEC 61000-4-5, Electromagnetic compatibility (EMC) Part 4-5: Testing and measurement techniques Surge immunity test
- IEC 61319-1, Interconnections of satellite receiving equipment Part 1: Europe
- IEC 61319-2, Interconnections of satellite receiving equipment Part 2: Japan
- ITU-T Recommendation G.117, Transmission systems and media Digital systems and networks International telephone connections and circuits General recommendations on the transmission quality for an entire international telephone connection Transmission aspects of unbalance about earth
- ITU-T Recommendation O.9, Specifications of measuring equipment General Measuring arrangements to assess the degree of unbalance about earth