

INTERNATIONAL STANDARD

**Cable networks for television signals, sound signals and interactive services –
Part 6: Optical equipment**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

Document generated by EVS



IEC 60728-6

Edition 3.0 2011-04

INTERNATIONAL STANDARD

**Cable networks for television signals, sound signals and interactive services –
Part 6: Optical equipment**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XB**

ICS 33.060.40; 33.160.99

ISBN 978-2-88912-427-5

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references.....	9
3 Terms, definitions, symbols and abbreviations	11
3.1 Terms and definitions	11
3.2 Symbols	18
3.3 Abbreviations.....	19
4 Methods of measurement.....	20
4.1 Measurement requirements	20
4.1.1 General	20
4.1.2 Input specification.....	20
4.1.3 Measurement conditions	20
4.2 Optical power	21
4.3 Loss, isolation, directivity and coupling ratio.....	21
4.3.1 General	21
4.3.2 Measurement requirements.....	21
4.3.3 Principle of measurement	21
4.4 Return loss	22
4.5 Saturation output power of an optical amplifier	22
4.5.1 Purpose.....	22
4.5.2 Procedure.....	22
4.6 Centroidal wavelength and spectral width under modulation	22
4.7 Linewidth and chirping of transmitters with single mode lasers	23
4.7.1 Purpose.....	23
4.7.2 Equipment required.....	23
4.7.3 General measurement requirements	23
4.7.4 Procedure.....	23
4.7.5 Potential sources of error.....	25
4.8 Optical modulation index.....	25
4.8.1 Purpose.....	25
4.8.2 Equipment required.....	25
4.8.3 Procedure.....	25
4.8.4 Potential sources of error.....	26
4.9 Reference output level of an optical receiver	26
4.9.1 Purpose.....	26
4.9.2 Equipment required.....	26
4.9.3 General measurement requirements	27
4.9.4 Procedure.....	27
4.9.5 Potential sources of error.....	27
4.10 Slope and flatness	28
4.10.1 Purpose.....	28
4.10.2 Equipment required.....	28
4.10.3 Procedure.....	28
4.10.4 Potential sources of error.....	29

4.11	Composite second order distortion (CSO) of optical transmitters	29
4.11.1	Purpose	29
4.11.2	Equipment required	30
4.11.3	Procedure	30
4.11.4	Potential sources of error	30
4.12	Composite triple beats (CTB) of optical transmitters	30
4.12.1	Purpose	30
4.12.2	Equipment required	31
4.12.3	Procedure	31
4.12.4	Potential sources of error	31
4.13	Composite crossmodulation of optical transmitters	31
4.13.1	Purpose	31
4.13.2	Equipment required	32
4.13.3	Procedure	32
4.13.4	Potential sources of error	34
4.14	Receiver intermodulation	34
4.14.1	Purpose	34
4.14.2	Equipment required	34
4.14.3	General measurement requirements	35
4.14.4	Procedure	35
4.14.5	Potential sources of error	36
4.15	Microscopic gain tilt of optical amplifiers	36
4.15.1	Purpose	36
4.15.2	Equipment required	36
4.15.3	Procedure	37
4.15.4	Potential sources of error	38
4.16	Noise parameters of optical transmitters and optical receivers	38
4.16.1	Purpose	38
4.16.2	Equipment required	38
4.16.3	General measurement requirements	39
4.16.4	Procedure	40
4.16.5	Relative intensity noise	42
4.16.6	Equivalent input noise current density	42
4.16.7	Potential sources of error	42
4.17	Method for combined measurement of relative intensity noise (RIN), optical modulation index and equivalent input noise current	43
4.17.1	Purpose	43
4.17.2	Equipment required	43
4.17.3	General measurement conditions	44
4.17.4	Procedure	44
4.17.5	Potential sources of error	45
4.18	Noise figure of optical amplifiers	45
4.19	Influence of fibre	45
4.19.1	Purpose	45
4.19.2	Equipment required	45
4.19.3	Procedure	45
4.19.4	Potential sources of error	45
4.20	SBS threshold	46

4.20.1	Purpose.....	46
4.20.2	Equipment required.....	46
4.20.3	Procedure.....	46
4.20.4	Potential sources of error.....	47
4.21	Carrier-to-crosstalk ratio (CCR).....	47
4.21.1	Purpose.....	47
4.21.2	Equipment required.....	47
4.21.3	Procedure.....	47
4.21.4	Potential sources of error.....	48
5	Universal performance requirements and recommendations.....	48
5.1	Safety.....	48
5.2	Electromagnetic compatibility (EMC).....	48
5.3	Environmental.....	48
5.3.1	Requirements.....	48
5.3.2	Storage.....	49
5.3.3	Transportation.....	49
5.3.4	Installation or maintenance.....	49
5.3.5	Operation.....	49
5.4	Marking.....	49
6	Active equipment.....	49
6.1	Optical forward path transmitters.....	49
6.1.1	Classification.....	49
6.1.2	Data publication requirement.....	50
6.1.3	Recommendations.....	50
6.1.4	Performance requirements.....	51
6.2	Optical return path transmitters.....	53
6.2.1	Classification.....	53
6.2.2	Data publication requirement.....	53
6.2.3	Recommendations.....	53
6.2.4	Performance requirements.....	54
6.3	Optical receivers.....	54
6.3.1	Classification.....	54
6.3.2	Data publication requirements.....	54
6.3.3	Recommendations.....	55
6.3.4	Performance requirements.....	55
6.4	Optical amplifiers.....	56
6.4.1	Classification.....	56
6.4.2	Data publication requirements.....	56
6.4.3	Performance requirements.....	56
7	Connectors and splices.....	57
	Annex A (normative) Product specification worksheet for optical amplifiers.....	58
	Annex B (informative) Calculation of second-order distortion caused by microscopic gain tilt of optical amplifiers.....	59
	Bibliography.....	60

Figure 1 – Tilt and microscopic gain tilt of optical amplifiers	17
Figure 2 – Measurement of optical loss, directivity and isolation.....	21
Figure 3 – Optical saturation output power.....	22
Figure 4 – Measurement of the chirping and the linewidth of transmitters	24
Figure 5 – Measurement of the optical modulation index.....	26
Figure 6 – Measurement of the reference output level of an optical receiver.....	27
Figure 7 – Measurement of the slope and flatness	28
Figure 8 – Evaluation of the slope	29
Figure 9 – Evaluating the flatness.....	29
Figure 10 – Device under test for measuring CSO of optical transmitters	30
Figure 11 – Device under test for measuring CTB of optical transmitters.....	31
Figure 12 – Arrangement for measuring composite crossmodulation of optical transmitters.....	33
Figure 13 – Arrangement of test equipment for measuring receiver intermodulation	35
Figure 14 – Arrangement of test equipment for measuring microscopic gain tilt.....	37
Figure 15 – System with internal noise sources	38
Figure 16 – PIN diode receiver	39
Figure 17 – Optical transmission system under test	40
Figure 18 – Arrangement of test equipment for carrier-to-noise measurement.....	40
Figure 19 – Measurement set-up for determination of the noise parameters and the optical modulation index.....	44
Figure 20 – Arrangement for measuring the SBS threshold.....	46
Figure 21 – Arrangement for measuring the CCR	47
Figure 22 – Classification of return path transmitters	53
Table 1 – Noise correction factors C_n for different noise level differences D	41
Table 2 – Classes of optical forward path transmitters	50
Table 3 – Data publication requirements for optical forward path transmitters	50
Table 4 – Recommendations for optical forward path transmitters.....	51
Table 5 – Requirements for optical forward path transmitters.....	52
Table 6 – Data publication requirements for optical return path transmitters.....	53
Table 7 – Recommendations for optical return path transmitters	53
Table 8 – Requirements for optical return path transmitters	54
Table 9 – Classification of optical receivers	54
Table 10 – Data publication requirements for optical receivers.....	55
Table 11 – Recommendations for optical receivers	55
Table 12 – Performance requirements for optical receivers.....	56
Table 13 – Classification of optical amplifiers	56
Table 14 – Performance requirements for optical amplifiers.....	57
Table A.1 – Parameters of optical amplifiers.....	58

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CABLE NETWORKS FOR TELEVISION SIGNALS,
SOUND SIGNALS AND INTERACTIVE SERVICES –****Part 6: Optical equipment**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-6 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition cancels and replaces the second edition published in 2003 of which it constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- The normative references were updated.
- The methods of measurement for optical power and return loss were substituted by references to other standards.
- The method of measurement for polarization dependent loss was deleted.

- A method of measurement for carrier-to-crosstalk ratio (CCR) was added.
- The methods of measurement for CSO and CTB of optical amplifiers were substituted by a method of measurement for microscopic gain tilt of optical amplifiers. This parameter can be used for calculating the second order distortion of optical amplifiers according to the method described in the new Annex B.
- New classes for optical transmitters and receivers have been defined.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1654/CDV	100/1789/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

Standards of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television signals, sound signals and their associated data signals and for processing, interfacing and transmitting all kinds of signals for interactive services using all applicable transmission media.

- This covers all kinds of networks that convey modulated RF carriers such as CATV-networks;
- MATV-networks and SMATV-networks;
- individual receiving networks;

and all kinds of equipment, systems and installations installed in such networks.

NOTE CATV encompasses the Hybrid Fibre Coaxial (HFC) networks used nowadays to provide telecommunications services, voice, data and audio and video both broadcast and narrowcast.

The extent of this standardisation work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input.

The standardisation of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

The reception of television signals inside a building requires an outdoor antenna and a distribution network to convey the signal to the TV receivers.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 6: Optical equipment

1 Scope

This part of IEC 60728 lays down the measuring methods, performance requirements and data publication requirements of optical equipment of cable networks for television signals, sound signals and interactive services.

This standard

- applies to all optical transmitters, receivers, amplifiers, directional couplers, isolators, multiplexing devices, connectors and splices used in cable networks;
- covers the frequency range 5 MHz to 3 000 MHz;

NOTE The upper limit of 3 000 MHz is an example, but not a strict value.

- identifies guaranteed performance requirements for certain parameters;
- lays down data publication requirements with guaranteed performance;
- describes methods of measurement for compliance testing.

All requirements and published data relate to minimum performance levels within the specified frequency range and in well-matched conditions as might be applicable to cable networks for television signals, sound signals and interactive services.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12+ 12 h cycle)*

IEC 60068-2-31, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*

IEC 60068-2-40, *Environmental testing – Part 2-40: Tests – Test Z/AM: Combined cold/low air pressure tests*

IEC 60169-24, *Radio-frequency connectors – Part 24: Radio-frequency coaxial connectors with screw coupling, typically for use in 75 ohm cable distribution systems (Type F)*

IEC 60417, *Graphical symbols for use on equipment*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60617, *Graphical symbols for diagrams*

IEC 60728-1, *Cable networks for television signals, sound signals and interactive services – Part 1: System performance of forward paths*

IEC 60728-2, *Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment*

IEC 60728-3:2010, *Cable networks for television signals, sound signals and interactive services – Part 3: Active wideband equipment for coaxial cable networks*

IEC 60728-11, *Cable networks for television signals, sound signals and interactive services – Part 11: Safety*

IEC 60728-13:2010, *Cable networks for television signals, sound signals and interactive services – Part 13: Optical systems for broadcast signal transmissions*

IEC 60793-2-50:2008, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 61280-1-1, *Fibre optic communication subsystem basic test procedures – Part 1-1: Test procedures for general communication subsystems – Transmitter output optical power measurement for single-mode optical fibre cable*

IEC 61280-1-3, *Fibre optic communication subsystem basic test procedures – Part 1-3: General communication subsystems – Central wavelength and spectral width measurement*

IEC 61282-4, *Fibre optic communication system design guides – Part 4: Accommodation and utilization of non-linear effects*

IEC 61290-1 (all parts), *Optical amplifiers – Test methods – Part 1: Power and gain parameters*

IEC 61290-1-3, *Optical amplifiers – Test methods – Part 1-3: Power and gain parameters – Optical power meter method*

IEC 61290-3-2:2003, *Optical amplifiers – Part 3-2: Test methods for noise figure parameters – Electrical spectrum analyzer method*

IEC 61290-5 (all parts), *Optical amplifiers – Test methods – Part 5: Reflectance parameters*

IEC 61290-6 (all parts), *Optical fibre amplifiers – Basic specification – Part 6: Test methods for pump leakage parameters*

IEC 61290-11 (all parts), *Optical amplifiers – Test methods – Part 11: Polarization mode dispersion parameter*

IEC 61291-1, *Optical amplifiers – Part 1: Generic specification*

IEC 61291-5-2, *Optical amplifiers – Part 5-2: Qualification specifications – Reliability qualification for optical fibre amplifiers*

IEC 61300-3-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-6: Examinations and measurements – Return loss*

IEC 61754-4, *Fibre optic connector interfaces – Part 4: Type SC connector family*

IEC/TR 61931:1998, *Fibre optic – Terminology*

IEC 80416 (all parts), *Basic principles for graphical symbols for use on equipment*

3 Terms, definitions, symbols and abbreviations

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60728-1, IEC/TR 61931 and the following apply.

3.1.1

optical transmitting unit

optical transmitter

TX

transmit fibre optic terminal device accepting at its input port an electrical signal and providing at its output port an optical carrier modulated by that input signal

[IEC/TR 61931:1998, definition 2.9.6]

NOTE For the purposes of this standard, optical transmitters may have more than one input port accepting electrical RF signals.

3.1.2

optical receiving unit

optical receiver

Rx

receive fibre optic terminal device accepting at its input port a modulated optical carrier, and providing at its output port the corresponding demodulated electrical signal (with the associated clock, if digital)

[IEC/TR 61931:1998, definition 2.9.7]

NOTE For the purposes of this standard, optical receivers may have more than one output port providing electrical RF signals.