

IEC/TR 61156-1-3

Edition 1.0 2011-04

TECHNICAL REPORT



Multicore and symmetrical pair/quad cables for digital communications – Part 1-3: Electrical transmission parameters for modelling cable assemblies using symmetrical pair/quad cables





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IFC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Email: inmail@iec.ch Web: www.iec.ch

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

■ Electropedia: <u>www.electropedia.org</u>

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00



IEC/TR 61156-1-3

Edition 1.0 2011-04

TECHNICAL REPORT



Multicore and symmetrical pair/quad cables for digital communications – Part 1-3: Electrical transmission parameters for modelling cable assemblies using symmetrical pair/quad cables

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

ISBN 978-2-88912-429-9

CONTENTS

FC	REW	ORD	3	
1	Scor	pe	5	
2	Norr	Normative references		
3	Terms, definitions, symbols, units and abbreviated terms			
	3.1	Terms and definitions	6	
	3.2	Symbols, units and abbreviated terms	6	
4	Traditional length correction formulae			
	4.1	Introduction	7	
	4.2	Length correction formulae in IEC 61156-1	7	
	4.3	The development of the traditional cross-talk length correction formulae NEXT and EL FEXT [3]	8	
5	Usin	g traditional cross-talk length correction formulae	16	
	5.1	Background (see [4])	16	
	5.2	Example (see [5], [6]) Length and frequency dependency of direct near-end crosstalk attenuation	17	
6	On length concatenation of measured cables, using scattering and scattering transfer parameters, see informative reference [7]			
7	Matr	ix (model) status, comparison of different calculations [8]	24	
8		ommendations for applying length correction formulae to modelling cross-talk	25	
Bib	oliogra	phy	26	
		<u>_</u> :		
Fig	jure 1	- Coupling between two circuits due to unbalances of the primary parameters	9	
		- Integration of the coupled near- and far-end currents over the length of the	13	
Fig	jure 3	– Delta A_2 at different frequencies as a function of length	19	
_		– Delta A_2 for different lengths as a function of frequency		
Fig	jure 5	- Delta A for different lengths as a function of frequency (= Delta A_1 + Delta 500 MHz	21	
		Typical port assignment resulting out of the numbering of the VNA ng ports	21	
		 Incident and reflected waves, schematically represented for a 2n × 2n network 	23	
Та	Table 1 – Delta A_2 as a function of length or frequency, the other being a parameter			
		- Delta A as a function of frequency (= Delta A_1 + Delta A_2)		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 1-3: Electrical transmission parameters for modelling cable assemblies using symmetrical pair/quad cables

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 61156-1-3, which is a technical report, has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
46C/924/DTR	46C/932/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61156 series, published under the general title *Multicore and symmetrical pair/quad cables for digital communications*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 1-3: Electrical transmission parameters for modelling cable assemblies using symmetrical pair/quad cables

1 Scope

This technical report is a supplement to IEC 61156-1 Edition 3 (2007): Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification.

This technical report covers the following topics following this standard:

- the near-end crosstalk test methods and length correction procedures of 6.3.5;
- the far-end crosstalk test methods and length correction procedures of 6.3.6;
- the concatenation of measured cable segments, even if they are of different design.

The final objective of this technical report is to describe the mathematics involved to model the concatenation of cable sections of different length, not based upon measurements but based upon the specification limits of the cables involved. This is required as a base foundation of the complete channel modelling, involving also the connectivity covered by IEC SC48B towards channels, as required and requested by ISO/IEC JTC1/SC25 WG3 for incorporation into ISO/IEC 11801:2002 [1] ¹.

This TR is informative and contains observations and recommendations applicable to using the length correction formulas for either measurements or modelling of balanced cables.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-726, International Electrotechnical Vocabulary – Part 726: Transmission lines and waveguides

IEC 61156-1:2007, Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification

IEC/TR 61156-1-2, Multicore and symmetrical pair/quad cables for digital communications – Part 1-2: Electrical transmission characteristics and test methods of symmetrical pair/quad cables

IEC 61156-5, Multicore and symmetrical pair/quad cables for digital communications – Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Horizontal floor wiring – Sectional specification

¹ The figures in square brackets refer to the Bibliography.

IEC 61156-6, Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Sectional specification

IEC/TR 62152, Transmission properties of cascaded two-ports or quadripols – Background of terms and definitions

3 Terms, definitions, symbols, units and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-726, IEC/TR 61156-1-2, and IEC/TR 62152 apply.

3.2 Symbols, units and abbreviated terms

For the purposes of this document, the following symbols, units and abbreviated terms apply.

Transmission line equation electrical symbols and related terms and symbols:

```
R
                pair resistance (\Omega/m)
                pair inductance (H/m)
L
                pair conductance (S/m)
G
C
                pair capacitance (F/m)
                attenuation coefficient (Np/m, or dB as indicated)
\alpha
                phase coefficient (rad/m)
β
                propagation coefficient (Np/m, rad/m)
γ
                length coordinate (m)
х
Z_{\mathsf{O}}
                complex characteristic impedance, or mean characteristic impedance if the pair
                is homogeneous or free of structure (also used to represent a function fitted
                result) (\Omega)
                length, variable (m)
l
M
                length, reference, disturbing (m)
                length, reference, disturbed (m)
Λ
                imaginary denominator
j
                radian frequency (rad/s)
ω
                frequency (Hz)
                current, coupled
I
                current in the differential-mode circuit (I)
I_{\mathsf{diff}}
                current in the common-mode circuit (I)
I_{\mathsf{com}}
                voltage in the differential-mode circuit (V)
U_{\mathsf{diff}}
                voltage in the common-mode circuit (V)
U_{\mathsf{com}}
                index to designate the pair 1 and pair 2, respectively
1, 2
                index to designate the near end and far end, respectively
N, F
                transverse unbalance
TU
LU
                longitudinal unbalance
K
                coupling coefficient
                near end cross-talk coupling coefficient
K_N
                far end cross-talk coupling coefficient
K_F
```