- Church

Methods of measurement for radio transmitters -- Part 1: Performance characteristics of terrestrial digital television transmitters

Methods of measurement for radio transmitters --Part 1: Performance characteristics of terrestrial digital television transmitters



EESTI STANDARDI EESSÕNA NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 62273- 1:2007 sisaldab Euroopa standardi EN 62273-1:2007 ingliskeelset teksti.	This Estonian standard EVS-EN 62273- 1:2007 consists of the English text of the European standard EN 62273-1:2007.
Käesolev dokument on jõustatud 28.05.2007 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.	This document is endorsed on 28.05.2007 with the notification being published in the official publication of the Estonian national standardisation organisation.
Standard on kättesaadav Eesti standardiorganisatsioonist.	The standard is available from Estonian standardisation organisation.
standardiorganisatsioonist.	standardisation organisation.

Käsitlusala:	Scope:
This part of IEC 62273 gives the	This part of IEC 62273 gives the
conditions for measuring the performance	conditions for measuring the performance
parameters of terrestrial digital	parameters of terrestrial digital
transmitters and for facilitating the	transmitters and for facilitating the
comparison of measurements which are	comparison of measurements which are
carried out by different personnel. It	carried out by different personnel. It
contains details of specially selected	contains details of specially selected
methods for determining the most	methods for determining the most
important performance parameters of	important performance parameters of
digital transmitters. The measurement	digital transmitters. The measurement
methods described apply to a limited	methods described apply to a limited
number of performance parameters, i.e.	number of performance parameters, i.e.
those which can give rise to ambiguous	those which can give rise to ambiguous
interpretation due to the use of different	interpretation due to the use of different
methods and conditions. They are neither	methods and conditions. They are neither
restrictive nor mandatory: measurements	restrictive nor mandatory: measurements
can be chosen for each particular case. If	can be chosen for each particular case. If
necessary, additional tests can be carried	necessary, additional tests can be carried
out but they shall comply with those	out but they shall comply with those
standards which have been established	standards which have been established
by other study groups, subcommittees of	by other study groups, subcommittees of
the IEC or other international or suitably	the IEC or other international or suitably
accredited organizations.	accredited organizations.
	6
ICS 33.060.20	
Võtmesõnad:	



EUROPEAN STANDARD

EN 62273-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2007

ICS 33.060.20

English version

Methods of measurement for radio transmitters -Part 1: Performance characteristics of terrestrial digital television transmitters (IEC 62273-1:2007)

Méthodes de mesure applicables aux émetteurs radioélectriques -Partie 1: Qualité de fonctionnement des émetteurs de télévision numérique terrestre (CEI 62273-1:2007) Messverfahren für Funksender -Teil 1: Übertragungseigenschaften von terrestrischen digitalen Fernsehsendern (IEC 62273-1:2007)

This European Standard was approved by CENELEC on 2007-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2007 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 103/63/FDIS, future edition 1 of IEC 62273-1, prepared by IEC TC 103, Transmitting equipment for radio communication, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62273-1 on 2007-03-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement 	(dop)	2007-12-01
 latest date by which the national standards conflicting with the EN have to be withdrawn 	(dow)	2010-03-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62273-1:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60244-2 + NOTE IEC 60244-2A

Harmonized as HD 236.2 S1:1977 (not modified).

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication IEC 60215	<u>Year</u> - ¹⁾	<u>Title</u> Safety requirements for radio transmitting equipment	<u>EN/HD</u> EN 60215	<u>Year</u> 1989 ²⁾
IEC 60244-1	_ 1)	Methods of measurement for radio transmitters - Part 1: General characteristics for broadcast transmitters	EN 60244-1	2000 ²⁾
ITU-R Recommendation BT.1306-3	_ 1)	Error correction, data framing, modulation and emission methods for digital terrestrial telesision broadcasting	-	-
ITU-R	2004	Radio Regulations		Ś
 ¹⁾ Undated reference. ²⁾ Valid edition at date 	of issue.			

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

INTERNATIONAL STANDARD



First edition 2007-02

Methods of measurement for radio transmitters -

Part 1: Performance characteristics of terrestrial digital television transmitters



Reference number IEC 62273-1:2007(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (www.iec.ch) •

Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published •

> This summary of recently issued publications (www.iec.ch/online_news/ justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre •

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

INTERNATIONAL STANDARD



First edition 2007-02

Methods of measurement for radio transmitters -

Part 1: Performance characteristics of terrestrial digital television transmitters

© IEC 2007 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



For price, see current catalogue

CONTENTS

FO	REWO	DRD	4
1	Scop	e	6
2	Norm	native references	6
3	Term	s, definitions and abbreviations	7
4		eral conditions of measurement	
•	4.1	Temperature and humidity	
	4.2	Conditions for primary power supply	
	4.3	Output power	
	4.4	Test load	
	4.5	Auxiliary equipment	
	4.6	Test equipment and test signals	
5	Gene	eral characteristics	
	5.1	Frequency	. 10
	5.2	Output power	
	5.3	Spurious domain emission	. 14
	5.4	Out-of-band domain emission	
	5.5	Occupied bandwidth	. 15
	5.6	Power consumption	. 16
6	Trans	smitted signal characteristics	. 16
	6.1	Intermodulation (shoulders)	. 16
	6.2	Modulation error ration (MER)	. 17
	6.3	Bit error ratio (BER)	. 17
	6.4	Equivalent noise degradation	
	6.5	Phase noise	
7		ection against atmospheric discharge	
8	Acou	stic noise	. 20
9	Safet	ty	. 20
Anr	nex A	(normative) Eye-height characteristics	.21
Anr	nex B	(normative) Characteristic frequency	. 22
		(normative) Frequency drift	
Anr	nex D	(normative) Attenuation of the measuring coupler	.26
		(normative) Spurious emissions/out-of-band emissions	
		(normative) DVB-T shoulder attenuation measurement	
		(normative) Modulation error ratio (MER) measurement	
		(normative) Bit error rate (BER) measurement	
7 111			
Bih	lioara	phy.	30
מום	nogra	phy	. 39

Figure 1 – Measuring set-up for output power	12
Figure 2 – Measuring set-up for spurious emission, out-of-band emission and	45
bandwidth	
Figure A.1 – Transmitter eye diagram for jitter	
Figure B.1 – Measurement	
Figure B.2 – Frequency spectrum analysis	
Figure D.1 – Measurement	
Figure D.2 – Relative coupling	
Figure D.3 – Coupling attenuation	
Figure E.1 – Attenuation curve	
Figure E.2 – Out-of-band and spurious emissions	
Figure E.3 – Output filter	
Figure E.4 – High-frequency spectrum	
Figure E.5 – Superimpose curve	
Figure F.1 – Measurement	
Figure F.2 – Shoulder attenuation	
Figure F.3 – Analyser setting	33
Figure F.4 – Measurement system of intermodulation	
Figure F.5 – Measurement of intermodulation at the upper side of the channel	
Figure G.1 – Measurement	
Figure H.1 – Measurement	
Table 1 – Measurement parameters for out-of-band emission	
Table 2 – Measurement parameters for occupied bandwidth	
Table 2 – Measurement parameters for occupied bandwidth Table 3 – Equivalent noise bandwidth	16 18
Table 2 – Measurement parameters for occupied bandwidth Table 3 – Equivalent noise bandwidth Table A.1 – Electrical characteristic specifications for ASI link	16 18 21
Table 2 – Measurement parameters for occupied bandwidth Table 3 – Equivalent noise bandwidth	16 18 21
Table 2 – Measurement parameters for occupied bandwidth Table 3 – Equivalent noise bandwidth Table A.1 – Electrical characteristic specifications for ASI link	16 18 21
Table 2 – Measurement parameters for occupied bandwidth Table 3 – Equivalent noise bandwidth Table A.1 – Electrical characteristic specifications for ASI link	16 18 21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

METHODS OF MEASUREMENT FOR RADIO TRANSMITTERS -

Part 1: Performance characteristics of terrestrial digital television transmitters

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62273-1 has been prepared by IEC technical committee 103: Transmitting equipment for radio communication

The text of this standard is based on the following documents:

FDIS	Report on voting
103/63/FDIS	103/65/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the publications of the IEC 62273 series, under the general title *Methods of measurement for radio transmitters*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual edition of this document may be issued at a later date.

METHODS OF MEASUREMENT FOR RADIO TRANSMITTERS -

Part 1: Performance characteristics of terrestrial digital television transmitters

1 Scope

This part of IEC 62273 gives the conditions for measuring the performance parameters of terrestrial digital transmitters and for facilitating the comparison of measurements which are carried out by different personnel. It contains details of specially selected methods for determining the most important performance parameters of digital transmitters. The measurement methods described apply to a limited number of performance parameters, i.e. those which can give rise to ambiguous interpretation due to the use of different methods and conditions. They are neither restrictive nor mandatory: measurements can be chosen for each particular case. If necessary, additional tests can be carried out but they shall comply with those standards which have been established by other study groups, subcommittees of the IEC or other international or suitably accredited organizations.

No limits have been assigned to quantify acceptable ranges of performance parameters. These are judged to be properly included in the technical specifications for individual transmitters; however, the terms and the manner used to quantify them should ideally be those described in a future IEC publication.

The measurement methods described in this standard are intended for type approval tests. However they can equally well apply to acceptance tests measurements and quality control tests either in factories or on site.

Test signals are used to measure performance parameters for both digital and analogue terrestrial transmitters. Their electronic characteristics and their associated performance parameters are widely understood. The test signals are measured after they have gone through the transmitter equipment to determine if their degradation is within the required quality criteria.

This standard does not go into any detail regarding MPEG 2 signals or DVB processes nor does it deal with digital signal processing.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60215, Safety requirements for radio transmitting equipment

IEC 60244-1, Methods of measurement for radio transmitters – Part 1: General characteristics for broadcast transmitters

ITU-R Recommendation BT.1306-3, *Error correction, data framing, modulation and emission methods for digital terrestrial television broadcasting.*

ITU-R:2004, Radio Regulations

ETS 30 0744, Digital video broadcasting – Framing structure, channel coding and modulation for digital terrestrial television.

ETSI 101 290, Digital video broadcasting (DVB) – Measurement guidelines for DVB system

Terms, definitions and abbreviations 3

For the purposes of this document, the following terms, definitions and abbreviations apply.

3.1

ASI Asynchronous Serial Interface

3.2

ATSC Advanced Television Systems Committee

3.3

BER Bit Error Ratio

3.4

BW

Bandwidth

3.5

C/N Ratio of the r.f. or i.f. carrier power to noise power

3.6

COFDM

Coded Orthogonal Frequency Division Multiplex

3.7

CPE **Common Phase Error**

3.8

DVB **Digital Video Broadcasting**

3.9

DVB-T

Digital Video Broadcasting baseline system for digital terrestrial television

62 172 15

3.10

END Equivalent Noise Degradation

3.11 ETS **European Telecommunication Standard**

3.12 ICI Inter Carrier Interference