Kütuseelementide kasutamistehnika. Osa 3-100: Kohtkindlad kütuseelement-energiaallikad. Ohutus

Fuel cell technologies - Part 3-100: Stationary fuel cell y a provious development of the state of the power systems - Safety



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | This Estonian standard EVS-EN 62282-3-100:2012 |
|--|--|
| sisaldab Euroopa standardi EN 62282-3-100:2012 | consists of the English text of the European standard |
| ingliskeelset teksti. | EN 62282-3-100:2012. |
| | |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| · | Date of Availability of the European standard is 20.04.2012. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 27.070

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 62282-3-100

NORME EUROPÉENNE EUROPÄISCHE NORM

April 2012

ICS 27.070

Supersedes EN 62282-3-1:2007

English version

Fuel cell technologies Part 3-100: Stationary fuel cell power systems Safety

(IEC 62282-3-100:2012)

Technologies des piles à combustible -Partie 3-100: Systèmes à piles à combustible stationnaires -Sécurité (CEI 62282-3-100:2012) Brennstoffzellentechnologien -Teil 3-100: Stationäre Brennstoffzellen-Energiesysteme -Sicherheit (IEC 62282-3-100:2012)

This European Standard was approved by CENELEC on 2012-03-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document (105/371/FDIS), future edition 1 of IEC 62282-3-100, prepared by IEC/TC 105 "Fuel cell technologies" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62282-3-100:2012.

The following dates are fixed:

| • | latest date by which the document has | (dop) | 2012-12-22 |
|---|--|-------|------------|
| | to be implemented at national level by | | |
| | publication of an identical national | | |
| | standard or by endorsement | | |
| • | latest date by which the national | (dow) | 2015-03-22 |
| | standards conflicting with the | | |
| | document have to be withdrawn | | |

This document supersedes EN 62282-3-1:2007.

EN 62282-3-100:2012 includes the following significant technical changes with respect to EN 62282-3-1:2007:

- a) general reorganization of the safety requirements;
- b) major changes for addressing electrical safety requirements for internal components;
- c) clarifications for numerous requirements and tests, particularly the pressure leakage and strength tests;
- d) expanded wind tests;
- e) additional tests for condensate discharge and ventilation leakage.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

Endorsement notice

The text of the International Standard IEC 62282-3-100:2012 was approved by CENELEC as a European Standard without any modification.

2

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

| IEC 60079-20-1 | NOTE | Harmonized as EN 60079-20-1. |
|----------------|------|------------------------------|
| IEC 60812 | NOTE | Harmonized as EN 60812. |
| IEC 61025 | NOTE | Harmonized as EN 61025. |
| IEC 61511-1 | NOTE | Harmonized as EN 61511-1. |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | EN/HD | <u>Year</u> |
|--|----------------------|--|-------------------------|--------------|
| IEC 60079-0 | -3 | Explosive atmospheres - Part 0: Equipment - General requirements | - | - |
| IEC 60079-2 | - (| Explosive atmospheres - Part 2: Equipment protection by pressurized enclosure "p" | EN 60079-2 | - |
| IEC 60079-10 | Series | Explosive atmospheres - Part 10: Classification of areas | EN 60079-10 | Series |
| IEC 60079-29-1 | - | Explosive atmospheres - Part 29-1: Gas detectors - Performance requirements of detectors for flammable gases | EN 60079-29-1 | - |
| IEC 60079-30-1 | - | Explosive atmospheres - Part 30-1: Electrical resistance trace heating - General and testing requirements | EN 60079-30-1 | - |
| IEC 60204-1 | - | Safety of machinery - Electrical equipment of machines - Part 1: General requirements | EN 60204-1 | - |
| IEC 60335-1 (mod) + corr. July + corr. April | 2010 2010 2011 | Household and similar electrical appliances - Safety - Part 1: General requirements | EN 60335-1 | 2012 |
| IEC 60335-2-51 | - | Household and similar electrical appliances - Safety - Part 2-51: Particular requirements for stationary circulation pumps for heating and service water installations | EN 60335-2-51 | - |
| IEC 60417 | Data- base | Graphical symbols for use on equipment | 0 | - |
| IEC 60529 | 1989 | Degrees of protection provided by enclosures (IP Code) | EN 60529 + corr. May | 1991 1993 |
| IEC 60730-1 | - | Automatic electrical controls for household and similar use - Part 1: General requirements | EN 60730-1 | - |
| IEC 60730-2-5 | - | Automatic electrical controls for household and similar use - Part 2-5: Particular requirements for automatic electrical burner control systems | EN 60730-2-5 | |
| IEC 60730-2-6 | - | Automatic electrical controls for household and similar use - Part 2-6: Particular requirements for automatic electrical pressure sensing controls including mechanical requirements | EN 60730-2-6 | _ |

| Publication IEC 60730-2-9 | <u>Year</u> - | Title Automatic electrical controls for household and similar use - Part 2-9: Particular requirements for temperature sensing controls | <u>EN/HD</u> EN 60730-2-9 | <u>Year</u> - |
|------------------------------|------------------|---|------------------------------|------------------|
| IEC 60950-1 | - | Information technology equipment - Safety - Part 1: General requirements | EN 60950-1 | - |
| IEC 61000-3-2 | - | Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current <= 16 A per phase) | EN 61000-3-2 | - |
| IEC 61000-3-3 | 3 | Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection | EN 61000-3-3 | - |
| IEC/TS 61000-3-4 | - | Electromagnetic compatibility (EMC) - Part 3-4: Limits - Limitation of emission of harmonic currents in low-voltage power suppl systems for equipment with rated current greater than 16 A | - У | - |
| IEC/TS 61000-3-5 | - | Electromagnetic compatibility (EMC) - Part 3-5: Limits - Limitation of voltage fluctuations and flicker in low-voltage power supply systems for equipment with rated current greater than 75 A | - | - |
| IEC 61000-3-11 | - | Electromagnetic compatibility (EMC) - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current <= 75 A and subject to conditional connection | EN 61000-3-11 | - |
| IEC 61000-6-1 | - | Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity for residential, commercial and light-industrial environments | EN 61000-6-1 | - |
| IEC 61000-6-2 | - | Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments | EN 61000-6-2 | - |
| IEC 61000-6-3 | - | Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light- industrial environments | EN 61000-6-3 | - |
| IEC 61000-6-4 | - | Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments | EN 61000-6-4 | - |
| IEC 61508 | Series | Functional safety of electrical/electronic/programmable electronic safety-related systems | EN 61508 | Series |
| IEC 62040-1 | - | Uninterruptible Power Systems (UPS) - Part 1: General and safety requirements for UPS | EN 62040-1 | - |

| Publication IEC 62061 | <u>Year</u> - | <u>Title</u> Safety of machinery - Functional safety of safety-related electrical, electronic and programmable electronic control systems | <u>EN/HD</u> EN 62061 | <u>Year</u> - |
|--------------------------|------------------|---|--------------------------|------------------|
| IEC/TS 62282-1 | - | Fuel cell technologies - Part 1: Terminology | - | - |
| IEC 62282-3-200 | - | Fuel cell technologies - Part 3-200: Stationary fuel cell power systems - Performance test methods | EN 62282-3-200 | - |
| ISO 3864-2 | - | Graphical symbols - Safety colours and safety signs - Part 2: Design principles for product safety labels | y - | - |
| ISO 4413 | -3 | Hydraulic fluid power - General rules relating to systems | EN ISO 4413 | - |
| ISO 4414 | - | Pneumatic fluid power - General rules relating to systems | g EN ISO 4414 | - |
| ISO 5388 | - | Stationary air compressors - Safety rules and code of practice | - | - |
| ISO 7000 | - | Graphical symbols for use on equipment - Index and synopsis | - | - |
| ISO 10439 | - | Petroleum, chemical and gas service industries - Centrifugal compressors | EN ISO 10439 | - |
| ISO 10440-1 | - | Petroleum and natural gas industries - Rotary type positive- displacement compressors - Part 1: Process compressors (oil-free) | -EN ISO 10440-1 | - |
| ISO 10440-2 | - | Petroleum and natural gas industries - Rotary type positive-displacement compressors - Part 2: Packaged air compressors (oil-free) | -EN ISO 10440-2 | - |
| ISO 10442 | - | Petroleum, chemical and gas service industries - Packaged, integrally geared centrifugal air compressors | EN ISO 10442 | - |
| ISO 12499 | - | Industrial fans - Mechanical safety of fans - Guarding | EN ISO 12499 | - |
| ISO 13631 | - | Petroleum and natural gas industries - Packaged reciprocating gas compressors | EN ISO 13631 | - |
| ISO 13707 | - | Petroleum and natural gas industries - Reciprocating compressors | | - |
| ISO 13709 | - | Centrifugal pumps for petroleum, petrochemical and natural gas industries | EN ISO 13709 | - |
| ISO 13849-1 | - | Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design | EN ISO 13849-1 | - |
| ISO 13850 | - | Safety of machinery - Emergency stop - Principles for design | EN ISO 13850 | - |
| ISO 14847 | - | Rotary positive displacement pumps - Technical requirements | EN ISO 14847 | - |
| ISO 15649 | - | Petroleum and natural gas industries - Piping | - | O_{λ} |
| ISO 16111 | - | Transportable gas storage devices - Hydroge absorbed in reversible metal hydride | n- | - |

| Publication ISO 23550 | <u>Year</u> - | <u>Title</u> Safety and control devices for gas burners and gas-burning appliances - General requirements | EN/HD - | <u>Year</u> - |
|--------------------------|------------------|--|------------------|------------------|
| ISO 23551-1 | - | Safety and control devices for gas burners and gas-burning appliances - Particular requirements - Part 1: Automatic valves | - | - |
| ISO 23553-1 | <u>-</u> | Safety and control devices for oil burners and oil-burning appliances - Particular requirements - Part 1: Shut-off devices for oil burners | d EN ISO 23553-1 | - |
| ISO 26142 | 5 | Hydrogen detection apparatus - Stationary applications | - | - |
| | | | | |
| | | | | |
| | | Ö, | | |
| | | | | |
| | | 70 | | |
| | | | | |
| | | | | |
| | | | | |
| | | | 6 | |
| | | | | |
| | | | | 5 |
| | | | | |
| | | | | |
| | | | | |

CONTENTS

| FO | REWC | RD | | 5 | | | |
|-----|-----------------------------------|-------------------------|--|-----------------|--|--|--|
| INT | RODL | JCTION | | 7 | | | |
| 1 | Scope | | | | | | |
| 2 | Norm | Normative references | | | | | |
| 3 | Term | s and de | efinitions | 12 | | | |
| 4 | Safet | v reguir | y requirements and protective measures | | | | |
| • | 4.1 | General safety strategy | | | | | |
| | 4.2 | | al environment and operating conditions | | | | |
| | ⊤.∠ | 4.2.1 | General | | | | |
| | | 4.2.2 | Electrical power input | | | | |
| | | 4.2.3 | Physical environment | | | | |
| | | 4.2.4 | Fuel input | | | | |
| | | 4.2.5 | Water input | | | | |
| | | 4.2.6 | Vibration, shock and bump | | | | |
| | | 4.2.7 | Handling, transportation, and storage | | | | |
| | | 4.2.8 | System purging | | | | |
| | 4.3 | | on of materials | | | | |
| | 4.4 | | al requirements | | | | |
| | 4.5 | | re equipment and piping | | | | |
| | 4.0 | 4.5.1 | Pressure equipment | | | | |
| | | 4.5.2 | Piping systems | | | | |
| | | 4.5.3 | Flue gas venting | <u>22</u> 23 | | | |
| | | 4.5.4 | Gas-conveying parts | | | | |
| | 4.6 | - | ion against fire or explosion hazards | | | | |
| | 1.0 | 4.6.1 | Prevention against fire and explosion hazards in fuel cell power | | | | |
| | | 7.0.1 | systems provided with cabinets | 24 | | | |
| | | 4.6.2 | Prevention of fire and explosion hazards in burners | | | | |
| | | 4.6.3 | Prevention of fire and explosion hazards in catalytic fuel oxidation | | | | |
| | | | systems (catalytic burners) | | | | |
| | 4.7 | | cal safety | | | | |
| | 4.8 | | magnetic compatibility (EMC) | | | | |
| | 4.9 | | systems and protective components | | | | |
| | | 4.9.1 | General requirements | | | | |
| | | 4.9.2 | Control systems | | | | |
| | | 4.9.3 | Protective components | | | | |
| | | | atic and hydraulic powered equipment | | | | |
| | 4.11 | | | | | | |
| | | | Shut-off valves | | | | |
| | | | Fuel valves | | | | |
| | 4.12 | | g equipment | | | | |
| | | | General requirements | | | | |
| | | | Compressors | | | | |
| | | | Pumps | | | | |
| | 4.13 Cabinets | | | | | | |
| | 4.14 Thermal insulating materials | | | | | | |
| | 4.15 | | S | | | | |
| | | 4.15.1 | General requirements | 36 | | | |

| | | 4.15.2 | Water supply | 36 |
|---|-------|----------|---|----|
| | | | Fuel gas supply | |
| | | | Electrical connections | |
| | 4 16 | | ition and maintenance | |
| | 7.10 | | Installation | |
| | | | Maintenance | |
| 5 | Typo | | Maintenance | |
| J | • • | | | |
| | 5.1 | | al requirements | |
| | | 5.1.1 | | |
| | 5.2 | | els | |
| | 5.3 | | est arrangements | |
| | 5.4 | | ge tests | |
| | | 5.4.1 | General | |
| | | 5.4.2 | Pneumatic leakage tests | |
| | | 5.4.3 | Hydrostatic leakage tests | 43 |
| | 5.5 | Strengt | th tests | 44 |
| | | 5.5.1 | General | 44 |
| | | 5.5.2 | Pneumatic strength tests | 44 |
| | | 5.5.3 | Hydrostatic strength test | 45 |
| | 5.6 | Normal | operation type test | 46 |
| | 5.7 | Electric | cal overload test | 46 |
| | 5.8 | Shutdo | wn parameters | 46 |
| | 5.9 | Burner | operating characteristics tests | |
| | | 5.9.1 | General | 46 |
| | | 5.9.2 | General testing | 46 |
| | | 5.9.3 | Limit testing | |
| | 5.10 | Automa | atic control of burners and catalytic oxidation reactors | 47 |
| | | 5.10.1 | General | 47 |
| | | 5.10.2 | Automatic ignition control burners | 47 |
| | | | Automated control of catalytic oxidation reactors | |
| | 5.11 | | st gas temperature test | |
| | | | e and component temperatures | |
| | 5.13 | Wind to | ests | 51 |
| | | 5.13.1 | General | 51 |
| | | | Wind source calibration procedure for winds directed perpendicular | |
| | | 0.10.2 | to the wall | 51 |
| | | 5.13.3 | Verification of operation of outdoor fuel cell power systems under wind conditions | 52 |
| | | 5.13.4 | Verification of operation of indoor fuel cell power systems vented horizontally through an outside wall | |
| | | 5.13.5 | Carbon monoxide (CO) and flammable gas components emissions under wind – Indoor units | |
| | | | Carbon monoxide (CO) and flammable gas components emissions | |
| | F 4 4 | Dela 4 | under wind – Outdoor units | |
| | | | est | |
| | 5.15 | | ons | |
| | | | General | |
| | | | Carbon monoxide (CO) and flammable gas emissions | |
| | _ | | Normal conditions | |
| | 5 16 | Rincka | d condensate line test | 57 |

| | 5.17 | Conder | nsate discharge test | 57 | | |
|------------------------------------|---------|----------|--|----|--|--|
| | 5.18 | Electric | cal safety tests | 58 | | |
| | 5.19 | EMC te | est | 58 | | |
| | 5.20 | Vent sy | ystem leakage test | 58 | | |
| | 5.21 | Leakag | ge tests (repeat) | 59 | | |
| 6 | Routi | ne tests | S | 59 | | |
| 7 Marking, labelling and packaging | | | | | | |
| | 7.1 | Genera | al requirements | 60 | | |
| | 7.2 | Fuel ce | ell power system marking | 60 | | |
| 7.3 Marking of components | | | | | | |
| | 7.4 | Techni | cal documentation | 61 | | |
| | | 7.4.1 | General | 61 | | |
| | | 7.4.2 | Installation manual | 61 | | |
| | | 7.4.3 | User's information manual | 62 | | |
| | | 7.4.4 | Operating manual | 65 | | |
| | | 7.4.5 | Maintenance manual | 66 | | |
| | | | ative) Significant hazards, hazardous situations and events dealt with | 67 | | |
| Anr | nex B | (informa | ative) Carburization and material compatibility for hydrogen service | 69 | | |
| Bib | liograr | ohy | | 75 | | |
| | J . | , | √ 0. | | | |
| Fig | ure 1 - | - Statio | nary fuel cell power systems | 7 | | |
| _ | | | vall with static pressure ports and vent terminal locations | | | |
| _ | | | est wall | | | |
| _ | | | ring and details of typical construction | | | |
| _ | | | precautions for odorized gas-fuelled systems | | | |
| | | | r precautions for odorant-free gas fuelled systems | | | |
| _ | | - | v precautions for liquid fuelled systems | | | |
| J | | | | | | |
| Tab | ole 1 – | Allowal | ble surface temperatures rises | 21 | | |
| Tab | ole 2 – | Leakag | ge test requirements ^{a, d, e} | 43 | | |
| Tab | ole 3 – | Ultimat | te strength test requirements ^{a, d} | 45 | | |
| | | | alibration | | | |
| | | | ardous situations and events | | | |
| | | | | | | |
| | | | | | | |

INTRODUCTION

A typical stationary fuel cell power system is shown in Figure 1.




Figure 1 - Stationary fuel cell power systems

The overall design of the power system anticipated by this standard forms an assembly of integrated systems, as necessary, intended to perform designated functions, as follows.

- Fuel processing system System of chemical and/or physical processing equipment plus associated heat exchanges and controls required to prepare, and if necessary, pressurize, the fuel for utilization within a fuel cell power system.
- Oxidant processing system System that meters, conditions, processes and may pressurize the incoming supply for use within the fuel cell power system.
- Thermal management system System that provides heating or cooling and heat rejection to maintain the fuel cell power system in the operating temperature range, and may provide for the recovery of excess heat and assist in heating the power train during start-up.
- Water treatment system System that provides all the necessary purification treatment
 of the recovered or added water for use within the fuel cell power system.
- Power conditioning system Equipment that is used to adapt the electrical energy produced by the fuel cell stack(s) to application requirements as specified by the manufacturer.
- Automatic control system System(s) that is composed of sensors, actuators, valves, switches and logic components that maintain the fuel cell power system parameters within the manufacturer's specified limits including moving to safe states without manual intervention.
- Ventilation system System that provides air through forced or natural means to the fuel cell power system's enclosure.
- Fuel cell modules Equipment assembly of one or more fuel cell stacks which
 electrochemically converts chemical energy to electric energy and thermal energy
 intended to be integrated into a power generation system.

- Fuel cell stack Equipment assembly of cells, separators, cooling plates, manifolds and a support structure that electrochemically converts, typically, hydrogen rich gas and air reactants to DC power, heat and other reactant bi-products.
- an ople.

 Obochment is a Dreview Generality of the Control of the - Onboard energy storage - System of internal electric energy storage devices intended to aid or complement the fuel cell module in providing power to internal or external loads.

FUEL CELL TECHNOLOGIES -

Part 3-100: Stationary fuel cell power systems – Safety

1 Scope

This part of IEC 62282 applies to stationary packaged, self-contained fuel cell power systems or fuel cell power systems comprised of factory matched packages of integrated systems which generate electricity through electrochemical reactions.

This standard applies to systems

- intended for electrical connection to mains direct, or with a transfer switch, or to a standalone power distribution system;
- intended to provide AC or DC power;
- with or without the ability to recover useful heat;
- intended for operation on the following input fuels
 - a) natural gas and other methane rich gases derived from renewable (biomass) or fossil fuel sources, for example, landfill gas, digester gas, coal mine gas;
 - b) fuels derived from oil refining, for example, diesel, gasoline, kerosene, liquefied petroleum gases such as propane and butane;
 - c) alcohols, esters, ethers, aldehydes, ketones, Fischer-Tropsch liquids and other suitable hydrogen-rich organic compounds derived from renewable (biomass) or fossil fuel sources, for example, methanol, ethanol, di-methyl ether, biodiesel;
 - d) hydrogen, gaseous mixtures containing hydrogen gas, for example, synthesis gas, town gas.

This standard does not cover:

- micro fuel cell power systems;
- portable fuel cell power systems;
- propulsion fuel cell power systems.

NOTE For special application such as "marine auxiliary power", additional requirements may be given by the relevant marine ship register standard.

This standard is applicable to stationary fuel cell power systems intended for indoor and outdoor commercial, industrial and residential use in non-hazardous (unclassified) areas.

This standard contemplates all significant hazards, hazardous situations and events, with the exception of those associated with environmental compatibility (installation conditions), relevant to fuel cell power systems, when they are used as intended and under the conditions foreseen by the manufacturer.

This standard deals with conditions that can yield hazards on the one hand to persons, and on the other to damage outside the fuel cell system only. Protection against damage to the fuel cell system internals is not addressed in this standard, provided it does not lead to hazards outside the fuel cell system.

The requirements of this standard are not intended to constrain innovation. When considering fuels, materials, designs or constructions not specifically dealt with in this standard, these

alternatives shall be evaluated as to their ability to yield levels of safety and performance equivalent to those prescribed by this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, Explosive atmospheres - Part 0: Equipment - General requirements

IEC 60079-2, Explosive atmospheres – Part 2: Equipment protection by pressurized enclosure «p»

IEC 60079-10 (all parts), Explosive atmospheres - Part 10: Classification of areas

IEC 60079-29-1, Explosive atmospheres – Part 29-1: Gas detectors – Performance requirements of detectors for flammable gases

IEC 60079-30-1, Explosive atmospheres – Part 30-1: Electrical resistance trace heating – General and testing requirements

IEC 60204-1, Safety of machinery – Electrical equipment of machines – Part 1: General requirements

IEC 60335-1:2010, Household and similar electrical appliances – Safety – Part 1: General requirements

IEC 60335-2-51, Household and similar electrical appliances – Safety – Part 2-51: Particular requirements for stationary circulation pumps for heating and service water installations

IEC 60417, *Graphical symbols for use on equipment*. Available from: http://www.graphical-symbols.info/equipment>

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60730-1, Automatic electrical controls for household and similar use – Part 1: General requirements

IEC 60730-2-5, Automatic electrical controls for household and similar use – Part 2-5: Particular requirements for automatic electrical burner control systems

IEC 60730-2-6, Automatic electrical controls for household and similar use – Part 2-6: Particular requirements for automatic electrical pressure sensing controls including mechanical requirements

IEC 60730-2-9, Automatic electrical controls for household and similar use – Part 2-9: Particular requirements for temperature sensing controls

IEC 60950-1, Information technology equipment – Safety – Part 1: General requirements

IEC 61000-3-2, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic currents emissions (equipment input current ≤16 A per phase)

- IEC 61000-3-3, Electromagnetic compatibility (EMC) Part 3-3: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤16 A per phase and not subject to conditional connection
- IEC 61000-3-4, Electromagnetic compatibility (EMC) Part 3-4: Limits Limitation of emission of harmonic currents in low-voltage power supply systems for equipment with rated current greater than 16 A
- IEC 61000-3-5, Electromagnetic compatibility (EMC) Part 3-5: Limits Limitation of voltage fluctuations and flicker in low-voltage power supply systems for equipment with rated current greater than 75 A
- IEC 61000-3-11, Electromagnetic Compatibility (EMC) Part 3-11: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems Equipment with rated current ≤75 A and subject to conditional connection
- IEC 61000-6-1, Electromagnetic compatibility (EMC) Part 6-1: Generic standards Immunity for residential, commercial and light-industrial environments
- IEC 61000-6-2, Electromagnetic compatibility (EMC) Part 6-2: Generic standards Immunity for industrial environments
- IEC 61000-6-3, Electromagnetic compatibility (EMC) Part 6-3: Generic standards Emission standard for residential, commercial and light-industrial environments
- IEC 61000-6-4, Electromagnetic compatibility (EMC) Part 6-4: Generic standards Emission standard for industrial environments
- IEC 61508 (all parts), Functional safety of electrical/electronic/programmable electronic safety-related systems
- IEC 62040-1, Uninterruptible power systems (UPS) Part 1: General and safety requirements for UPS
- IEC 62061, Safety of machinery Functional safety of safety-related electrical, electronic and programmable electronic control systems
- IEC/TS 62282-1, Fuel cell technologies Part 1: Terminology
- IEC 62282-3-200, Fuel cell technologies Part 3-200: Stationary fuel cell power systems Performance test methods
- ISO 3864-2, Graphical symbols Safety colours and safety signs Part 2: Design principles for product safety labels
- ISO 4413, Hydraulic fluid power General rules and safety requirements for systems and their components
- ISO 4414, Pneumatic fluid power General rules and safety requirements for systems and their components
- ISO 5388, Stationary air compressors Safety rules and code of practice
- ISO 7000, *Graphic symbols for use on equipment Index and synopsis.* Available from: http://www.graphical-symbols.info/equipment.

ISO 10439, Petroleum, chemical and gas service industries – Centrifugal compressors

ISO 10440-1, Petroleum, petrochemical and natural gas industries – Rotary-type positive-displacement compressors – Part 1: Process compressors

ISO 10440-2, Petroleum and natural gas industries – Rotary-type positive-displacement compressors – Part 2: Packaged air compressors (oil-free)

ISO 10442, Petroleum, chemical and gas service industries – Packaged, integrally geared centrifugal air compressors

ISO 12499, Industrial fans - Mechanical safety of fans - Guarding

ISO 13631, Petroleum and natural gas industries – Packaged reciprocating gas compressors

ISO 13707, Petroleum and natural gas industries – Reciprocating compressors

ISO 13709, Centrifugal pumps for petroleum, petrochemical and natural gas industries

ISO 13849-1, Safety of machinery – Safety related parts of control systems – Part 1: General principles for design

ISO 13850, Safety of machinery – Emergency stop – Principles for design

ISO 14847, Rotary positive displacement pumps – Technical requirements

ISO 15649, Petroleum and natural gas industries - Piping

ISO 16111, Transportable gas storage devices – Hydrogen absorbed in reversible metal hydride

ISO 23550, Safety and control devices for gas burners and gas-burning appliances – General requirements

ISO 23551-1, Safety and control devices for gas burners and gas-burning appliances – Particular requirements – Part 1: Automatic valves

ISO 23553-1, Safety and control devices for oil burners and oil-burning appliances – Particular requirements – Part 1: Shut-off devices for oil burners

ISO 26142, Hydrogen detection apparatus – Stationary applications

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

accessible

area to which, under normal operating conditions, one of the following applies:

- a) access can be gained without the use of a tool;
- b) the means of access is deliberately provided to the end user;
- c) the end user is instructed to enter regardless of whether or not a tool is needed to gain access