

Ferrite cores - Dimensions -- Part 8: E-cores

Ferrite cores - Dimensions -- Part 8: E-cores

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 62317-8:2007 sisaldab Euroopa standardi EN 62317-8:2006 ingliskeelset teksti. Käesolev dokument on jõustatud 17.01.2007 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes. Standard on kättesaadav Eesti standardiorganisatsioonist.	This Estonian standard EVS-EN 62317-8:2007 consists of the English text of the European standard EN 62317-8:2006. This document is endorsed on 17.01.2007 with the notification being published in the official publication of the Estonian national standardisation organisation. The standard is available from Estonian standardisation organisation.
--	---

Käsitlusala: This part of IEC 62317 specifies the dimensions that are of importance for mechanical interchangeability for E-cores with rectangular cross-section made of ferrite, the dimensions of coil formers to be used with them, and the effective parameter values to be used in calculations involving them. The selecting core sizes to this standard is based on the philosophy of including those sizes, which are industrial standards, either by inclusion in national standards, or by broad-based use in industry. See IEC 62317-1 for more detail concerning the philosophy of selecting core sizes to be included.	Scope: This part of IEC 62317 specifies the dimensions that are of importance for mechanical interchangeability for E-cores with rectangular cross-section made of ferrite, the dimensions of coil formers to be used with them, and the effective parameter values to be used in calculations involving them. The selecting core sizes to this standard is based on the philosophy of including those sizes, which are industrial standards, either by inclusion in national standards, or by broad-based use in industry. See IEC 62317-1 for more detail concerning the philosophy of selecting core sizes to be included.
--	--

ICS 29.100.10

Võtmesõnad:

English version

**Ferrite cores -
Dimensions
Part 8: E-cores
(IEC 62317-8:2006)**

Noyaux ferrites -
Dimensions
Partie 8: Noyaux E
(CEI 62317-8:2006)

Ferritkerne -
Maße
Teil 8: E-Kerne
(IEC 62317-8:2006)

This European Standard was approved by CENELEC on 2006-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in two official versions (English and German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 51/864/FDIS, future edition 1 of IEC 62317-8, prepared by IEC TC 51, Magnetic components and ferrite materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62317-8 on 2006-10-01.

This standard replaces Table A.1 and Table B.1 of EN 62358:2004. New rectangular centre leg E-cores, which have been developed in the industry, were introduced in EN 62358, and are in widespread use. This standard has been revised to specify dimensions and effective parameters for these newer rectangular centre leg E-cores.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2007-07-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2009-10-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62317-8:2006 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60205	2006	Calculation of the effective parameters of magnetic piece parts	EN 60205	2006

INTERNATIONAL STANDARD

IEC
62317-8

First edition
2006-08

Ferrite cores – Dimensions –

Part 8: E-cores



Reference number
IEC 62317-8:2006(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)
- **Catalogue of IEC publications**
The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.
- **IEC Just Published**
This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.
- **Customer Service Centre**
If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC
62317-8

First edition
2006-08

Ferrite cores – Dimensions –

Part 8: E-cores

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

P

For price, see current catalogue

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Primary standards	5
3.1 Dimensions of E-cores with rectangular cross-section	5
3.2 Dimensional limits for coil formers.....	10
Annex A (normative) Derived standards.....	12
Annex B (normative) An example of a gauge to check the dimensions of E-cores meeting the IEC primary standard.....	13
Figure 1 – Dimensions of E-cores with rectangular cross-section.....	6
Figure 2 – Main dimensions of coil formers	10
Figure B.1 – Gauge dimensions	13
Table 1 – Dimensions of E-cores with rectangular cross-section	6
Table 2 – Effective parameter and $A_{\min}$ values	8
Table 3 – Main dimensions of coil formers	10
Table B.1 – Gauge dimensions	14

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FERRITE CORES – DIMENSIONS –**Part 8: E-cores****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62317-8 has been prepared IEC technical committee 51: Magnetic components and ferrite materials.

This standard cancels and replaces IEC 61246 published in 1994, its amendment 1 (2002) and replaces Table A.1 and Table B.1 of IEC 62358:2004. New rectangular centre leg E-cores, which have been developed in the industry, were introduced in IEC 62358, and are in widespread use. This standard has been revised to specify dimensions and effective parameters for these newer rectangular centre leg E-cores.

The text of this standard is based on the following documents:

FDIS	Report on voting
51/864/FDIS	51/872/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62317 consists of the following parts, under the general title *Ferrite cores – Dimensions*:

- Part 1: General specification (under consideration)
- Part 2: Pot cores (under consideration, currently available as IEC 60133: Dimensions of pot-cores made of magnetic oxides and associated parts)
- Part 3: Half pot cores (under consideration, currently available as IEC 62323: Dimensions of half pot-cores made of ferrite for inductive proximity switches)
- Part 4: RM-cores and associated parts
- Part 5: EP-cores (under consideration, currently available as IEC 61596: Magnetic oxide EP-cores and associated parts for use in inductors and transformers – Dimensions)
- Part 6: ETD-cores (under consideration, currently available as IEC 61185: Ferrite cores (ETD-cores) intended for use in power supply applications – Dimensions)
- Part 7: EER-cores
- Part 8: E-cores
- Part 9: Planar cores
- Part 10: PM-cores (under consideration, currently available as IEC 61247: PM-cores made of magnetic oxides and associated parts – Dimensions)
- Part 11: EC-cores (under consideration, currently available as IEC 60647: Dimensions for magnetic oxide cores intended for use in power supplies (EC-cores))
- Part 12: Uncoated ring cores (under consideration, currently available as IEC TR 61604: Dimensions of uncoated ring cores of magnetic oxides)
- Part 13: PQ-cores (under consideration)

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

FERRITE CORES – DIMENSIONS –

Part 8: E-cores

1 Scope

This part of IEC 62317 specifies the dimensions that are of importance for mechanical interchangeability for E-cores with rectangular cross-section made of ferrite, the dimensions of coil formers to be used with them, and the effective parameter values to be used in calculations involving them.

The selecting core sizes to this standard is based on the philosophy of including those sizes, which are industrial standards, either by inclusion in national standards, or by broad-based use in industry. See IEC 62317-1 for more detail concerning the philosophy of selecting core sizes to be included.

NOTE Cores covered by this standard are intended for general applications at both low and high flux densities, but they also find uses in special applications such as pulse transformers. They are generally used in pairs.

Whilst the main application of this standard is expected to be for ferrite cores, its validity for iron powder cores should not be overlooked.

Coil formers are not specified for E-cores smaller than E 8/2, which are also used in SMD assemblies.

The use of “derived” standards, which give a more detailed specification of component parts whilst still permitting compliance with this standard, is discussed in Annex A.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60205:2006, *Calculation of the effective parameters of magnetic piece parts*

3 Primary standards

Compliance with the following requirements ensures mechanical interchangeability of complete assemblies and coil formers.

3.1 Dimensions of E-cores with rectangular cross-section

3.1.1 Main dimensions

The main dimensions of E-cores with rectangular cross-section shall be as given in Table 1.

NOTE The dimensions of the cores may be checked by means of gauges, an example of which is given in Annex B. In order to facilitate production it may be necessary to use gauges having dimensions differing from those given in Annex B, although no relaxation of the requirements for the dimensions of the cores given in Table 1 is thereby permitted.

3.1.2 Effective parameter and $A_{\min}$ values

The effective parameter and $A_{\min}$ values of a pair of cores whose dimensions comply with 3.1.1 shall be as given in Table 2 (see IEC 60205, for the definitions of these parameters and their calculation; and 2.2 of IEC 60205, for the definition of $A_{\min}$).