

# **IEC 61671**

Edition 1.0 2012-06

IEEE Std 1671<sup>™</sup>

# INTERNATIONAL

Automatic Test Markup Language (ATML) for Exchanging Automatic Test Equipment and Test Information via XML



# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2010 IEEE

All rights reserved. IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Inc.

Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the IEC Central Office.

Any questions about IEEE copyright should be addressed to the IEEE. Enquiries about obtaining additional rights to this publication and other information requests should be addressed to the IEC or your local IEC member National Committee.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00 info@iec.ch www.iec.ch Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue New York, NY 10016-5997 United States of America stds.info@ieee.org www.ieee.org

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

### Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



# **IEC 61671**

Edition 1.0 2012-06

IEEE Std 1671™

# INTERNATIONAL STANDARD

-UNON-5

Automatic Test Markup Language (ATML) for Exchanging Automatic Test Equipment and Test Information via XML

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040; 35.060

ISBN 978-2-83220-104-6

Warning! Make sure that you obtained this publication from an authorized distributor.

5

### Contents

1. Overview	1
1.1 General	
1 2 Scope	
1.3 Purpose	
1.4 Application	
1.5 Conventions used in this document	4
	(
2. Normative references	6
2 Definitions acronyme and abbraviations	7
3. Definitions, acronyms, and abbreviations	
3.2 Acronyms and abbreviations	
5.2 reforming and abore rations	. 10
4. Automatic test system (ATS) architecture	. 12
4.1 Automatic test equipment (ATE)	
4.2 Test program set (TPS)	
4.3 Automatic diagnosis and testing	. 18
5. Automatic test markup language (ATML)	
5.1 ATS architecture elements addressed by ATML	. 20
6. The ATML framework	22
6.1 External interfaces	. 22
6.1 External interfaces	. 22
6.3 Services	
7. ATML specification techniques	. 25
7.1 ATML common element partitioning	. 25
7.2 ATML XML schemas	. 28
7.3 XML schemas and their use in ATML	. 28
7.4 UML models	. 28
8. The ATML framework subdomains	. 29
8.1 The ATML framework and ATML family component standards	
8.2 ATML subdomains	. 29
9. ATML XML schema names and locations	36
). AT WE AWE schema names and locations	. 50
10. ATML XML schema extensibility	. 39
,	
11. Conformance	. 40
11.1 ATML family XML schemas	. 40
11.2 The ATML framework	. 40
Annex A (normative) XML schema style guidelines	. 46
A.1 Naming conventions	
A.2 XML declaration	
A.3 ATML namespaces	
A.4 Versioning A.5 Documentation	
A.5 Documentation A.6 Design	
	. 54

	55
B.1 Common element schema—Common.xsd	55
B.2 Common element schema—HardwareCommon.xsd	
B.3 Common element schema—TestEquipment.xsd	
Annex C (normative) ATML internal model schemas	
C.1 ATML internal model schema—Capabilities.xsd	
C.2 ATML internal model schema—WireLists.xsd	
O/	
Annex D (normative) ATML runtime services	
D.1 Messages	
D.2 Executive system service	
D.3 Example WSDL service definition	
Annex E (informative) Pins, ports, connectors, and wire lists in ATML	
E.1 Introduction	
E.2 Overview of the base types	
E.3 Using ports, pins, and connectors together	
E.4 Ports, pins, and capabilities	
E.5 Wire lists	
Annex F (informative) ATML capabilities	202
F.1 Introduction	
F.2 Overview	
F.3 Describing instrument capabilities	
F.4 Describing ATS capabilities	
F.5 Capability information in ATML Test Description	
F.5 Capability information in ATML Test Description	
F.5 Capability information in ATML Test Description Annex G (informative) IEEE download Web site material associated with this document Annex H (informative) ATS architectures	
F.5 Capability information in ATML Test Description Annex G (informative) IEEE download Web site material associated with this document Annex H (informative) ATS architectures H.1 ATS architectures utilization of published standards	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures</li> <li>H.1 ATS architectures utilization of published standards</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures</li> <li>H.1 ATS architectures utilization of published standards</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures</li> <li>H.1 ATS architectures utilization of published standards</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards</li> <li>Annex I (informative) Architecture examples</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures</li> <li>H.1 ATS architectures utilization of published standards</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards</li> <li>Annex I (informative) Architecture examples</li> <li>I.1 Instruments</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures.</li> <li>H.1 ATS architectures utilization of published standards.</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards.</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards.</li> <li>Annex I (informative) Architecture examples</li> <li>I.1 Instruments</li> <li>I.2 Test descriptions.</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures.</li> <li>H.1 ATS architectures utilization of published standards.</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards.</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards.</li> <li>Annex I (informative) Architecture examples</li> <li>I.1 Instruments.</li> <li>I.2 Test descriptions.</li> <li>I.3 Complete testing scenario</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures</li> <li>H.1 ATS architectures utilization of published standards</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards</li> <li>Annex I (informative) Architecture examples</li> <li>I.1 Instruments</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures.</li> <li>H.1 ATS architectures utilization of published standards.</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards.</li> <li>Annex I (informative) Architecture examples</li> <li>I.1 Instruments</li> <li>I.2 Test descriptions.</li> <li>I.3 Complete testing scenario</li> <li>I.4 Integrated ATML system</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures</li> <li>H.1 ATS architectures utilization of published standards</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards</li> <li>Annex I (informative) Architecture examples</li> <li>I.1 Instruments</li> <li>I.2 Test descriptions</li> <li>I.3 Complete testing scenario</li> <li>I.4 Integrated ATML system</li> </ul>	332 339 340 340 343 343 343 343 343 343 345 347 347 348 350 363 367
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures.</li> <li>H.1 ATS architectures utilization of published standards.</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards.</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards.</li> <li>Annex I (informative) Architecture examples</li> <li>I.1 Instruments.</li> <li>I.2 Test descriptions.</li> <li>I.3 Complete testing scenario</li> <li>I.4 Integrated ATML system</li> </ul>	
<ul> <li>F.5 Capability information in ATML Test Description</li> <li>Annex G (informative) IEEE download Web site material associated with this document</li> <li>Annex H (informative) ATS architectures</li> <li>H.1 ATS architectures utilization of published standards</li> <li>H.2 ATS architectural relationships to IEEE SCC20-based standards</li> <li>H.3 ATS architectural ATML subdomain relationship to SIMICA standards</li> <li>Annex I (informative) Architecture examples</li> <li>I.1 Instruments</li> <li>I.2 Test descriptions</li> <li>I.3 Complete testing scenario</li> <li>I.4 Integrated ATML system</li> </ul>	
F.5 Capability information in ATML Test Description Annex G (informative) IEEE download Web site material associated with this document Annex H (informative) ATS architectures. H.1 ATS architectures utilization of published standards H.2 ATS architectural relationships to IEEE SCC20-based standards H.3 ATS architectural ATML subdomain relationship to SIMICA standards. Annex I (informative) Architecture examples I.1 Instruments I.2 Test descriptions. I.3 Complete testing scenario I.4 Integrated ATML system Annex J (informative) UML models J.1 Generic ATS testing of a UUT J.2 ATML XML schema relationships	
F.5 Capability information in ATML Test Description Annex G (informative) IEEE download Web site material associated with this document Annex H (informative) ATS architectures. H.1 ATS architectures utilization of published standards H.2 ATS architectural relationships to IEEE SCC20-based standards H.3 ATS architectural ATML subdomain relationship to SIMICA standards. Annex I (informative) Architecture examples I.1 Instruments I.2 Test descriptions. I.3 Complete testing scenario I.4 Integrated ATML system Annex J (informative) UML models J.1 Generic ATS testing of a UUT J.2 ATML XML schema relationships	
<ul> <li>F.5 Capability information in ATML Test Description</li></ul>	

### Automatic Test Markup Language (ATML) for Exchanging Automatic Test Equipment and Test Information via XML

### FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. IEEE documents are made available for use subject to important notices and legal disclaimers (see <a href="http://standards.ieee.org/IPR/disclaimers.html">http://standards.ieee.org/IPR/disclaimers.html</a> for more information).

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE-SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
- Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

International Standard IEC 61671/ IEEE Std 1671-2010 has been processed through IEC technical committee 93: Design automation, under the IEC/IEEE Dual Logo Agreement.

The text of this standard is based on the following documents:

IEEE Std	FDIS	Report on voting
IEEE Std 1671-2010	93/323/FDIS	93/330/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IEEE Std 1671<sup>™</sup>-2010 (Revision of IEEE Std 1671-2006)

## IEEE Standard for Automatic Test Markup Language (ATML) for Exchanging Automatic Test Equipment and Test Information via XML

Sponsor

IEEE Standards Coordinating Committee 20 on Test and Diagnosis for Electronic Systems

Approved 30 September 2010

**IEEE-SA Standards Board** 

Abstract: This document specifies a framework for the automatic test markup language (ATML) family of standards. ATML allows automatic test system (ATS) and test information to be exchanged in a common format adhering to the extensible markup language (XML) standard.

Keywords: ATE description, ATE test results, ATML, ATS, automatic test equipment, automatic test markup language, automatic test system, interface test adapter, ITA, SI, synthetic ir, n. instrumentation, test configuration, unit under test, UUT description, UUT maintenance, XML instance document, XML schema

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

IVI is a registered trademark in the U.S. Patent & Trademark Office, owned by the IVI Foundation, Inc.

W3C is a registered trademark of the World Wide Web Consortium (W3C) (registered in numerous countries). Marks of W3C are registered and held by its host institutions: Massachusetts Institute of Technology (MIT), European Research Consortium for Information and Mathematics (ERCIM), and Keio University, Japan.

### **IEEE Introduction**

This introduction is not part of IEEE Std 1671-2010, IEEE Standard for Automatic Test Markup Language (ATML) for Exchanging Automatic Test Equipment and Test Information via XML.

### Historical background

In 2002, an automatic test markup language (ATML) focus group was formed (outside any formal standardization body) with a mission to "define a collection of XML [extensible markup language] schemas that allows ATE [automatic test equipment] and test information to be exchanged in a common format adhering to the XML standard."

The scope of this effort was the standardization of test information, which would allow for test program (TP) and test asset interoperability, as well as unit under test (UUT) data (including results and diagnostics), to be interchanged between heterogeneous ATE systems.

In 2004, the efforts of the focus group were brought into IEEE Standards Coordinating Committee 20 (SCC20), where the formal standardization process has taken place. Further refinements and updates to the work accomplished by the ATML focus group has (and continues to) take place within both the ATML focus group and IEEE SCC20.

# IEEE 1671 ATML family of standards

The ATML family of standards supports TP, test asset, and UUT interoperability within an automatic test environment.

This document provides an overview of the ATML goals, defines the ATML framework, defines the ATML family of standards, and specifies common ATML data elements, and common ATML schemas.

### Notice to users

### Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

### Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

### **Updating of IEEE documents**

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association Web site at <a href="http://ieeexplore.ieee.org/xpl/standards.jsp">http://ieeexplore.ieee.org/xpl/standards.jsp</a>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA Web site at <u>http://standards.ieee.org</u>.

### Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <u>http://standards.ieee.org/reading/ieee/updates/errata/index.html</u>. Users are encouraged to check this URL for errata periodically.

### Interpretations

Current interpretations can be accessed at the following URL: <u>http://standards.ieee.org/reading/ieee/interp/index.html</u>.

### Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or nondiscriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

this document is a preview denerated by the

# Automatic Test Markup Language (ATML) for Exchanging Automatic Test Equipment and Test Information via XML

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Documents." They can also be obtained on request from IEEE or viewed at http://standards.ieee.org/IPR/disclaimers.html.

### 1. Overview

### 1.1 General

Automatic test markup language (ATML) is a collection of IEEE standards and associated extensible markup language (XML) schemas that allows automatic test system (ATS) and test information to be exchanged in a common format adhering to the XML standard.<sup>1</sup>

The ATML framework and the ATML family of standards have been developed and are maintained under the guidance of the Test Information Integration (TII) Subcommittee of IEEE Standards Coordinating Committee 20 (SCC20) to serve as a comprehensive environment for integrating design data, test strategies, test requirements, test procedures, test results management, and test system implementations, while allowing test program (TP), test asset interoperability, and unit under test (UUT) data to be interchanged between heterogeneous systems.

<sup>&</sup>lt;sup>1</sup> This information is given for the convenience of users of this standard and does not constitute an endorsement by the IEEE of this consortium standard. Equivalent standards or products may be used if they can be shown to lead to the same results.

### 1.1.1 ATML framework referenced IEEE standard

The ATML framework can reference IEEE Std  $1641^{\text{TM}}$  [B29].<sup>2</sup> This referenced IEEE standard, when utilized, is then considered part of the ATML framework.

### 1.1.2 Application of this document's annexes

This document includes twelve annexes. Of these twelve, four are normative (Annex A, Annex B, Annex C, and Annex D).

Annex A contains style guidelines for the ATML family XML schemas. Annex A guidelines shall be followed by ATML XML schema developers and maintainers during the development and maintenance of all ATML family XML schemas, including the XML schemas associated with this document.

Annex B contains XML schema element description and definitions for the **ATML common element XML schemas**. Annex B shall be utilized by ATML XML schema developers, maintainers, and ATML users. Annex B shall be referenced during the development and maintenance of all ATML family XML schemas, including the XML schemas associated with this document.

Annex C contains XML schema element description and definitions for the **ATML internal model XML** schemas. Annex C shall be utilized by ATML XML schema developers, maintainers, and ATML users. Annex C shall be referenced during the creation and development of ATML Capabilities or ATML WireLists documents.

Annex D contains guidelines for ATML services. Annex D shall be referenced by ATML users implementing an ATML framework.

Annex E through Annex L are informative and thus are provided strictly as information for both users and maintainers of this document.

### 1.2 Scope

ATML defines a standard exchange medium for sharing information between components of ATSs. This information includes test data, resource data, diagnostic data, and historic data. The exchange medium is defined using XML. This standard specifies the framework for the family of ATML standards.

### 1.3 Purpose

The purpose of ATML is to support TP, test asset, and UUT interoperability within an automatic test environment. ATML accomplishes this through a standard medium for exchanging UUT, test, and diagnostic information between components of the test system. The purpose of this standard is to provide an overview of ATML goals, define the ATML family of standards, and specify common data elements for the ATML family of standards.

<sup>&</sup>lt;sup>2</sup> The numbers in brackets correspond to the numbers of the bibliography in Annex L.

### 1.4 Application

### 1.4.1 General

This document should be applied anywhere ATS and test information is to be exchanged. This ATS and test information includes the following:

- Data that will be utilized for the design, development, and utilization of automatic test equipment (ATE).
- Data that will be utilized for the design, development, and utilization of test program sets (TPSs) to test a product (e.g., UUT) on a particular ATE.
- Product design data that will be utilized during the testing of the product (e.g., UUT).
- Shared usage of maintenance data and the results of testing a product (e.g., UUT).
- Testing requirements of a particular product (e.g., UUT).
- Data that will be utilized for the design, development, and utilization of instrumentation that will be utilized within a particular ATS configuration.
- A definition of allowable ATS configurations that can be use to test and evaluate a particular product (e.g., UUT).
- A definition of the capabilities of ATSs as well as the elements of the ATS.

### 1.4.2 Users

Anticipated users of the ATML family of standards include the following: Jan Contraction Co

- Product (e.g., UUT) developers
- Product (e.g., UUT) maintainers
- **TPS** developers
- TPS maintainers
- ATE system developers
- ATE system maintainers
- Instrumentation developers
- Developers of ATML-based tools and systems
- 52 1725 Developers of prime mission equipment that use the supported UUT as a component

### 1.4.3 Precedence

In the event of conflict between this document and an ATML family component standard, this document shall take precedence.

In the event of conflict between this document and a normatively referenced standard (*Extensible Markup Language (XML) 1.0*),<sup>3</sup> the normatively referenced standard, as it applies to the information being produced, shall take precedence.

In the event of conflict between this document's XML schema definition and/or annotations and an ATML family component standard and/or XML schemas, this document's XML schema definition and/or annotations shall take precedence.

### 1.5 Conventions used in this document

### 1.5.1 General

Within the body of this document, the conventions defined in Table 1 are utilized.

Item	Convention
The use of <b>bolded</b> text	Emphasizes a word or concept.
The use of <i>italics</i>	Represents bibliography references and quoted text from other documents.
The term "ATML framework"	Represents the sub-domains of an ATS architecture specifically addressed by the ATML family of standards.
The term "ATML family of standards"	Represents the complete set of ATML family component standards and associated XML schemas (see Table 3).
The term "ATML family component standard"	Represents a particular IEEE 1671 series standard (IEEE Std 1671.1 <sup>™</sup> [B31] through IEEE Std 1671.6 <sup>™</sup> [B36]).
The term "ATML common element schemas"	Reflects only the ATML Common, ATML HardwareCommon, and ATML TestEquipment XML schemas defined in this document (B.1, B.2, and B.3). These schemas <b>shall not have</b> associated XML instance documents.
The term "ATML internal model schemas"	Reflects only the ATML Capabilities and ATML WireLists XML schemas defined in this document (C.1 and C.2). These schemas <b>shall have</b> associated XML instance documents.
The term "subdomain"	Represents the complete set of ATML family component standards and associated XML schemas.
The term "subframework"	Represents the ATS or support software.
The term "external interface"	Represents the IEEE 1671 series standards (IEEE Std 1671.1 through IEEE Std 1671.6).
The term "internal model"	Represents the Capabilities and WireLists XML schemas defined in Annex C.
The term "ATML <component name=""> XML schema"</component>	Represents the XML schema associated with the ATML family component standard. <component name=""> is defined in Table 3.</component>
The term "ATML <component name=""> document"</component>	Represents an XML instance document conforming to the ATML <component name=""> XML schema. For example, an ATML Test Description document is an XML instance document conforming to the ATML Test Description XML schema. <component name=""> is defined in Table 3.</component></component>

### Table 1—Document conventions

<sup>&</sup>lt;sup>3</sup> Information on references can be found in Clause 2.

Annex A, Annex B, Annex C, Annex D, Annex E, Annex F, Annex G, and Annex I present XML schema and XML instance document information. The conventions used in their presentation are defined in Table 2.

Item	Convention
All specifications in the XML language	Are given in the Courier type font where the XML elements are represented outside the XML schema or instance document.
The terms "isRef (0)" and "isRef (1)"	Is a XML boolean indicator used to identify whether an object is a reference. The term isRef (0) indicates it is not a reference; isRef (1) indicates that it is a reference.
The term "final #all"	Is an XML property that prevents all derivation. Used by the Complex Type c:Extension.
The use of "—" in tables	Indicates that no information is associated with this table cell or, with respect to attribute usage, implies optional.
The term "content simple"	Indicates that the XML element is not allowed to have attributes or subelements.
The term "content complex"	Indicates that a new complex data type is being defined, which can be used to declare elements to accept attributes and/or subelements.
The use of <i>italics</i>	Represents a XML element defined outside the subclause.
The use of "1 $\infty$ " and "0 $\infty$ " in tables	Represents the number of times an XML element may appear in an XML instance document. i.e., either one to infinity times or zero to infinity times.
XML snippets of XML instance documents	Are given in the Courier type font.
The XML attribute "xsi:type"	Explicitly declares the XML element type.
The use of " " in XML simple types descriptions	Indicates a logical OR.

Table 2—XML schema and XML instance document convention
---

This document uses the vocabulary and definitions of relevant IEEE standards. In case of conflict of definitions, except for the portions quoted from standards, the following precedence shall be observed: (1) Clause 3, (2) Annex K, and (3) *The IEEE Standards Dictionary: Glossary of Terms & Definitions*.

For clarity, portions of IEEE Std 1641 [B29] have been duplicated within this document. In the event of revision to IEEE Std 1641, the current, approved version of the revised standard shall take precedence.

### 1.5.2 Word usage

In this document, the word *shall* is used to indicate a mandatory requirement. The word *should* is used to indicate a recommendation. The word *may* is used to indicate a permissible action. The word *can* is used for statements of possibility and capability.

### 2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must d, s) applie. μ Language (X). be understood and used, so each referenced document is cited in text and its relationship to this document is explained). The latest edition of the referenced document (including any amendments, corrigenda, and/or working group drafts) applies unless the specific year of publication or edition is referenced.

Extensible Markup Language (XML) 1.0, (Fifth Edition). W3C Proposed Edited Recommendation, 5 Feb.  $2008.^4$ 

<sup>&</sup>lt;sup>4</sup> This document is available from the World Wide Web Consortium (W3C<sup>®</sup>) (<u>http://www.w3.org/xml</u>).

### 3. Definitions, acronyms, and abbreviations

### 3.1 Definitions

For the purposes of this document, the following terms and definitions apply. *The IEEE Standards Dictionary: Glossary of Terms & Definitions* should be referenced for terms not defined in this clause.<sup>5</sup> In the event a term is explicitly redefined or further defined in an ATML family component standard, that component standard's definition shall be normative only for that particular component standard.

**abstract data type:** A declared type that can be used to define other types through derivation. Only nonabstract types derived from the declared type can be used in instance documents. When such a type is used, it must be identified by the xsi:type attribute.

**application:** (A) The use to which a system is put. (B) The use of capabilities provided for by a system specific to the satisfaction of a set of users' requirements.

**automatic test equipment (ATE):** An integrated assembly of stimulus, measurement, and switching components under computer control that is capable of processing software routines designed specifically to test a particular item or group of items. ATE software includes operating system software, test executive software, and instrument control software.

NOTE-Definition adapted from DoD ATS Selection Process Guide [B7].6

**automatic test equipment (ATE) control software:** Software used during execution of a test program (TP) that controls the nontesting operations of the ATE. This software executes a test procedure but does not contain any of the stimuli or measurement parameters used in testing the unit under test (UUT). Where test software and control software are combined in one inseparable program, that program will be treated as test software, not control software.

NOTE—Definition adapted from MIL-STD-1309D [B52].

**automatic test equipment (ATE) oriented language:** A computer language used to program an ATE to test units under test (UUTs). The characteristics of this language imply the use of a specific ATE system or family of ATE systems.

NOTE—Definition adapted from MIL-STD-1309D [B52].

**automatic test equipment (ATE) support software:** Computer programs that aid in preparing, analyzing, and maintaining unit under test (UUT) test programs (TPs). Examples are ATE compilers and translation and analysis programs.

NOTE—Definition adapted from MIL-STD-1309D [B52].

**automatic test equipment (ATE) system software:** The total software environment of the ATE including operating system, test executives, user interface, system self-test, and other software required to run test programs (TPs). This term does not include TPs for supported end items.

NOTE—Definition adapted from MIL-STD-1309D [B52].

<sup>6</sup> Notes in text, tables, and figures of a standard are given for information only and do not contain requirements needed to implement the standard.

<sup>&</sup>lt;sup>5</sup> The IEEE Standards Dictionary: Glossary of Terms & Definitions is available at http://shop.ieee.org/.