

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Fibre optic active components and devices – Test and measurement procedures –

Part 3: Optical power variation induced by mechanical disturbance in optical receptacles and transceiver interfaces

Composants et dispositifs actifs à fibres optiques – Procédures d'essais et de mesures –

Partie 3: Variation de puissance optique induite par des perturbations mécaniques dans les interfaces d'embases optiques et d'émetteurs-récepteurs





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Liens utiles:

Recherche de publications CEI - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électriques et électroniques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Fibre optic active components and devices – Test and measurement procedures –

Part 3: Optical power variation induced by mechanical disturbance in optical receptacles and transceiver interfaces

Composants et dispositifs actifs à fibres optiques – Procédures d'essais et de mesures –

Partie 3: Variation de puissance optique induite par des perturbations mécaniques dans les interfaces d'embases optiques et d'émetteurs-récepteurs

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

ICS 33.180.20

ISBN 978-2-83220-157-2

**Warning! Make sure that you obtained this publication from an authorized distributor.**

**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|   |    |
|---|----|
| FOREWORD .....  | 4  |
| 1 Scope .....   | 6  |
| 2 Normative references .....                                      | 6  |
| 3 Terms, definitions and abbreviations .....                      | 6  |
| 3.1 Terms and definitions .....                                   | 6  |
| 3.2 Abbreviations .....   | 7  |
| 4 Measurement consideration .....                                 | 7  |
| 4.1 Multiple test methods .....                                   | 7  |
| 4.2 Two wiggle loss mechanisms .....                              | 7  |
| 4.2.1 Rationale for two different wiggle loss test methods .....  | 7  |
| 4.2.2 Case A: Point of action for the ferrule .....               | 8  |
| 4.2.3 Case B: Point of action for the plug housing .....          | 8  |
| 5 Test method A .....   | 8  |
| 5.1 Apparatus .....   | 8  |
| 5.1.1 Apparatus .....   | 8  |
| 5.1.2 Test cord .....   | 8  |
| 5.1.3 Power meter .....   | 8  |
| 5.1.4 Test load .....   | 8  |
| 5.2 Test procedures for Tx interfaces .....                       | 9  |
| 5.2.1 Test procedures .....                                       | 9  |
| 5.2.2 Set up .....  | 9  |
| 5.2.3 Initial measurement .....                                   | 9  |
| 5.2.4 Apply load and rotate .....                                 | 9  |
| 5.2.5 Wiggle loss .....   | 10 |
| 5.3 Test procedures for Rx interfaces and optical receptors ..... | 10 |
| 5.3.1 Test procedures .....                                       | 10 |
| 5.3.2 LOS indicator method .....                                  | 10 |
| 5.3.3 Receiver optical power monitor method .....                 | 10 |
| 6 Test method B .....   | 11 |
| 6.1 Apparatus .....   | 11 |
| 6.1.1 Apparatus .....   | 11 |
| 6.1.2 Test fixture and rotation mechanism .....                   | 11 |
| 6.1.3 Test cord .....   | 11 |
| 6.1.4 Power meter .....   | 11 |
| 6.1.5 Test load .....   | 11 |
| 6.2 Test procedures for Tx interfaces .....                       | 11 |
| 6.2.1 Test procedures .....                                       | 11 |
| 6.2.2 Set up .....  | 12 |
| 6.2.3 Initial measurement .....                                   | 12 |
| 6.2.4 Apply load .....  | 12 |
| 6.2.5 Measurement .....   | 12 |
| 6.2.6 Wiggle loss .....   | 12 |
| 6.3 Test procedures for Rx interfaces and optical receptors ..... | 13 |
| 6.3.1 Test procedures .....                                       | 13 |
| 6.3.2 LOS indicator method .....                                  | 13 |
| 6.3.3 Receiver optical power monitor method .....                 | 13 |

|   |    |
|---|----|
| 7 Test results .....  | 14 |
| Annex A (normative) Load requirements .....   | 15 |
| Annex B (normative) Summary of test conditions .....  | 16 |
| Annex C (normative) Characteristics of test cord .....  | 17 |
| Annex D (normative) Floating tolerance .....  | 19 |
| Bibliography .....  | 20 |
| <br>  |    |
| Figure 1 – Equipment setup of Method A for Tx interfaces .....  | 9  |
| Figure 2 – Equipment setup of Method A for Rx interfaces and optical receptors .....                            | 10 |
| Figure 3 – Equipment setup of Method B for Tx interfaces .....  | 12 |
| Figure 4 – Equipment setup of Method B for Rx interface and optical receptors .....                             | 13 |
| Figure C.1 – Wiggle test cord interface .....   | 17 |
| Figure D.1 – Floating tolerance .....   | 19 |
| <br>  |    |
| Table 1 – Multiple test methods .....   | 7  |
| Table A.1 – Method A: Loads applied for devices using small-form-factor connector cords (1,25 mm ferrule) ..... | 15 |
| Table A.2 – Method B: Loads applied for devices using small-form-factor connector cords (1,25 mm ferrule) ..... | 15 |
| Table B.1 – Summary of test conditions for Method A (normative) .....   | 16 |
| Table B.2 – Summary of test conditions for Method B (normative) .....   | 16 |
| Table C.1 – Wiggle test cord specification .....  | 17 |
| Table C.2 – Dimensions of the wiggle test cord interface .....  | 18 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC ACTIVE COMPONENTS AND DEVICES –  
TEST AND MEASUREMENT PROCEDURES –****Part 3: Optical power variation induced by mechanical disturbance  
in optical receptacles and transceiver interfaces****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62150-3 has been prepared by subcommittee 86C: Fibre optic systems and active devices 86: Fibre optics.

The text of this standard is based on the following documents:

| FDIS          | Report on voting |
|---------------|------------------|
| 86C/1061/FDIS | 86C/1072/RVD     |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

This document is a preview generated by EVS

## FIBRE OPTIC ACTIVE COMPONENTS AND DEVICES – TEST AND MEASUREMENT PROCEDURES –

### Part 3: Optical power variation induced by mechanical disturbance in optical receptacles and transceiver interfaces

#### 1 Scope

The purpose of this part of IEC 62150 is to specify the test requirements and procedures for qualifying optical devices for sensitivity to coupled power variations induced by mechanical disturbance at the optical ports of the device. It applies to active devices with optical receptacle interfaces. In this edition, transceivers using small-form-factor connector cables (1,25 mm ferrule) for single mode fibre are specified.

It has been found that some optical transceivers and receptacles are susceptible to fibre optic cable induced stress when side forces are applied to the mated cable-connector assembly, resulting in variations in the transmitted optical power. This part of IEC 62150 defines physical stress tests to ensure that such optical connections (cable and receptacle) can continue to function within specifications.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61753 (all parts), *Fibre optic interconnecting devices and passive components performance standard*

IEC 61753-021-6, *Fibre optic interconnecting devices and passive components performance standard – Part 021-6: Grade B/2 single-mode fibre optic connectors for category O – Uncontrolled environment*

IEC 61754 (all parts), *Fibre optic connector interfaces*

#### 3 Terms, definitions and abbreviations

##### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

###### 3.1.1

###### wiggle

mechanical disturbances that induce coupled optical power variation to the optical receptacle and transceiver interface

###### 3.1.2

###### wiggle loss

variation in coupled output power (with respect to a no-load, non-rotated measurement) induced in an optical module or receptacle when the mated connector is laterally stressed.