

Edition 1.0 2009-03

STANDARD

ems to servicture

Output

Out Communication networks and systems for power utility automation -Part 7-420: Basic communication structure – Distributed energy resources logical nodes

EC 61850-7-420:2009(E)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Email: inmail@ Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

■ Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

■ Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00





Edition 1.0 2009-03

INTERNATIONAL

Communication networks and systems for power utility automation – Part 7-420: Basic communication structure – Distributed energy resources logical nodes

ELECTROTECHNICAL COMMISSION

ICS 33.200

ISBN 2-8318-1026-4

CONTENTS

FΟ	REWO	DRD		7
INT	RODI	JCTION		9
1 .	Scop	e		12
2	Norm	ative re	ferences	12
3	Term	s. defini	tions and abbreviations	13
	3.1		and definitions	
	3.2	70	obreviated terms	
4	-			
5			s for DER management systems	
Ü	5.1		ew of information modelling (informative)	
	0.1	5.1.1	Data information modelling constructs	
		5.1.2	Logical devices concepts	
		5.1.3	Logical nodes structure	
		5.1.4	Naming structure	
		5.1.5	Interpretation of logical node tables	
		5.1.6	System logical nodes LN Group: L (informative)	
		5.1.7	Overview of DER management system LNs	
	5.2	Logical	nodes for the DER plant ECP logical device	29
		5.2.1	DER plant electrical connection point (ECP) logical device (informative)	29
		5.2.2	(informative)	31
		5.2.3	LN: Operational characteristics at ECP Name: DOPR	
		5.2.4	LN: DER operational authority at the ECP Name: DOPA	
		5.2.5	LN: Operating mode at ECP Name: DOPM	
		5.2.6	LN: Status information at the ECP Name: DPST	34
		5.2.7	LN: DER economic dispatch parameters Name: DCCT	35
		5.2.8	LN: DER energy and/or ancillary services schedule control Name:	
			DSCC	
	5 0	5.2.9	LN: DER energy and/or ancillary services schedule Name: DSCH	
	5.3	_	nodes for the DER unit controller logical device	
			DER device controller logical device (informative)	
		5.3.2 5.3.3		
		5.3.4		عد ۱۸
6	Logic		LN: DER supervisory control Name: DRCCs for DER generation systems	42
Ü	6.1		nodes for DER generation logical device	
	0.1	6.1.1	DER generator logical device (informative)	42 42
		6.1.2	LN: DER unit generator Name: DGEN	
		6.1.3	LN: DER generator ratings Name: DRAT	
		6.1.4	LN: DER advanced generator ratings Name: DRAZ	
		6.1.5	LN: Generator cost Name: DCST	_
	6.2		nodes for DER excitation logical device	
		6.2.1	DER excitation logical device (informative)	
		6.2.2	LN: Excitation ratings Name: DREX	
		6.2.3	LN: Excitation Name: DEXC	
	6.3	Logical	nodes for DER speed/frequency controller	49

		6.3.1	Speed/frequency logical device (informative)	49
		6.3.2	LN: Speed/Frequency controller Name: DSFC	49
	6.4	Logical	nodes for DER inverter/converter logical device	50
		6.4.1	Inverter/converter logical device (informative)	50
Ť	1	6.4.2	LN: Rectifier Name: ZRCT	
		6.4.3	LN: Inverter Name: ZINV	53
7	Logic	al nodes	s for specific types of DER	55
	7.1		nodes for reciprocating engine logical device	
	7		Reciprocating engine description (informative)	
			Reciprocating engine logical device (informative)	
			LN: Reciprocating engine Name: DCIP	
	7.2		nodes for fuel cell logical device	
	1.2	7.2.1	Fuel cell description (informative)	
		7.2.2	Fuel cell logical device (informative)	
		7.2.3	LN: Fuel cell controller Name: DFCL	
		7.2.4	LN: Fuel cell stack Name: DSTK	
		7.2.5	LN: Fuel processing module Name: DFPM	
	7.3	_	nodes for photovoltaic system (PV) logical device	
		7.3.1	Photovoltaic system description (informative)	
		7.3.2	Photovoltaics system logical device (informative)	
		7.3.3	LN: Photovoltaics module ratings Name: DPVM	
		7.3.4	LN: Photovoltaics array characteristics Name: DPVA	
		7.3.5	LN: Photovoltaics array controller Name: DPVC	69
		7.3.6	LN: Tracking controller Name: DTRC	70
	7.4	Logical	nodes for combined heat and power (CHP) logical device	72
		7.4.1	Combined heat and power description (informative)	72
		7.4.2	Combined heat and power logical device (informative)	75
		7.4.3	LN: CHP system controller Name: DCHC	76
		7.4.4	LN: Thermal storage Name: DCTS	77
		7.4.5	LN: Boiler Name: DCHB	78
8	Logic	al nodes	LN: CHP system controller Name: DCHC	78
	8.1	Logical	nodes for fuel system logical device	78
		8.1.1	Fuel system logical device (informative)	78
		8.1.2	LN: Fuel characteristics Name: MFUL	80
		8.1.3	LN: Fuel delivery system Name: DFLV	80
	8.2	Logical	nodes for battery system logical device	81
	0.2	8 2 1	nodes for battery system logical device	21
		8.2.2	LN: Battery systems Name: ZBAT	82
			LN: Battery charger Name: ZBTC	Q ?
	8.3	Logical	node for fuse device	82
	0.5	8.3.1	Fuse logical device (informative)	
	Q /	8.3.2	LN: Fuse Name: XFUS	_
	8.4	•	Sequencer logical device	
		8.4.1	· · · · · · · · · · · · · · · · · · ·	
	0.5	8.4.2	LN: Sequencer Name: FSEQ	
	8.5	_	nodes for physical measurements	
		8.5.1	Physical measurements (informative)	
		გ.ე.2	LN: Temperature measurements Name: STMP	86

		8.5.3	LN: Pressure measurements Name: MPRS	. 87
		8.5.4	LN: Heat measured values Name: MHET	. 87
,	\	8.5.5	LN: Flow measurements Name: MFLW	.88
		8.5.6	LN: Vibration conditions Name: SVBR	. 90
	9 .	8.5.7	LN: Emissions measurements Name: MENV	. 90
	- A	8.5.8	LN: Meteorological conditions Name: MMET	
	8.6	Logical	nodes for metering	.91
		8.6.1	Electric metering (informative)	. 91
9	DER	commor	n data classes (CDC)	.92
	9.1	Array C	CDCs	.92
		9.1.1	E-Array (ERY) enumerated common data class specification	. 92
		9.1.2	V-Array (VRY) visible string common data class specification	. 92
	9.2	Schedu	ıle CDCs	.93
		9.2.1	Absolute time schedule (SCA) settings common data class specification	.93
		9.2.2	Relative time schedule (SCR) settings common data class	
			specification	
			itive) Glossary	
Bibli	iograp	ohy		. 98
Figu	ıre 1 -	– Examp	ole of a communications configuration for a DER plant	. 10
Figu	ıre 2 - lels	- IEC 61	1850 modelling and connections with CIM and other IEC TC 57	.11
Figu	ıre 3 -	– Inform	ation model hierarchy	21
Figu	ıre 4 -	– Examp	ole of relationship of logical device, logical nodes, data objects, and	
Eign	ıro 5	Ovorvi	ssesiew: Conceptual organization of DER logical devices and logical	
node	es	- Overvi		.28
			ation of electrical connection points (ECP) in a DER plant	
			er / converter configuration	
_				
_			ole of a reciprocating engine system (e.g. Diesel Gen-Set)	
•		•	ble of LNs in a reciprocating engine system	
-			cell – Hydrogen/oxygen proton-exchange membrane fuel cell (PEM)	
Figu	ıre 11	– PEM	fuel cell operation	
Figu	ıre 12	– Exam	nple of LNs used in a fuel cell system	. 59
Figu	Figure 13 – Example: One line diagram of an interconnected PV system64			
			matic diagram of a large PV installation with two arrays of several	.65
Figu	ire 15	– Exam	nple of LNs associated with a photovoltaics system	.66
_				.73
_			unit includes both domestic hot water and heating loops	.74
Figure 18 – CHP unit includes domestic hot water with hybrid storage				
_			unit includes domestic hot water without hybrid storage	
Figu	ıre 20	– Exan	nple of LNs associated with a combined heat and power (CHP) system	. 75

Table 1 – Interpretation of logical node tables	23
Table 2 – LPHD class	25
Table 3 – Common LN class	26
Table 4 – LLN0 class	27
Table 5 - DER plant corporate characteristics at the ECP, LN (DCRP)	31
Table 6 Operational characteristics at the ECP, LN (DOPR)	32
Table 7 – DER operational authority at the ECP, LN (DOPA)	33
Table 8 – Operating mode at the ECP, LN (DOPM)	34
Table 9 – Status at the ECP, LN (DPST)	35
Table 10 – DER Economic dispatch parameters, LN (DCCT)	35
Table 11 – DER energy schedule control, LN (DSCC)	36
Table 12 – DER Energy and ancillary services schedule, LN (DSCH)	37
Table 13 – DER controller characteristics, LN DRCT	38
Table 14 – DER controller status, LN DRCS	39
Table 15 – DER supervisory control, LN DRCC	40
Table 16 – DER unit generator, LN (DGEN)	42
Table 17 – DER Basic Generator ratings, LN (DRAT)	44
Table 18 – DER advanced generator ratings, LN (DRAZ)	46
Table 19 – Generator cost, LN DCST	47
Table 20 – Excitation ratings, LN (DREX)	
Table 21 – Excitation, LN (DEXC)	48
Table 22 – Speed/frequency controller, LN (DSFC)	49
Table 23 – Rectifier, LN (ZRCT)	51
Table 24 – Inverter, LN (ZINV)	53
Table 25 – Reciprocating engine, LN (DCIP)	57
Table 26 – Fuel cell controller, LN (DFCL)	60
Table 27 – Fuel cell stack, LN (DSTK)	61
Table 28 – Fuel cell processing module, LN (DFPM)	62
Table 29 – Photovoltaic module characteristics, LN (DPVM)	
Table 30 – Photovoltaic array characteristics, LN (DPVA)	68
Table 31 – Photovoltaic array controller, LN (DPVC)	69
Table 32 – Tracking controller, LN (DTRC)	70
Table 33 – CHP system controller, LN (DCHC)	76
Table 34 – CHP thermal storage, LN (DCTS)	77
Table 35 – CHP Boiler System, LN (DCHB)	78
Table 36 – Fuel types	79
Table 37 – Fuel characteristics, LN (MFUL)	80
Table 38 – Fuel systems, LN (DFLV)	81
Table 39 – Battery systems, LN (ZBAT)	
Table 40 – Battery charger, LN (ZBTC)	83
Table 41 – Fuse, LN (XFUS)	
Table 42 – Sequencer, LN (FSEQ)	85
Table 43 – Temperature measurements, LN (STMP)	86

Table 44 – Pressure measurements, LN (MPRS)	87
Table 45 – Heat measurement, LN (MHET)	88
Table 46 – Flow measurement, LN (MFLW)	89
Table 47 – Vibration conditions, LN (SVBR)	90
Table 48 – Emissions measurements, LN (MENV)	91
Table 49 E-Array (ERY) common data class specification	92
Table 50 – V-Array (VRY) common data class specification	
Table 51 – Schedule (SCA) common data class specification	93
Table 52 – Schedule (SCR) common data class specification	94

Array (.
Apray (VR
Springtule (SCr
- Scriedly)e (SCR).

Array (NR
Springtule (SCR).

Array (NR
Springtu

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 7-420: Basic communication structure – Distributed energy resources logical nodes

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61850-7-420 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/981/FDIS	57/988/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In Clauses 5 to 8 of this document, each subclause contains an initial informative clause, followed by normative clauses. Specifically, any subclause identified as informative is informative; any clause with no identification is considered normative.

A list of all parts of the IEC 61850 series, under the general title: Communication networks and systems for power utility automation, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed
- withdrawn,
- · replaced by a revised edition, or
- · amended.

TES DO PENEN DE PRED DE LA PRIME DE LA PRI A bilingual version of this publication may be issued at a later date.

INTRODUCTION

Increasing numbers of DER (distributed energy resources) systems are being interconnected to electric power systems throughout the world. As DER technology evolves and as the impact of dispersed generation on distribution power systems becomes a growing challenge - and opportunity, nations worldwide are recognizing the economic, social, and environmental benefits of integrating DER technology within their electric infrastructure.

The manufacturers of DER devices are facing the age-old issues of what communication standards and protocols to provide to their customers for monitoring and controlling DER devices, in particular when they are interconnected with the electric utility system. In the past, DER manufacturers developed their own proprietary communication technology. However, as utilities, aggregators, and other energy service providers start to manage DER devices which are interconnected with the utility power system, they are finding that coping with these different communication technologies present major technical difficulties, implementation costs, and maintenance costs. Therefore, utilities and DER manufacturers recognize the growing need to have one international standard that defines the communication and control interfaces for all DER devices. Such standards, along with associated guidelines and uniform procedures would simplify implementation, reduce installation costs, reduce maintenance costs, and improve reliability of power system operations.

The logical nodes in this document are intended for use with DER, but may also be applicable to central-station generation installations that are comprised of groupings of multiple units of the same types of energy conversion systems that are represented by the DER logical nodes in this document. This applicability to central-station generation is strongest for photovoltaics and fuel cells, due to their modular nature.

Communications for DER plants involve not only local communications between DER units and the plant management system, but also between the DER plant and the operators or aggregators who manage the DER plant as a virtual source of energy and/or ancillary services. This is illustrated in Figure 1.

★ = ECPs usually with switches, circuit breakers, and protection WAN **DER Plant Controller** and/or Proxy Server **DER Plant Operations DER Plant LAN** Stor Controller Controller Controller Utility interconnection Meter Meter Controller **DER Devices** Local Load IEC 099/09 Key CHP combined heat and power WAN wide area network DER distributed energy resources PV photovoltaics

Example of a Communications Configuration for a DER Plant

Figure 1 - Example of a communications configuration for a DER plant

In basic terms, "communications" can be separated into four parts

LAN local area network

- information modelling (the types of data to be exchanged nouns),
- services modelling (the read, write, or other actions to take on the data verbs),
- communication protocols (mapping the noun and verb models to actual bits and bytes),
- telecommunication media (fibre optics, radio systems, wireless systems, and other physical equipment).

This document addresses only the IEC 61850 information modelling for DER. Other IEC 61850 documents address the services modelling (IEC 61850-7-2) and the mapping to communication protocols (IEC 61850-8-x). In addition, a systems configuration language (SCL) for DER (IEC 61850-6-x) would address the configuration of DER plants.

The general technology for information modelling has developed to become well-established as the most effective method for managing information exchanges. In particular, the IEC 61850-7-x information models for the exchange of information within substations have become International Standard. Many of the components of this standard can be reused for information models of other types of devices.

In addition to the IEC 61850 standards, IEC TC 57 has developed the common information model (CIM) that models the relationships among power system elements and other

information elements so that these relationships can be communicated across systems. Although this standard does not address these CIM relationships for DER, it is fully compatible with the CIM concepts.

The interrelationship between IEC TC 57 modelling standards is illustrated in Figure 2. This illustration shows as horizontal layers the three components to an information exchange model for retrieving data from the field, namely, the communication protocol profiles, the service models, and the information models. Above these layers is the information model of utility-specific data, termed the common information model (CIM), as well as all the applications and databases needed in utility operations. Vertically, different information models are shown:

- substation automation (IEC 61850-7-4),
- large hydro plants (IEC 61850-7-410),
- distributed energy resources (DER) (IEC 61850-7-420),
- distribution automation (under development),
- advanced metering infrastructure (as pertinent to utility operations) (pending).




Figure 2 – IEC 61850 modelling and connections with CIM and other IEC TC 57 models

D. 12.5

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –



Part 7-420: Basic communication structure – Distributed energy resources logical nodes

1 Scope

This International Standard defines the IEC 61850 information models to be used in the exchange of information with distributed energy resources (DER), which comprise dispersed generation devices and dispersed storage devices, including reciprocating engines, fuel cells, microturbines, photovoltaics, combined heat and power, and energy storage.

The IEC 61850 DER information model standard utilizes existing IEC 61850-7-4 logical nodes where possible, but also defines DER-specific logical nodes where needed.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61850-7-2:2003, Communication networks and systems in substations – Part 7-2: Basic communication structure for substations and feeder equipment – Abstract communication service interface (ACSI) 1)

IEC 61850-7-3:2003, Communication networks and systems in substations – Part 7-3: Basic communication structure for substations and feeder equipment – Common data classes 1)

IEC 61850-7-4:2003, Communication networks and systems in substations – Part 7-4: Basic communication structure for substations and feeder equipment – Compatible logical node classes and data classes ¹⁾

IEC 61850-7-410, Communication networks and systems for power utility automation – Part 7-410: Hydroelectric power plants – Communication for monitoring and control

ISO 4217, Codes for the representation of currencies and funds

¹⁾ A new edition of this document is in preparation.