

# INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –  
Part 2-69: Particular requirements for wet and dry vacuum cleaners, including  
power brush, for commercial use**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –  
Part 2-69: Particular requirements for wet and dry vacuum cleaners, including  
power brush, for commercial use**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

**XB**

ICS 97.080

ISBN 978-2-88912-918-8

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	9
3 Terms and definitions .....	9
4 General requirement.....	12
5 General conditions for the tests .....	12
6 Classification.....	12
7 Marking and instructions.....	13
8 Protection against access to live parts.....	16
9 Starting of motor-operated appliances .....	16
10 Power input and current .....	16
11 Heating .....	16
12 Void.....	17
13 Leakage current and electric strength at operating temperature.....	17
14 Transient overvoltages .....	17
15 Moisture resistance .....	17
16 Leakage current and electric strength.....	19
17 Overload protection of transformers and associated circuits .....	19
18 Endurance.....	19
19 Abnormal operation .....	19
20 Stability and mechanical hazards .....	21
21 Mechanical strength .....	21
22 Construction.....	23
23 Internal wiring.....	25
24 Components .....	25
25 Supply connection and external flexible cords .....	26
26 Terminals for external conductors.....	27
27 Provision for earthing .....	27
28 Screws and connections.....	27
29 Clearances, creepage distances and solid insulation .....	27
30 Resistance to heat and fire.....	28
31 Resistance to rusting.....	28
32 Radiation, toxicity and similar hazards.....	28
Annexes .....	32
Annex A (normative) Routine tests.....	33
Annex AA (normative) Particular requirements for vacuum cleaners and dust extractors for the collection of hazardous dusts .....	34
Annex BB (informative) List of dusts which present an explosion risk when subject to ignition conditions .....	46
Annex CC (informative) Particular requirements for vacuum cleaners and dust extractors for the collection of dusts which present an explosion risk .....	52

Annex DD (normative) Particular requirements for vacuum cleaners for use in ESD protected areas.....	59
Annex EE (informative) Emission of acoustical noise .....	62
Annex FF (informative) Emission of vibration .....	69
Bibliography.....	70
Figure 101 – Impact test apparatus.....	29
Figure 102 – Apparatus for testing the abrasion resistance of current-carrying hoses .....	30
Figure 103 – Apparatus for testing the resistance to flexing of current-carrying hoses .....	30
Figure 104 – Configuration of the hose for the freezing treatment .....	31
Figure 105 – Flexing positions for the hose after removal from the freezing cabinet.....	31
Figure AA.2 – Warning label for dust class L and dust M machines.....	43
Figure AA.3 – Test method for essential filter material .....	44
Figure AA.4 – In situ essential filter element test .....	44
Figure AA.5 – Assembled machine test.....	44
Figure AA.6 – Sequence and selection of tests according to Clause 22 .....	45
Figure CC.1 – Marking – Type 22 vacuum cleaners .....	57
Figure CC.2 – Marking – Type 22 dust extractors .....	58
Figure EE.1 – Position of vacuum cleaners and its accessories .....	66
Figure EE.2 – Position of upright machines.....	67
Figure EE.3 – Position of back-pack vacuum cleaners .....	68
Table 12 – Pull force and torque .....	27
Table AA.1 – Penetration limits .....	37
Table BB.1 – Explosion parameters .....	46

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –  
SAFETY –****Part 2-69: Particular requirements for wet and dry vacuum cleaners,  
including power brush, for commercial use****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-69 has been prepared by subcommittee 61J: Electrical motor-operated cleaning appliances for commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition cancels and replaces the third edition published in 2002 and its Amendments 1 (2004) and 2 (2007). It constitutes a technical revision.

The principal changes in this edition as compared with the third edition of IEC 60335-2-69 are as follows (minor changes are not listed):

- the scope has been revised editorially to avoid misunderstandings;
- terms and definitions has been revised with regard to the requirements revised;
- the standard has been revised in general and updated regarding state-of-the-art, as far as necessary, in particular some changes have been made to Clauses 15, 22 and 25;

- Annex AA was revised and restructured;
- Annex CC was made informative;
- a new Annex EE 'Emission of acoustical noise' was added; and
- a new Annex FF 'Emission of vibration' was added.

The text of this standard is based on the following documents:

FDIS	Report on voting
61J/481/FDIS	61J/494/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for wet and dry vacuum cleaners, including power brush, for commercial use.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**



## INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-69: Particular requirements for wet and dry vacuum cleaners, including power brush, for commercial use

#### 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electrical motor-operated vacuum cleaners, including **back-pack vacuum cleaners**, and **dust extractors**, for wet suction, dry suction, or wet and dry suction, intended for commercial indoor or outdoor use with or without attachments.

It also deals with the safety of **centrally-sited vacuum cleaners**, excluding the installation of the system.

NOTE 101 Attention is drawn to the fact that additional requirements on the safe installation of **centrally-sited vacuum cleaners** are not addressed by this standard but need to be taken into account.

NOTE 102 This standard applies to machines for **commercial use**. The following list, although not comprehensive, gives an indication of locations that are included in the scope:

- public use areas such as hotels, schools, hospitals;
- industrial locations, for example factories and manufacturing shops;
- retail outlets, for example shops and supermarkets;
- business premises, for example offices and banks;
- all uses other than normal housekeeping purposes.

They are not equipped with a traction drive. The following power systems are covered:

- mains powered motors up to a **rated voltage** of 250 V for single-phase appliances and 480 V for other appliances,
- battery powered motors.

This standard also applies to machines handling **hazardous dust**, such as asbestos.

NOTE 103 Additional requirements for machines handling **hazardous dust** are given in Annex AA. Attention is drawn to the fact that in many countries additional requirements on hazardous substances might apply.

NOTE 104 Radioactive substances are not covered by definition of **hazardous dust** for the purposes of this standard.

This standard does not apply to

- vacuum cleaners and water-suction cleaning appliances for household use (IEC 60335-2-2);
- floor treatment machines for **commercial use** (IEC 60335-2-67, IEC 60335-2-72);
- spray extraction machines for **commercial use** (IEC 60335-2-68);
- hand-held mains-operated electrical garden blowers, vacuums and blower vacuums (IEC 60335-2-100);
- hand-held and transportable motor-operated electric tools (IEC 60745 series, IEC 61029 series);
- appliances for medical purposes (IEC 60601-1);

- machines designed for use in corrosive environments;
- machines designed for picking up liquids with a flash point below 55 °C;
- machines designed for use in explosive environments (dust, vapour or gas), except those designed for use in **zone 22**.

NOTE 104 Additional requirements for vacuum cleaners designed for collecting **combustible dust** in **zone 22** are given in Annex CC.

NOTE 105 Attention is drawn to the fact that in many countries additional requirements on the safe use of the equipment covered can be specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

## 2 Normative references

This clause of Part 1 is applicable except as follows.

*Addition:*

IEC 60312-1, *Vacuum cleaners for household use – Part 1: Dry vacuum – Methods for measuring the performance*

ISO 2602, *Statistical interpretation of test results – Estimation of the mean – Confidence interval*

ISO 6344-2, *Coated abrasives – Grain size analysis – Part 2: Determination of grain size distribution of macrogrits P12 to P220*

ISO 7731, *Ergonomics – Danger signals for public and work areas – Auditory danger signals*

ISO 11428, *Ergonomics – Visual danger signals – General requirements, design and testing*

## 3 Terms and definitions

This clause of Part 1 is applicable except as follows.

### 3.1.9 Replacement: normal operation

conditions under which the machine is operated in normal use, obtained at the following power input  $P_m$  of the vacuum motor:

$$P_m = 0,5 (P_f + P_i)$$

where

$P_f$  is the input, in watts, when the machine has been operated for 3 min, fitted with the nozzle and hose giving the highest input;

$P_i$  is the input, in watts, when the machine has been operated for 20 s with the nozzle sealed, immediately following the 3-minute-period with the nozzle open. Any valve or similar device used to ensure a flow of air to cool the motor in the event of a blockage of a main air inlet is rendered ineffective.

$P_f$  and  $P_i$  are measured with the supply voltage adjusted to **rated voltage**, or to a voltage equal to the mean value of the **rated voltage range** if the difference between the limits of the **rated voltage range** does not exceed 10 % of the mean value of the range. If the difference between the limits of the **rated voltage range** exceeds 10 % of the mean value, the tests are carried out with the supply voltage set to the upper limit of the range.