

Edition 1.0 2010-04

# TECHNICAL SPECIFICATION



Rotating electrical machines

Part 31: Selection of energy-efficient motors including variable speed applications - Application guide

Machines électriques tournantes -

Partie 31: Choix des moteurs éconergétiques incluant les applications à vitesse variable - Guide d'application





# THIS PUBLICATION IS COPYRIGHT PROTECTED

# Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IFC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch Web: www.iec.ch

# About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

# **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

■ Catalogue of IEC publications: <a href="www.iec.ch/searchpub">www.iec.ch/searchpub</a>
The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

■ Electropedia: <a href="www.electropedia.org">www.electropedia.org</a>
The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

# A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

# A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: www.iec.ch/searchpub/cur\_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online\_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv\_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



# IEC/TS 60034-31

Edition 1.0 2010-04

# TECHNICAL SPECIFICATION SPECIFICATION TECHNICAL



Rotating electrical machines – Part 31: Selection of energy-efficient motors including variable speed applications – Application guide

Machines électriques tournantes –
Partie 31: Choix des moteurs éconergétiques incluant les applications à vitesse variable – Guide d'application

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 29.160 ISBN 978-2-88910-023-1

# CONTENTS

FOF	REWC	)RD	5	
INT	RODL	JCTION	7	
1	Scop	e	8	
2	Norm	ative references	8	
3	Term	s, definitions and symbols	8	
	3.1	Terms and definitions		
	3.2	Symbols		
		eral		
	Efficiency			
	5.1	General		
	5.2	Motor losses		
	5.3	Additional motor-losses when operated on a frequency converter		
	5.4	Motors for higher efficiency classes		
	5.5	Variations in motor losses		
	5.6	Part load efficiency	14	
	5.7	Efficiency testing methods	15	
	5.8	Power factor (see Figure 4)	16	
	5.9	Matching motors and variable frequency converters	17	
	5.10	Motors rated for 50 Hz and 60 Hz		
		Motors rated for different voltages of a voltage range		
		Motors rated for operation at frequencies other than 50/60 Hz		
	5.13	Variable frequency converter efficiency	20	
_	5.14	Frequency converter power factor	22	
		onment		
	6.1	Starting performance	22	
	6.2	Operating speed and slip	23	
	6.3	Effects of power quality and variation in voltage and frequency		
	6.4	Effects of voltage unbalance	23	
	6.5	Effects of ambient temperature	24	
	7.1	General		
	7.2	Energy savings by speed control (variable speed drives, VSD)		
	7.3 7.4	Correct sizing of the motor		
	7. <del>4</del> 7.5	Applications involving extended periods of light load operations		
	7.6	Applications involving extended periods of light load operations		
	7.7	Applications where load-torque is increasing with speed (pumps, fans,	20	
	• • •	compressors, etc.)	26	
	7.8	Applications involving frequent starts and stops and/or mechanical braking	27	
	7.9	Applications involving explosive gas or dust atmospheres	27	
8	Econ	omy	28	
	8.1	Relevance to users	28	
	8.2	Initial purchase cost		
	8.3	Operating cost		
	8.4	Rewinding cost		
	8.5	Payback time	31	

8.6 Life cycle cost	31
9 Maintenance	32
Annex A (informative) Super-premium efficiency (IE4)	34
Bibliography	40
Figure 1 Overview of different areas for savings of electrical energy with drive systems	9
Figure 2 – Typical losses of energy-efficient motors, converters and electromechanical brakes	10
Figure 3 – Typical efficiency versus load curve bands for three-phase, cage-induction motors of different output power ranges (approximately 1,1 kW, 15 kW and 150 kW)	14
Figure 4 – Typical power factor versus load curve bands for three-phase, cage-induction motors of different output power ranges (approximately 1,1 kW, 15 kW and 150 kW)	16
Figure 5 – Typical reduction of energy efficiency in %-points for 4-pole, low-voltage motors between 50 Hz and 60 Hz when compared at the same torque (60 Hz power 20% increased)	
Figure 6 – Typical reduction of energy efficiency in %-points for 4-pole, low-voltage motors between 50 Hz and 60 Hz when compared at the same output power (60 Hz torque 20 % reduced)	19
Figure 7 – Typical efficiency of indirect three-phase voltage source type converters with a passive front-end for typical load points of pumps, fans and compressors	20
Figure 8 – Typical efficiency of indirect three-phase voltage source type converters with a passive front-end for typical load points of constant torque	21
Figure 9 – Typical variations of current, speed, power factor and efficiency with voltage for constant output power	23
Figure 10 – Potential energy savings by improvement of efficiency classes for motors running at rated load	25
Figure 11 – Typical torque versus speed curves for 11 kW, 4-pole, three-phase, cage-induction motors and load versus speed curves for speed-square-loads	26
Figure 12 – 11 kW IE3 motor operated at full load, 4 000 operating hours per year, 15 years life cycle	28
Figure 13 – Example of a load factor graph: fraction of annual operating hours	29
Figure 14 - Life cycle cost analysis of an 11 kW motor operating at full load	32
Figure A.1 – IE4 efficiency limits	39
Table 1 – Loss distribution in three-phase, 4-pole, cage-induction electric motors	12
Table 2 – Exemplary efficiency calculation of a motor when operated at 50 Hz and 60 Hz with the same torque, using a 50 Hz motor rating as the basis	18
Table 3 – Loss distribution for low-voltage U-converters	21
Table 4 – Example of changing of efficiency, speed and torque demand with energy efficiency class of three 11 kW, 50 Hz motors in the same application	27
Table 5 – Average lifecycles for electric motors	30
Table A.1 – Interpolation coefficients	35
Table A.2 – Nominal limits (%) for super-premium efficiency (IE4)	35
Table A.3 – Standard power in kW associated with torque and speed for line-operated motors	
Table A.4 – Nominal limits for super-premium efficiency (IE4) for 50 Hz line operated	27

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

# **ROTATING ELECTRICAL MACHINES -**

# Part 31: Selection of energy-efficient motors including variable speed applications – Application guide

# **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of EC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity, independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 60034-31, which is a technical specification, has been prepared by IEC technical committee 2: Rotating machinery.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
2/1575/DTS	2/1594/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60034 series, published under the general title *Rotating electrical machines*, can be found on the IEC website.

NOTE A table of cross-references of all IEC TC 2 publications can be found in the IEC TC 2 dashboard on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be be

- transformed into an International standard,
- · reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# INTRODUCTION

The present technical specification gives technical guidelines for the application of energyefficient motors in constant-speed and variable speed applications. It does not cover aspects of a purely commercial nature.

Standards developed by IEC technical committee 2 do not deal with methods of how to obtain a high efficiency but with tests to verify the guaranteed value. IEC 60034-2-1 is the most important standard for this purpose.

For approximately 15 years regional agreements were negotiated in many areas of the world regarding efficiency classes of three-phase, cage-induction motors with outputs up to about 200 kW maximum, as motors of this size are installed in high quantities and are for the most part produced in series production. The design of these motors is often driven by the market demand for low investment cost, hence energy efficiency was not a top priority.

In IEC 60034-30, IE efficiency classes for single-speed cage-induction motors have been defined and test procedures specified:

IE1	Standard efficiency
IE2	High efficiency
IE3	Premium efficiency
IE4	Super-premium efficiency

Determination of efficiency for motors powered by a frequency converter will be included in IEC standard 60034-2-3.

However, for motors rated 1 MW and above, which are usually custom made, a high efficiency has always been one of the most important design goals. The full-load efficiency of these machines typically ranges between 95 % and 98 %. Efficiency is usually part of the purchase contract and is penalized if the guaranteed values are not met. Therefore, these higher ratings are of secondary importance when assigning efficiency classes.

With permission from the National Electrical Manufacturers Association (NEMA), some parts of this TS are based on NEMA MG 10, Energy Management Guide For Selection and Use of Fixed Frequency Medium AC Squirrel-Cage Polyphase Induction Motors.

# **ROTATING ELECTRICAL MACHINES -**

# Part 31: Selection of energy-efficient motors including variable speed applications - Application guide

This part of IEC 60034 provides a guideline of technical aspects for the application of energyefficient, three-phase, electric motors. It not only applies to motor manufacturers, OEMs (original equipment manufacturers), end users, regulators and legislators but to all other interested parties.

This technical specification is applicable to all electrical machines covered by IEC 60034-30. Most of the information however is also relevant for cage-induction machines with output powers exceeding 375 kW.

# Normative references 2

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, Rotating electrical machines Part 1: Rating and performance

IEC 60034-30, Rotating electrical machines -Part 30: Efficiency classes of single-speed three-phase, cage induction motors (IE-code)

# Terms, definitions and symbols

## 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60034-1 and in VE. IEC 60034-30 apply.

# 3.2 **Symbols**

is the nominal efficiency, %  $\eta_{\mathsf{n}}$ 

is the rated efficiency, %  $\eta_N$ 

is the rated frequency, Hz  $f_{N}$ 

is the rated speed, min<sup>-1</sup>  $n_{N}$ 

 $P_{N}$ is the rated output power, kW

is the rated output torque, Nm  $T_{N}$ 

 $U_{N}$ is the rated voltage, V