

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Low-voltage switchgear and controlgear –
Part 7-4: Ancillary equipment – PCB terminal blocks for copper conductors**

**Appareillage à basse tension –
Partie 7-4: Matériels accessoires – Blocs de jonction pour cartes de circuits
imprimés pour conducteurs en cuivre**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Low-voltage switchgear and controlgear –
Part 7-4: Ancillary equipment – PCB terminal blocks for copper conductors**

**Appareillage à basse tension –
Partie 7-4: Matériels accessoires – Blocs de jonction pour cartes de circuits
imprimés pour conducteurs en cuivre**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.130.20

ISBN 978-2-8322-6402-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	9
4 Classification.....	10
5 Characteristics	10
5.1 Summary of characteristics.....	10
5.2 Type of PCB terminal block.....	10
5.3 Rated and limiting values	10
5.3.1 Rated voltages	10
5.3.2 Rated current.....	11
5.3.3 Standard cross-sections	11
5.3.4 Maximum cross-section	12
5.3.5 Connecting capacity	12
6 Product information	13
6.1 Marking.....	13
6.2 Additional information	13
7 Normal service, mounting and transport conditions.....	13
8 Constructional and performance requirements.....	13
8.1 Constructional requirements	13
8.1.1 Clamping units.....	13
8.1.2 Mounting and installation	14
8.1.3 Clearances and creepage distances	14
8.1.4 Terminal identification and marking	14
8.1.5 Resistance to abnormal heat and fire.....	15
8.1.6 Maximum cross-section and connecting capacity.....	15
8.2 Performance requirements.....	15
8.2.1 Temperature-rise (current-temperature derating)	15
8.2.2 Dielectric properties.....	15
8.2.3 Short-time withstand current.....	15
8.2.4 Contact resistance	16
8.2.5 Ageing tests	16
8.3 Electromagnetic compatibility (EMC).....	16
9 Tests	16
9.1 Kinds of test.....	16
9.2 General.....	16
9.3 Verification of mechanical characteristics.....	17
9.3.1 General	17
9.3.2 Attachment of the PCB terminal block on its support.....	17
9.3.3 Vacant	18
9.3.4 Verification of the maximum cross-section and connecting capacity.....	18
9.3.5 Verification of maximum cross-section (special test with gauges)	18
9.4 Verification of electrical characteristics	19
9.4.1 General	19

9.4.2	Verification of clearances and creepage distances.....	19
9.4.3	Dielectric tests.....	19
9.4.4	Verification of contact resistance	20
9.4.5	Temperature-rise test (current-temperature derating)	22
9.4.6	Short-time withstand current test	24
9.4.7	Ageing tests	25
9.5	Verification of thermal characteristics.....	29
9.6	Verification of EMC characteristics.....	30
9.6.1	General	30
9.6.2	Immunity.....	30
9.6.3	Emission.....	30
Annex A (informative)	Structure of a PCB terminal block.....	31
Annex B (informative)	Additional information to be specified between the manufacturer and the user	32
B.1	Additional information available on request of the user	32
B.2	Information for testing in addition to those mentioned above	32
Annex C (informative)	Examples of PCBs and PCB terminal blocks for high-current application	33
C.1	Layout of high-current PCBs (schematic diagram).....	33
C.2	High-current PCB terminal blocks	34
Bibliography		35
Figure 1	– Test assembly for the measurement of contact resistance and temperature-rise ..	22
Figure 2	– Example of wiring structure of a multi-tier PCB terminal block	23
Figure 3	– Test assembly for the measurement of short-time withstand current.....	25
Figure 4	– Test sequence	26
Figure 5	– Test sequence for PCB terminal blocks with contact pressure via insulating material	27
Figure 6	– Current cycling ageing test procedure	29
Figure A.1	– Structure of a PCB terminal block	31
Figure C.1	– Structure of a high current PCB	33
Figure C.2	– PCB terminal block with soldered connection to the PCB.....	34
Figure C.3	– PCB terminal block with screwed connection to the PCB	34
Table 1	– Standard cross-sections of copper conductors	11
Table 2	– Relationship between maximum cross-section and connecting capacity of PCB terminal blocks.....	12
Table 3	– Standards for clamping units and connecting methods	14
Table 4	– Tightening torques for PCB terminal blocks with screw-type clamping units.....	18
Table 5	– Impulse withstand test voltages.....	20
Table 6	– Dielectric test voltages corresponding to the rated insulation voltage	20
Table 7	– Length of connectable conductors and conductor loops.....	23
Table 8	– Examples of cross-sectional distribution of interconnections on printed circuit boards	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

**Part 7-4: Ancillary equipment –
PCB terminal blocks for copper conductors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-7-4 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This second edition cancels and replaces the first edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) additional test for PCB terminal blocks with clamping units, where contact pressure is transmitted through insulating materials;
- b) tightening torques for screws now given in Table 4 of this document (previously given in Table 4 of IEC 60947-1:2007); tightening torques added for an additional type of screw;
- c) new criteria for verification of contact resistance introduced;

- d) clarification in the description of the temperature-rise test (current-temperature derating); corrections in the test sequence according to Figure 4.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
121A/255/FDIS	121A/265/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60947 series, published under the general title *Low-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document covers not only the terminal block requirements in accordance with the IEC 60947-7 series but also takes into account the specifications of connectors in accordance with IEC 61984 as the requirements for both components are highly similar owing to equivalent applications.

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 7-4: Ancillary equipment – PCB terminal blocks for copper conductors

1 Scope

This part of IEC 60947-7 specifies requirements for PCB terminal blocks primarily intended for industrial or similar use.

Mounting and fixing on the printed circuit board is made by soldering, press-in or equivalent methods to provide electrical and mechanical connection between copper conductors and the printed circuit board.

This document applies to PCB terminal blocks intended to connect copper conductors, with or without special preparation, having a cross-section between 0,08 mm² and 300 mm² (AWG 28-600 kcmil), intended to be used in circuits of a rated voltage not exceeding 1 000 V AC up to 1 000 Hz or 1 500 V DC.

NOTE 1 Large-cross-section terminal blocks are dedicated to the specific design of high-current PCBs. The range up to 300 mm² is kept to cover any possible application. Examples of high current PCBs and PCB terminal blocks are shown in Annex C.

NOTE 2 AWG is the abbreviation of “American Wire Gage” (Gage (US) = Gauge (UK)).

1 kcmil = 1 000 cmil;

1 cmil = 1 circular mil = surface of a circle having a diameter of 1 mil;

1 mil = 1/1 000 inch.

This document can be used as a guide for special types of PCB terminal blocks with components, such as disconnect units, integrated cartridge fuse-links and the like or with other dimensions of conductors.

If applicable, in this document the term “clamping unit” is used instead of “terminal”. This is taken into account in the case of references to IEC 60947-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-20, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60352-1, *Solderless connections – Part 1: Wrapped connections – General requirements, test methods and practical guidance*

IEC 60352-2, *Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance*

IEC 60352-3, *Solderless connections – Part 3: Solderless accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-4, *Solderless connections – Part 4: Solderless non-accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-5, *Solderless connections – Part 5: Press-in connections – General requirements, test methods and practical guidance*

IEC 60352-6, *Solderless connections – Part 6: Insulation piercing connections – General requirements, test methods and practical guidance*

IEC 60352-7, *Solderless connections – Part 7: Spring clamp connections – General requirements, test methods and practical guidance*

IEC 60512-2-2:2003, *Connectors for electronic equipment – Tests and measurements – Part 2-2: Electrical continuity and contact resistance tests – Test 2b: Contact resistance – Specified test current method*

IEC 60512-4-1, *Connectors for electronic equipment – Tests and measurements – Part 4-1: Voltage stress tests – Test 4a: Voltage proof*

IEC 60512-5-2:2002, *Connectors for electronic equipment – Tests and measurements – Part 5-2: Current-carrying capacity tests – Test 5b: Current-temperature derating*

IEC 60512-11-7, *Connectors for electronic equipment – Tests and measurements – Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test*

IEC 60512-11-9, *Connectors for electronic equipment – Tests and measurements – Part 11-9: Climatic tests – Test 11i: Dry heat*

IEC 60512-11-10, *Connectors for electronic equipment – Tests and measurements – Part 11-10: Climatic tests – Test 11j: Cold*

IEC 60695-2-10, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60695-2-11, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-2-12, *Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials*

IEC 60695-2-13, *Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials*

IEC 60947-1:2007, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 60947-1:2007/AMD1:2010

IEC 60947-1:2007/AMD2:2014

IEC 60998-2-3, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-3: Particular requirements for connecting devices as separate entities with insulation-piercing clamping units*

IEC 60999-1, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)*

IEC 60999-2, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 2: Particular requirements for clamping units for conductors above 35 mm² up to 300 mm² (included)*

IEC 61210, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

ISO 6988, *Metallic and other non-organic coatings – Sulfur dioxide test with general condensation of moisture*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

printed circuit board

PCB

piece of insulating material with fixed metal traces to connect electronic components

Note 1 to entry: Printed circuit boards are typically subdivided according to:

- their structure (e.g. single- and double-sided, multilayers);
- the nature of the base material (e.g. rigid, flexible).

Note 2 to entry: This note applies to the French language only.

3.2

PCB terminal block

part intended to be mounted on a printed circuit board and carrying one or more mutually insulated contact units and which provides an electrical and mechanical connection between copper conductor and printed circuit board

3.3

rated current

current value assigned by the manufacturer, which the PCB terminal block can carry continuously (without interruption) and simultaneously through all its poles connected with the maximum cross-section, preferably at an ambient temperature of 40 °C, without the upper limiting temperature being exceeded

3.4

contact unit

conductive part establishing the connection between printed circuit board and connectable conductor(s)

Note 1 to entry: See Annex A for description of the structure of a PCB terminal block.