

This document is a preview generated by EVS

Industrial non-destructive testing equipment - Electron linear accelerator

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 62976:2019 sisaldab Euroopa standardi EN IEC 62976:2019 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 62976:2019 consists of the English text of the European standard EN IEC 62976:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 14.06.2019.	Date of Availability of the European standard is 14.06.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 27.120.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

**EN IEC 62976**

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2019

ICS 27.120.01

English Version

**Industrial non-destructive testing equipment - Electron linear  
accelerator  
(IEC 62976:2017)**

Appareils destinés aux essais non destructifs pour le  
secteur industriel - Accélérateur électronique linéaire  
(IEC 62976:2017)

Industrielle Ausrüstung für die zerstörungsfreie Prüfung -  
Elektronenlinearbeschleuniger  
(IEC 62976:2017)

This European Standard was approved by CENELEC on 2019-05-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## European foreword

This document (EN IEC 62976:2019) consists of the text of IEC 62976:2017 prepared by IEC/TC 45 "Nuclear instrumentation".

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-05-22
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-05-22

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 62976:2017 was approved by CENELEC as a European Standard without any modification.

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	6
4 Equipment sets, names and work conditions.....	8
4.1 Equipment sets .....	8
4.2 Name convention .....	8
4.3 Operating conditions .....	9
4.3.1 Environmental requirement.....	9
4.3.2 Power supply.....	9
5 Technical requirements .....	9
5.1 Appearance .....	9
5.2 Control system.....	9
5.2.1 Design principle.....	9
5.2.2 Operation of start and stop .....	9
5.2.3 Functions of control system .....	9
5.3 Performance .....	10
5.3.1 X-ray beam energy .....	10
5.3.2 X-ray homogeneity.....	10
5.3.3 X-ray beam air kerma rate .....	10
5.3.4 X-ray beam focal spot.....	11
5.3.5 X-ray beam asymmetry .....	11
5.3.6 X-ray sensitivity .....	11
5.3.7 Dose leakage .....	12
5.4 Electrical safety .....	12
5.4.1 Protective grounding.....	12
5.4.2 Insulation resistance.....	12
5.4.3 Dielectric strength.....	12
5.4.4 Protection against electric shock .....	12
5.5 Reliability.....	12
5.5.1 Continuous operation.....	12
5.5.2 Recovery .....	12
5.5.3 Restart .....	12
6 Test methods.....	12
6.1 General requirements .....	12
6.1.1 Testing conditions .....	12
6.1.2 Instruments and devices .....	13
6.2 Visual inspection.....	14
6.3 Control system test.....	14
6.4 Performance test .....	14
6.4.1 X-ray beam energy .....	14
6.4.2 X-ray homogeneity.....	15
6.4.3 X-ray beam air kerma rate .....	16
6.4.4 X-ray beam focal spot.....	16
6.4.5 X-ray beam asymmetry .....	18
6.4.6 X-ray sensitivity.....	18

6.4.7	Leakage dose rate .....	18
6.5	Electrical safety testing .....	19
6.5.1	Protective grounding .....	19
6.5.2	Insulation resistance .....	19
6.5.3	Dielectric strength .....	19
6.5.4	Protection against electric shock .....	19
6.6	Reliability test .....	19
6.6.1	Continuous operation .....	19
6.6.2	Recovery .....	19
6.6.3	Restart .....	19
7	Inspection rules .....	20
7.1	Inspection classification .....	20
7.2	Inspection items .....	20
7.3	Criterion rule .....	20
8	Marking, packaging, transportation, storage and accompanying documents .....	20
8.1	Marking .....	20
8.1.1	Accelerator signs .....	20
8.1.2	Component nameplates .....	21
8.1.3	Labels .....	21
8.1.4	Warning signs .....	21
8.2	Packaging .....	21
8.3	Transportation .....	21
8.4	Storage .....	21
8.5	Accompanying documents .....	22
8.5.1	Instructions .....	22
8.5.2	Product certification .....	22
8.5.3	Other documents .....	22
Figure 1 – Naming convention .....		8
Figure 2 – Sketch map of the test module .....		13
Figure 3 – Sketch map of the copper block with a swivelling edge .....		14
Figure 4 – Schematic diagram of X ray beam radial uniformity measurement .....		15
Figure 5 – Schematic diagram of the testing module in front of the detector .....		16
Figure 6 – Schematic diagram of the “Sandwich” test module placement .....		17
Figure 7 – Schematic diagram of the copper block test module placement .....		17
Figure 8 – Diagram of leakage dose measurement points .....		19
Table 1 – Specifications of several commonly used accelerator models .....		9
Table 2 – Half value layer of materials corresponding to commonly used X-ray beam energies .....		10
Table 3 – X-ray homogeneity of commonly used X-ray beam energies .....		10
Table 4 – X-ray beam air kerma rate of different models .....		11
Table 5 – Detection range of equivalent steel thickness corresponding to commonly used X-ray beam energies .....		11
Table 6 – Testing conditions .....		13
Table 7 – Inspection items of the accelerator .....		20

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**INDUSTRIAL NON-DESTRUCTIVE TESTING EQUIPMENT –  
ELECTRON LINEAR ACCELERATOR**
**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62976 has been prepared by technical committee 45: Nuclear instrumentation.

The text of this standard is based on the following documents:

FDIS	Report on voting
45/821/FDIS	45/824/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

This document is a preview generated by EVS



# INDUSTRIAL NON-DESTRUCTIVE TESTING EQUIPMENT – ELECTRON LINEAR ACCELERATOR

## 1 Scope

This document gives the rules of naming, technical requirements, test methods, inspection, marking, packaging, transportation, storage and accompanying documents for electron linear accelerator equipment for Non-Destructive Testing (NDT).

This document applies to NDT electron linear accelerator equipment in the X-ray energy range of 1 MeV to 15 MeV, including the accelerator equipment for radiographic film, computed radiography with imaging plates, real-time imaging, digital detector array and industrial computerized tomography.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC Guide 37:2012, *Instructions for use of products by consumers*

ISO 780:2015, *Packaging – Distribution packaging – Graphical symbols for handling and storage of packages*

ISO 19232-1:2013, *Non-destructive testing – Image quality of radiographs – Part 1: Determination of the image quality value using wire-type image quality indicators*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1

#### target

area on the surface of accelerating tube outlet on which the electron beam impinges and from which the primary beam of X-rays is emitted

### 3.2

#### linear electron accelerator

##### LINAC

apparatus for producing high energy electrons by accelerating them along a waveguide. The electrons strike a target to produce X-rays

Note 1 to entry: NDT electron linear accelerator, hereinafter referred to as the accelerator.

[SOURCE: ISO 5576:1997, 2.84]