

TECHNICAL REPORT



**Metallic communication cable test methods –
Part 4-1: Electromagnetic compatibility (EMC) – Introduction to electromagnetic
(EMC) screening measurements**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

TECHNICAL REPORT



**Metallic communication cable test methods –
Part 4-1: Electromagnetic compatibility (EMC) – Introduction to electromagnetic
(EMC) screening measurements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

ICS 33.100, 33.120.10

ISBN 978-2-88910-918-0

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references.....	7
3 Electromagnetic phenomena.....	8
4 The intrinsic screening parameters of short cables.....	10
4.1 General.....	10
4.2 Surface transfer impedance, Z_T	10
4.3 Capacitive coupling admittance, Y_C	10
4.4 Injecting with arbitrary cross-sections.....	12
4.5 Reciprocity and symmetry.....	12
4.6 Arbitrary load conditions.....	12
5 Long cables – coupled transmission lines.....	12
6 Transfer impedance of a braided wire outer conductor or screen.....	20
7 Test possibilities.....	26
7.1 General.....	26
7.2 Measuring the transfer impedance of coaxial cables.....	26
7.3 Measuring the transfer impedance of cable assemblies.....	26
7.4 Measuring the transfer impedance of connectors.....	27
7.5 Calculated maximum screening level.....	27
8 Comparison of the frequency response of different triaxial test set-ups to measure the transfer impedance of cable screens.....	32
8.1 General.....	32
8.2 Physical basics.....	32
8.2.1 Triaxial set-up.....	32
8.2.2 Coupling equations.....	35
8.3 Simulations.....	35
8.3.1 General.....	35
8.3.2 Simulation of the standard and simplified methods according to EN 50289-1-6, IEC 61196-1 (method 1 and 2) and IEC 62153-4-3 (method A).....	36
8.3.3 Simulation of the double short circuited methods.....	43
8.4 Conclusion.....	51
9 Background of the shielded screening attenuation test method (IEC 62153-4-4).....	52
9.1 General.....	52
9.2 Objectives.....	52
9.3 Theory of the triaxial measuring method.....	53
9.4 Screening attenuation.....	58
9.5 Normalised screening attenuation.....	59
9.6 Measured results.....	60
9.7 Comparison with absorbing clamp method.....	62
9.8 Practical design of the test set-up.....	63
9.9 Influence of mismatches.....	64
Annex A (normative) List of symbols.....	67
Bibliography.....	70
Figure 1 – Total electromagnetic field ($\vec{E}_t, \vec{H}_t$).....	8

Figure 2 – Defining and measuring screening parameters – A triaxial set-up	9
Figure 3 – Equivalent circuit for the testing of Z_T	11
Figure 4 – Equivalent circuit for the testing of $Y_C = j \omega C_T$	11
Figure 5 – Electrical quantities in a set-up that is matched at both ends	12
Figure 6 – The summing function $S\{L \cdot f\}$ for near and far end coupling	16
Figure 7 – Transfer impedance of a typical single braid screen	17
Figure 8 – The effect of the summing function-coupling transfer function of a typical single braid screen cable	17
Figure 9 – Calculated coupling transfer functions T_n and T_f for a single braid – $Z_F = 0$	18
Figure 10 – Calculated coupling transfer functions T_n and T_f for a single braid – $\text{Im}(Z_T)$ is positive and $Z_F = +0,5 \times \text{Im}(Z_T)$ at high frequencies	18
Figure 11 – Calculated coupling transfer functions T_n and T_f for a single braid – $\text{Im}(Z_T)$ is negative and $Z_F = -0,5 \times \text{Im}(Z_T)$ at high frequencies	19
Figure 12 – $L \cdot S$: the complete length dependent factor in the coupling function T	20
Figure 13 – Transfer impedance of typical cables	21
Figure 14 – Magnetic coupling in the braid Complete flux	22
Figure 15 – Magnetic coupling in the braid Left-hand lay contribution	22
Figure 16 – Magnetic coupling in the braid Right-hand lay contribution	22
Figure 17 – Complex plane, $Z_T = \text{Re } Z_T + j \text{Im } Z_T$, frequency f as parameter	23
Figure 18 – Magnitude (amplitude), $ Z_T(f) $	23
Figure 19 – Typical Z_T (time) step response of an overbraided and underbraided single braided outer conductor of a coaxial cable	24
Figure 20 – Z_T equivalent circuits of a braided wire screen	25
Figure 21 – Comparison of signal levels in a generic test setup	28
Figure 22 – Triaxial set-up for the measurement of the transfer impedance Z_T	32
Figure 23 – Equivalent circuit of the triaxial set-up	33
Figure 24 – Simulation of the frequency response for g	37
Figure 25 – Simulation of the frequency response for g	37
Figure 26 – Simulation of the frequency response for g	38
Figure 27 – Simulation of the frequency response for g	38
Figure 28 – Simulation of the 3 dB cut off wavelength (L/λ_1)	39
Figure 29 – Interpolation of the simulated 3 dB cut off wavelength (L/λ_1)	40
Figure 30 – 3 dB cut-off frequency length product as a function of the dielectric permittivity of the inner circuit (cable)	41
Figure 31 – Measurement result of the normalised voltage drop of a single braid screen in the triaxial set-up	42
Figure 32 – Measurement result of the normalised voltage drop of a single braid screen in the triaxial set-up	43
Figure 33 – Triaxial set-up (measuring tube), double short circuited method	44
Figure 34 – Simulation of the frequency response for g	45
Figure 35 – Simulation of the frequency response for g	45
Figure 36 – Simulation of the frequency response for g	46
Figure 37 – Simulation of the frequency response for g	46
Figure 38 – Interpolation of the simulated 3 dB cut off wavelength (L/λ_1)	47

Figure 39 – 3 dB cut-off frequency length product as a function of the dielectric permittivity of the inner circuit (cable)	48
Figure 40 – Simulation of the frequency response for g	49
Figure 41 – Interpolation of the simulated 3 dB cut off wavelength (L/λ_1).....	50
Figure 42 – 3 dB cut-off frequency length product as a function of the dielectric permittivity of the inner circuit (cable)	50
Figure 43 – Definition of transfer impedance.....	52
Figure 44 – Definition of coupling admittance	52
Figure 45 – Triaxial measuring set-up for screening attenuation.....	53
Figure 46 – Equivalent circuit of the triaxial measuring set-up	54
Figure 47 – Calculated voltage ratio for a typical braided cable screen.....	55
Figure 48 – Calculated periodic functions for $\epsilon_{r1} = 2,3$ and $\epsilon_{r2} = 1,1$	56
Figure 49 – Calculated voltage ratio-typical braided cable screen.....	57
Figure 50 – Equivalent circuit for an electrical short part of the length Δl and negligible capacitive coupling.....	58
Figure 51 – a_s of single braid screen, cable type RG 58, $L = 2$ m	61
Figure 52 – a_s of single braid screen, cable type RG 58, $L = 0,5$ m	61
Figure 53 – a_s of cable type HF 75 0,7/4,8 02YCY	62
Figure 54 – a_s of cable type HF 75 1,0/4,8 02YCY	62
Figure 55 – a_s of double braid screen, cable type RG 223.....	62
Figure 56 – Schematic for the measurement of the screening attenuation a_s	64
Figure 57 – Short circuit between tube and cable screen of the CUT	64
Figure 58 – Triaxial set-up, impedance mismatches.....	65
Figure 59 – Calculated voltage ratio including multiple reflections caused by the screening case.....	66
Figure 60 – Calculated voltage ratio including multiple reflections caused by the screening case.....	66
Table 1 – The coupling transfer function T (coupling function).....	15
Table 2 – Screening effectiveness of cable test methods for surface transfer impedance Z_T ..	30
Table 3 – Load conditions of the different set-ups.....	34
Table 4 – Parameters of the different set-ups	36
Table 5 – Cut-off frequency length product	40
Table 6 – Typical values for the factor v , for an inner tube diameter of 40 mm and a generator output impedance of 50 Ω	44
Table 7 – Cut-off frequency length product	47
Table 8 – Material combinations and the factor n	49
Table 9 – Cut-off frequency length product	50
Table 10 – Cut-off frequency length product for some typical cables in the different set-ups ..	51
Table 11 – Δa in dB for typical cable dielectrics	60
Table 12 – Comparison of results of some coaxial cables	63

INTERNATIONAL ELECTROTECHNICAL COMMISSION

METALLIC COMMUNICATION CABLE TEST METHODS –**Part 4-1: Electromagnetic compatibility (EMC) –
Introduction to electromagnetic (EMC) screening measurements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 62153-4-1, which is a technical report, has been prepared by IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This second edition cancels and replaces the first edition published in 2003. The significant change is a new clause on the background of the shielded screening attenuation test method.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
46/331/DTR	46/350/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62153 series, under the general title: *Metallic communication cable test methods*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

METALLIC COMMUNICATION CABLE TEST METHODS –

Part 4-1: Electromagnetic compatibility (EMC) – Introduction to electromagnetic (EMC) screening measurements

1 Scope

Screening (or shielding) is one basic way of achieving electromagnetic compatibility (EMC). However, a confusingly large number of methods and concepts is available to test for the screening quality of cables and related components, and for defining their quality. This technical report gives a brief introduction to basic concepts and terms trying to reveal the common features of apparently different test methods. It should assist in correct interpretation of test data, and in the better understanding of screening (or shielding) and related specifications and standards.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60096-1:1986, *Radio-frequency cables – Part 1: General requirements and measuring methods*
Amendment 2 (1993)

IEC 60096-4-1, *Radio-frequency cables – Part 4: Specification for superscreened cables – Section 1: General requirements and test methods*

IEC 60169-1-3, *Radio frequency connectors – Part 1: General requirements and measuring methods – Section 3: Electrical tests and measuring procedures – Screening effectiveness*

IEC 61196-1:1995, *Radiofrequency cables – Part 1: Generic specification – General, definitions, requirements and test methods*

IEC 61726, *Cable assemblies, cables, connectors and passive microwave components – Screening attenuation measurement by the reverberation chamber method*

IEC 62153-4-3, *Metallic communication cables test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*

IEC 62153-4-4, *Metallic communication cable test methods – Part 4-4: Electromagnetic compatibility (EMC) – Shielded screening attenuation, test method for measuring of the screening attenuation a_s up to and above 3 GHz*

IEC 62153-4-5, *Metallic communication cable test methods – Part 4-5: Electromagnetic compatibility (EMC) – Coupling or screening attenuation – Absorbing clamp method*

EN 50289-1-6, *Communication cables – Specification for test methods – Electrical test methods – Electromagnetic performance*