tt back

Decker of the second LCD backlight unit - Part 2: Electro-optical measurement methods of LED backlight unit (IEC 62595-2:2012)



### **EESTI STANDARDI EESSÕNA**

### **NATIONAL FOREWORD**

See Eesti standard EVS-EN 62595-2:2013 sisaldab	This Estonian standard EVS-EN 62595-2:2013
Euroopa standardi EN 62595-2:2013 ingliskeelset	consists of the English text of the European standard
teksti.	EN 62595-2:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
	Date of Availability of the European standard is 08.02.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 31.120, 31.260

### Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; <a href="www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

### **EUROPEAN STANDARD**

## EN 62595-2

# NORME EUROPÉENNE EUROPÄISCHE NORM

February 2013

ICS 31.120; 31.260

English version

# LCD backlight unit Part 2: Electro-optical measurement methods of LED backlight unit (IEC 62595-2:2012)

Ecran LCD à rétro-éclairage -Partie 2: Méthodes de mesures électro-optiques d'un écran à retro-éclairage à DEL (CEI 62595-2:2012) LCD-Hinterleuchtungseinheiten -Teil 2: Elektro-optische Messverfahren für LED-Hinterleuchtungseinheiten (IEC 62595-2:2012)

This European Standard was approved by CENELEC on 2012-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

# CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

### **Foreword**

The text of document 110/384/FDIS, future edition 1 of IEC 62595-2, prepared by IEC/TC 110 "Electronic display devices" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62595-2:2013.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2013-08-08
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2015-11-01

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 62595-2:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

ficial version, for Biblio	ography, the	following notes have to be added for the standards indicated:	
EC 61747-1	NOTE	Harmonised as EN 61747-1.	
SO 11664-1:2007	NOTE	Harmonised as EN ISO 11664-1:2011 (not modified).	
SO 11664-5:2009	NOTE	Harmonised as EN ISO 11664-5:2011 (not modified).	
		4	
		Harmonised as EN ISO 11664-5:2011 (not modified).	

# Annex ZA

(normative)

# Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
Series	International Electrotechnical Vocabulary (IEV)	-	-
-	Liquid crystal and solid-state display devices - Part 6: Measuring methods for liquid crystal modules - Transmissive typ	EN 61747-6 e	-
-	LCD backlight unit - Part 1-2: Terminology and letter symbols	EN 62595-1-2	-
2004	Colorimetry		
	Series -	Series International Electrotechnical Vocabulary (IEV)  - Liquid crystal and solid-state display devices - Part 6: Measuring methods for liquid crystal modules - Transmissive typ  - LCD backlight unit - Part 1-2: Terminology and letter symbols  2004 Colorimetry	Series International Electrotechnical Vocabulary (IEV)  - Liquid crystal and solid-state display EN 61747-6 devices - Part 6: Measuring methods for liquid crystal modules - Transmissive type  - LCD backlight unit - EN 62595-1-2 Part 1-2: Terminology and letter symbols  2004 Colorimetry -

# CONTENTS

FOF	REWO	)RD		3		
1	Scope					
2	Normative references					
3	Term	s and d	efinitions	5		
4	Gene	ral mea	surement conditions	5		
	4.1 Standard atmospheric conditions for LED BLU					
	4.2		ring setup			
	4.3		up time			
5	Meas		t methods			
5.1 Electrical measurement methods						
		5.1.1	Conditions			
		5.1.2	Current	7		
		5.1.3	Voltage	7		
		5.1.4	Power consumption	7		
	5.2	Optical	measurement methods	8		
		5.2.1	Conditions			
		5.2.2	Luminance			
		5.2.3	Luminance uniformity			
		5.2.4	Spectral power distribution			
		5.2.5	Chromaticity			
		5.2.6	Colour uniformity			
		5.2.7	Correlated colour temperature			
		5.2.8	Angular luminance uniformity			
		5.2.9	Angular colour uniformity			
۸			Measurement methods of block-wise BLU			
			tive) Practical measurement methods of block-wise BLU			
Bibl	liogra	ohy		16		
			ole of measuring setup for LED BLU			
Figu	ure 2 -	– Examp	ole of warm-up characteristic of BLU	7		
Figu	ure 3 -	– Definit	ion of zenith angle $ heta$ and azimuth angle $oldsymbol{\phi}$	8		
Figu	ure 4 -	– Exam	ples of measurement point layout	10		
Figu	ure 5 -	– Angula	ar luminance uniformity measurement	11		
			ole of test pattern (8 × 10 segments) for block-wise BLU			
			ple of incoherent point spread function			
			ble of test pattern of incoherent point spread function			
•						
_	Figure 9 – Example of test pattern of crosstalk					
	Figure A.1 – Measurement of average slope of incoherent point spread function14					
_	Figure A.2 – Black box pattern for crosstalk measurement using LCD15					
Figu	gure A.3 – Example of crosstalk measurement results using LCD1					

### LCD BACKLIGHT UNIT -

### Part 2: Electro-optical measurement methods of LED backlight unit

### 1 Scope

This part of IEC 62595 series specifies the standard measurement conditions and measuring methods for determining electrical, optical, and electro-optical parameters of LED backlight units for liquid crystal displays.

NOTE Other backlights (Cold Cathode Fluorescent Lamps (CCFLs), External Electrode Fluorescent Lamps (EEFLs), Hot Cathode Fluorescent Lamps (HCFLs), Carbon Nano Tube (CNT), etc.) are excluded from this standard.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), International Electrotechnical Vocabulary (available at http://www.electropedia.org)

IEC 61747-6, Liquid crystal and solid-state display devices – Part 6: Measuring methods for liquid crystal modules – Transmissive type

IEC 62595-1-2, LCD Backlight unit - Part 1-2: Terminology and letter symbols

CIE publication 15:2004, Colorimetry

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62595-1-2 apply.

### 4 General measurement conditions

### 4.1 Standard atmospheric conditions for LED BLU

Unless otherwise specified, all tests and measurements for LED backlight unit shall be carried out after sufficient warm-up time for illumination sources and devices under test (see 4.3), under the standard environmental conditions, at a temperature of 25 °C  $\pm$  3 °C, at a relative humidity of 25 % to 85 %, and at an atmospheric pressure of 86 kPa to 106 kPa. When different environmental conditions are used, they shall be noted in the detail specification (see IEC 61747-6).

### 4.2 Measuring setup

DUT, LMD, power source, driving and control devices for LED, and electrical measuring devices should be arranged appropriately for electro-optical measurements for LED BLU.

An example of measuring setup is shown in Figure 1.