

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Fuel cell technologies –
Part 3-200: Stationary fuel cell power systems – Performance test methods**

**Technologies des piles à combustible –
Partie 3-200: Systèmes à piles à combustible stationnaires – Méthodes d'essai
des performances**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Fuel cell technologies –
Part 3-200: Stationary fuel cell power systems – Performance test methods**

**Technologies des piles à combustible –
Partie 3-200: Systèmes à piles à combustible stationnaires – Méthodes d'essai
des performances**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

ICS 27.070

ISBN 978-2-88912-732-0

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	9
3 Terms, definitions and symbols	11
3.1 Terms and definitions	11
3.2 Symbols.....	15
4 Reference conditions.....	18
4.1 General.....	18
4.2 Temperature and pressure	18
4.3 Heating value base.....	19
5 Item of performance test.....	19
6 Test preparation	19
6.1 General.....	19
6.2 Uncertainty analysis	20
6.2.1 Uncertainty analysis items	20
6.2.2 Data acquisition plan	20
7 Measurement instruments and measurement methods	20
7.1 General.....	20
7.2 Measurement instruments	20
7.3 Measurement methods	21
7.3.1 Electric power measurements.....	21
7.3.2 Fuel input measurement	22
7.3.3 Recovered heat measurement	24
7.3.4 Purge gas flow measurement	25
7.3.5 Oxidant (air) input measurement.....	25
7.3.6 Other fluid flow measurement	26
7.3.7 Exhaust gas flow measurement	27
7.3.8 Discharge water measurement	28
7.3.9 Audible noise level measurement	29
7.3.10 Vibration level measurement	29
7.3.11 Total harmonic distortion measurement	29
7.3.12 Ambient condition measurement.....	29
8 Test plan	30
8.1 General.....	30
8.2 Ambient conditions	30
8.3 Maximum permissible variation in steady-state operating conditions.....	31
8.4 Test operating procedure	32
8.5 Duration of test and frequency of readings	32
9 Test methods and computation of test results	32
9.1 General.....	32
9.2 Efficiency test.....	32
9.2.1 General	32
9.2.2 Test method	32
9.2.3 Computation of inputs.....	33

9.2.4	Computation of output	42
9.2.5	Computation of efficiencies.....	44
9.3	Electric power and thermal power response characteristics test	44
9.3.1	General	44
9.3.2	Electric power output response time	49
9.3.3	Thermal power output response time	53
9.4	Start-up and shutdown characteristics test	56
9.5	Purge gas consumption test	56
9.6	Water consumption test.....	57
9.7	Waste heat test	57
9.8	Exhaust gas emission test.....	57
9.8.1	General	57
9.8.2	Calculation of emissions	57
9.9	Audible noise level test	58
9.10	Vibration level test.....	58
9.11	Discharge water quality test	59
10	Test reports	59
10.1	General	59
10.2	Title page	59
10.3	Table of contents.....	59
10.4	Summary report.....	59
10.5	Detailed report	60
10.6	Full report	60
Annex A (normative)	Uncertainty analysis	61
Annex B (normative)	Calculation of fuel heating value	76
Annex C (normative)	Reference gas	79
Bibliography		82
Figure 1	– Fuel cell power system diagram	9
Figure 2	– Symbol diagram	18
Figure 3	– Operating process chart of fuel cell power system.....	45
Figure 4	– Net electric and thermal power response time ramp rates	46
Figure 5	– Example for net electric and thermal power response time ramp rates to attain stable state	47
Figure 6	– 90 % response time ramp rates	48
Table 1	– Symbols	15
Table 2	– Test classification and test item	19
Table 3	– Test item and system status	30
Table 4	– Maximum permissible variations in test operating conditions	31
Table 5	– Vibration correction factors.....	59
Table A.1	– Summary of measurement parameters and their nominal values	66
Table A.2	– Nominal values of the calculation results.....	66
Table A.3	– Elemental error sources for the various parameters	67
Table A.4	– Absolute systematic uncertainty (B_i) and absolute random uncertainty ($2S_{xi}$)	69
Table A.5	– Sensitivity coefficients for the parameter P_i	71

Table A.6 – Propagated systematic uncertainty B_R and random uncertainty $2S_R$	72
Table A.7 – Total absolute uncertainty of the result U_{R95} and per cent uncertainty of U_{R95} of electric efficiency	74
Table B.1 – Heating value for component of gaseous fuel	76
Worksheet 1 – Calculation worksheet for energy of fuel gases	77
Worksheet 2 – Calculation worksheet for energy of air	78
Table C.1 – Reference gas for natural gas	80
Table C.2 – Reference gas for propane gas	80

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES –

**Part 3-200: Stationary fuel cell power systems –
Performance test methods**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62282-3-200 has been prepared by IEC technical committee 105: Fuel cell technologies.

This first edition of IEC 62282-3-200 cancels and replaces the first edition of IEC 62282-3-2, published in 2006, and constitutes a technical as well as a structural revision.

The principal changes in this first edition of IEC 62282-3-200 as compared with the first edition of IEC 62282-3-2 aim to harmonize with ASME PTC-50. They are as follows:

- the equations for efficiency calculation are changed from power-base to average power-base, which is obtained by dividing energy by test duration;
- the duration of the test and frequency of reading are changed;
- the efficiency test at partial load is no longer mandatory. Whether or not to conduct the test at partial load should be determined by the parties conducting the tests;

- the flow rate measurement method is modified. Both mass flow rate and volume flow rate are used for calculations of efficiency;
- the thermal energy input and mechanical energy input are incorporated into efficiency calculations.

The development of an independent standard on performance test methods of small stationary fuel cell power systems is currently under way (future IEC 62282-3-201). It will be harmonized with this standard.

The text of this standard is based on the following documents:

FDIS	Report on voting
105/340/FDIS	105/349/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62282 describes how to measure the performance of stationary fuel cell power systems for residential, commercial, agricultural and industrial applications.

The following fuel cell types have been considered:

- alkaline fuel cells (AFC),
- phosphoric acid fuel cells (PAFC),
- polymer electrolyte fuel cells (PEFC),
- molten carbonate fuel cells (MCFC);
- solid oxide fuel cells (SOFC).

FUEL CELL TECHNOLOGIES –

Part 3-200: Stationary fuel cell power systems – Performance test methods

1 Scope

This part of IEC 62282 covers operational and environmental aspects of the stationary fuel cell power systems performance. The test methods apply as follows:

- power output under specified operating and transient conditions;
- electric and thermal efficiency under specified operating conditions;
- environmental characteristics; for example, gas emissions, noise, etc. under specified operating and transient conditions.


This standard does not provide coverage for electromagnetic compatibility (EMC).

This standard does not apply to small stationary fuel cell power systems with electric power output of less than 10 kW which will be dealt with in the future IEC 62282-3-201.

Fuel cell power systems may have different subsystems depending upon types of fuel cell and applications, and they have different streams of material and energy into and out of them. However, a common system diagram and boundary has been defined for evaluation of the fuel cell power system (see Figure 1).

The following conditions are considered in order to determine the test boundary of the fuel cell power system:

- all energy recovery systems are included within the test boundary;
- all kinds of electric energy storage devices are considered outside the test boundary;
- calculation of the heating value of the input fuel (such as natural gas, propane gas and pure hydrogen gas, etc.) is based on the conditions of the fuel at the boundary of the fuel cell power system.



IEC 2330/11

Key

: **Fuel cell power system** including subsystems. The interface is defined as a conceptual or functional one instead of hardware such as a power package.



: **Subsystems**; fuel cell module, fuel processor, etc. These subsystem configurations depend on the kind of fuel, type of fuel cell or system.



: **The interface points** in the boundary to be measured for calculation data.

1 EMD : electromagnetic disturbance

2 EMI : electromagnetic interference

Figure 1 – Fuel cell power system diagram

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60051 (all parts), *Direct acting indicating analogue electrical measuring instruments and their accessories*

IEC 60359, *Electrical and electronic equipment – Expression of performance*

IEC 60688, *Electrical measuring transducers for converting a.c. electrical quantities to analogue or digital signals*

IEC 61000-4-7, *Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto*

IEC 61000-4-13, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests*

IEC 61028, *Electrical measuring instruments – X-Y recorders*

IEC 61143 (all parts), *Electrical measuring instruments – X-t recorders*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

IEC 61672-2, *Electroacoustics – Sound level meters – Part 2: Pattern evaluation tests*

IEC 62052-11, *Electricity metering equipment (AC) – General requirements, tests and test conditions – Part 11: Metering equipment*

IEC 62053-22, *Electricity metering equipment (a.c.) – Particular requirements – Part 22: Static meters for active energy (classes 0,2 S and 0,5 S)*

ISO/IEC Guide 98-3, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO 3648, *Aviation fuels – Estimation of net specific energy*

ISO 3744, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Engineering methods for an essentially free field over a reflecting plane*

ISO 4677-1, *Atmospheres for conditioning and testing – Determination of relative humidity – Part 1: Aspirated psychrometer method*

ISO 4677-2, *Atmospheres for conditioning and testing – Determination of relative humidity – Part 2: Whirling psychrometer method*

ISO 5167 (all parts), *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full*

ISO 5348, *Mechanical vibration and shock – Mechanical mounting of accelerometers*

ISO 6060, *Water quality – Determination of the chemical oxygen demand*

ISO 6326 (all parts), *Natural gas – Determination of sulfur compounds*

ISO 6974 (all parts), *Natural gas – Determination of composition with defined uncertainty by gas chromatography*

ISO 6975 (all parts), *Natural gas – Extended analysis – Gas chromatographic method*

ISO 7934, *Stationary source emissions – Determination of the mass concentration of sulfur dioxide – Hydrogen peroxide/barium perchlorate/Thorin method*

ISO 7935, *Stationary source emissions – Determination of the mass concentration of sulfur dioxide – Performance characteristics of automated measuring methods*

ISO 8217, *Petroleum products – Fuel (class F) – Specifications of marine fuels*

ISO 9000, *Quality management systems – Fundamentals and vocabulary*

ISO 9096, *Stationary source emissions – Manual determination of mass concentration of particulate matter*

ISO 10101 (all parts), *Natural gas – Determination of water by the Karl Fisher method*

ISO 10396, *Stationary source emissions – Sampling for the automated determination of gas concentrations for permanently installed monitoring systems*

ISO 10523, *Water quality – Determination of pH*

ISO 10707, *Water quality – Evaluation in an aqueous medium of the "ultimate" aerobic biodegradability of organic compounds – Method by analysis of biochemical oxygen demand (closed bottle test)*

ISO 10780, *Stationary source emissions – Measurement of velocity and volume flowrate of gas streams in ducts*

ISO 10849, *Stationary source emissions – Determination of the mass concentration of nitrogen oxides – Performance characteristics of automated measuring systems*

ISO 11042-1, *Gas turbines – Exhaust gas emission – Part 1: Measurement and evaluation*

ISO 11042-2, *Gas turbines – Exhaust gas emission – Part 2: Automated emission monitoring*

ISO 11541, *Natural gas – Determination of water content at high pressure*

ISO 11564, *Stationary source emissions – Determination of the mass concentration of nitrogen oxides – Naphthylethylenediamine photometric method*

ISO 14687, *Hydrogen fuel – Product specification*

ISO/TR 15916, *Basic consideration for the safety of hydrogen systems*

ISO 16622, *Meteorology – Sonic anemometer/thermometers – Acceptance test methods for mean wind measurements*

ASTM D4809-00, *Standard Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method)*

ASTM F2602-08e1, *Standard Test Method for Determining the Molar Mass of Chitosan and Chitosan Salts by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS)*

ASME PTC 50, *Performance Test Code 50 – Fuel Cell Power Systems Performance*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.