

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Live working – Voltage detectors –  
Part 1: Capacitive type to be used for voltages exceeding 1 kV a.c.**

**Travaux sous tension – Détecteurs de tension –  
Partie 1: Type capacitif pour usage sur des tensions alternatives de plus de 1 kV**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tél.: +41 22 919 02 11  
Fax: +41 22 919 03 00



IEC 61243-1

Edition 2.1 2009-06

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Live working – Voltage detectors –  
Part 1: Capacitive type to be used for voltages exceeding 1 kV a.c.**

**Travaux sous tension – Détecteurs de tension –  
Partie 1: Type capacitif pour usage sur des tensions alternatives de plus de 1 kV**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

ICS 29.240.99

ISBN 2-8318-1043-8

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	8
4 Requirements.....	12
4.1 General requirements.....	12
4.1.1 Safety.....	12
4.1.2 Indication.....	12
4.2 Functional requirements.....	12
4.2.1 Clear indication.....	12
4.2.2 Clear perceptibility.....	13
4.2.3 Temperature and humidity dependence of the indication.....	14
4.2.4 Frequency dependence.....	14
4.2.5 Response time.....	14
4.2.6 Power source dependability.....	14
4.2.7 Testing element.....	14
4.2.8 Non-response to d.c. voltage.....	15
4.2.9 Time rating.....	15
4.3 Electrical requirements.....	15
4.3.1 Insulating material.....	15
4.3.2 Protection against bridging.....	15
4.3.3 Resistance against sparking.....	15
4.4 Mechanical requirements.....	15
4.4.1 Design.....	15
4.4.2 Dimensions, construction.....	16
4.4.3 Grip force and deflection.....	17
4.4.4 Vibration resistance.....	17
4.4.5 Drop resistance.....	17
4.4.6 Shock resistance.....	17
4.5 Markings.....	17
4.6 Instructions for use.....	18
5 Specific requirements.....	18
5.1 For insulating element of a voltage detector as a complete device.....	18
5.1.1 Dielectric strength.....	18
5.1.2 Leakage current.....	18
5.2 For indicator casing of voltage detector as a separate device.....	18
6 Tests.....	18
6.1 General.....	18
6.1.1 Tests under wet conditions.....	19
6.1.2 Type test.....	19
6.1.3 Test methods.....	20

6.2	Function tests.....	20
6.2.1	Clear indication .....	20
6.2.2	Clear perceptibility of visual indication.....	23
6.2.3	Clear perceptibility of audible indication.....	24
6.2.4	Frequency dependence .....	25
6.2.5	Response time .....	26
6.2.6	Power source dependability.....	26
6.2.7	Check of testing element .....	26
6.2.8	Non-response to d.c. voltage .....	27
6.2.9	Time rating .....	27
6.3	Dielectric tests .....	27
6.3.1	Protection against bridging for indoor/outdoor type voltage detector.....	27
6.3.2	Protection against bridging for outdoor type voltage detector.....	29
6.3.3	Spark resistance.....	30
6.4	Mechanical tests .....	31
6.4.1	Visual and dimensional inspection.....	31
6.4.2	Grip force and deflection (only applicable for voltage detector as a complete device).....	31
6.4.3	Vibration resistance.....	32
6.4.4	Drop resistance .....	32
6.4.5	Shock resistance .....	32
6.4.6	Climatic dependence .....	33
6.4.7	Durability of markings.....	33
7	Specific tests.....	34
7.1	Leakage current for voltage detector as a complete device.....	34
7.1.1	Leakage current under dry conditions .....	34
7.1.2	Leakage current under wet conditions (for outdoor type only).....	34
8	Conformity assessment of voltage detectors having completed the production phase.....	35
	Annex A (normative) Suitable for live working; double triangle.....	51
	Annex B (normative) Instructions for use .....	52
	Annex C (normative) Chronology of type tests .....	53
	Annex D (normative) Classification of defects and tests to be allocated.....	55
	Annex E (normative) Mechanical shock tests – Pendulum method .....	57
	Annex F ( <i>Deleted</i> ).....	59
	Annex G (informative) In-service care.....	60
	Bibliography.....	62

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LIVE WORKING – VOLTAGE DETECTORS –****Part 1: Capacitive type to be used for voltages  
exceeding 1 kV a.c.**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61243-1 has been prepared by IEC technical committee 78: Live working.

This edition includes the following major technical changes from the previous edition:

- a) the Scope has been extended to cover the use on electrical systems for voltages up to 765 kV a.c.;
- b) the notion of family of voltage detectors which are identical in terms of design and dimensions and only differ by their nominal voltages (or nominal voltage ranges) has been included;
- c) the classification in terms of the setting of the threshold voltage to give a clear indication has been eliminated;
- d) a new test set-up with bars has been introduced. Depending on the nominal voltage of the voltage detector, it is required or becomes an alternative test set-up for checking the influence of interference fields, the influence of interference voltages, the protection against bridging and the spark resistance;

- e) the revision of specific dielectric tests has been included;
- f) some test procedures (clear perceptibility of audible indication, drop resistance, climatic dependence) have been improved and completed.

This consolidated version of IEC 61243-1 consists of the second edition (2003) [documents 78/527/FDIS and 78/537/RVD], its amendment 1 (2009) [documents 78/751/CDV and 78/794/RVC] and its corrigendum of October 2005.

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 2.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61243 consists of the following parts, under the general title *Live working – Voltage detectors*:

Part 1: Capacitive type to be used for voltages exceeding 1 kV a.c.

Part 2: Resistive type to be used for voltages of 1 kV to 36 kV a.c.

Part 3: Two-pole low-voltage type

Part 5: Voltage detecting systems (VDS)

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

This International Standard has been prepared according to the requirements of IEC 61477, where applicable.

This document is a preview generated by EVS

## LIVE WORKING – VOLTAGE DETECTORS –

### Part 1: Capacitive type to be used for voltages exceeding 1 kV a.c.

#### 1 Scope

This part of IEC 61243 is applicable to portable voltage detectors, with or without built-in power sources, to be used on electrical systems for voltages of 1 kV to 765 kV a.c., and frequencies of 50 Hz and/or 60 Hz.

This part applies only to voltage detectors of capacitive type used in contact with the part to be tested, as a complete device including its insulating element or as a separate device, adaptable to an insulating stick which, as a separate tool, is not covered by this standard (see 4.4.1 for general design).

Other types of voltage detectors are not covered by this part of the standard.

Some restrictions on their use are applicable in the case of factory-assembled switchgear and on overhead systems of electrified railways (see Annex B, instructions for use).

NOTE Except where otherwise specified, all the voltages defined in this standard refer to values of phase-to-phase voltages of three-phase systems. In other systems, the applicable phase-to-phase or phase-to-earth (ground) voltages should be used to determine the operating voltage.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:1989, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60068-1, *Environmental testing -Part 1: General and guidance*

IEC 60068-2-6:1995, *Environmental testing – Tests – Test Fc and guidance: Vibration (sinusoidal)*

IEC 60068-2-14:1984, *Environmental testing – Tests – Test N: Change of temperature*  
Amendment 1 (1986)

IEC 60068-2-32:1975, *Environmental testing – Tests – Test Ed: Free fall*  
Amendment 2 (1990)

IEC 60071-1:2006, *Insulation co-ordination – Part 1: Definitions, principles and rules*

IEC 60417-DB:2002<sup>1</sup>, *Graphical symbols for use on equipment*

IEC 60942, *Electroacoustics – Sound calibrators*

IEC 61260:1995, *Electroacoustics – Octave-band and fractional-octave-band filters*

<sup>1</sup> "DB" refers to the IEC on-line database.

IEC 61318:2007, *Live working – Conformity assessment applicable to tools, devices and equipment*

IEC 61477:2001, *Live working – Minimum requirements for the utilization of tools, devices and equipment*

Amendment 1 (2002)<sup>2</sup>

IEC 61672-1:2002, *Electroacoustics – Sound level meters – Part 1: Specifications*

ISO 286-1:1988, *ISO system of limits and fits – Part 1: Bases of tolerances, deviations and fits*

ISO 286-2:1988, *ISO system of limits and fits – Part 2: Tables of standard tolerance grades and limit deviations for holes and shafts*

ISO 3744:1994, *Acoustics – Determination of sound power levels of noise sources using sound pressure – Engineering method in an essentially free field over a reflecting plane*

CIE (International Commission on Illumination) 15.2:1986, *Colorimetry*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61318:2007 and the following apply.

#### 3.1

##### **voltage detector**

device used to provide clear evidence of the presence or the absence of the operating voltage

NOTE For example, voltage detectors can be described as capacitive type or resistive type.

[Definition 11.2.5 of IEC 60743, modified, and IEC 651-10-04, modified]

#### 3.2

##### **voltage detector of capacitive type**

device whose operation is based on the current passing through the stray capacitance to earth (ground)

NOTE The term voltage detector is used in this document for voltage detector of capacitive type.

#### 3.3

##### **designs of voltage detectors**

different constructions of voltage detectors, either as a complete device with or without contact electrode extension, or as a separate device intended to be equipped with an insulating stick, with or without contact electrode extension

NOTE Some parts such as the contact electrode, the contact electrode extension (if existing), or the insulating element of a voltage detector as a complete device may be dismantled.

#### 3.4

##### **family of voltage detectors**

for testing purposes, a group of voltage detectors, delimited by a minimum and a maximum rated voltage, that are identical in design (including dimensions) and only differ by their nominal voltages or nominal voltage ranges

<sup>2</sup> There exists a consolidated edition 1.1 (2002) that includes edition 1 and its amendment.