

Edition 1.0 2009-07

INTERNATIONAL STANDARD

NORME INTERMATIONALE



Industrial systems, installations and equipment and industrial products – Structuring principles and reference designations – Part 1: Basic rules

Systèmes industriels, installations et appareils, et produits industriels – Principes de structuration et désignations de référence – Partie 1: Règles de base





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IFC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

■ Catalogue of IEC publications: www.iec.ch/searchpub
The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

■ Electropedia: www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 1.0 2009-07

ERNATIONAL





Industrial systems, installations and equipment and industrial products -Structuring principles and reference designations -Part 1: Basic rules

Systèmes industriels, installations et appareils, et produits industriels -Principes de structuration et désignations de référence -Partie 1: Règles de base

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION **ELECTROTECHNIQUE INTERNATIONALE**

ICS 01.110; 29.020 ISBN 978-2-88910-785-8

CONTENTS

FOI	REWO	DRD	6	
INT	RODI	JCTION	8	
•	0.1	•General	8	
	0.2	Basic requirements for this standard	8	
	0.3	Required properties of the standard	9	
1	Scop	e	11	
2	Norm	native references	11	
3	Term	s and definitions	11	
4	Concepts			
	4.1	Object	13	
	4.2	Aspect	14	
	4.3	Technical system	15	
	4.4	Structuring	16	
	4.5	Function	16	
	4.6	Products and components	16	
	4.7	Location	17	
	4.8	Types, occurrences and individuals		
5	Struc	cturing principlesGeneral	20	
	5.1	General	20	
	5.2	Forming structures (i.e. types and occurrences)	21	
	5.3	Function-oriented structure	24	
	5.4	Product-oriented structure	25	
	5.5			
	5.6	Structures based on "other aspects"		
	5.7 Structures based on more than one aspect			
6	Construction of reference designations			
	6.1	General Format of reference designations	29	
	6.2	Format of reference designations	29	
		6.2.1 Single level	29	
		D / / IVIUIII-IEVEI	.วเว	
		6.2.3 Use of letter codes	31	
_	6.3	Different structures within the same aspect	31	
7	Refe	Different structures within the same aspectrence designation setgnation of locations	32	
8	Desi			
	8.1	General	33	
_	8.2	Assemblies	33	
9	Presentation of reference designations			
	9.1	Reference designations		
	9.2	Reference designations set		
40	9.3	Presentation of identifiers for the top-node		
		Illing		
		(informative) Historical background		
		(informative) Establishment and life cycle of objects		
Anr	nex C	(informative) Manipulation of objects	52	
Anr	nex D	(informative) Interpretation of reference designations using different aspects	64	

Affilex E (normative) Object represented with several top nodes in an aspect	67
Annex F (informative) Examples of multiple structures based on the same aspect	69
Annex G (informative) Example of structures and reference designations	73
Annex H (informative) Example of reference designations within a system	75
Bibliography	82
<i>(</i>),	
Figure 1 – International standards providing a consistent system for designation, documentation and presentation of information	10
Figure 2 – Illustration of an object	
Figure 3 – Aspects of an object	
Figure 4 – Illustration of a function and its sub-functions	
Figure 5 – Illustration of the concepts product, component, type, individual and	
occurrence	19
Figure 6 – Illustration of structural decomposition of an object from different aspects	20
Figure 7 – Illustration of a function-oriented decomposition and product-oriented	0.4
composition	
Figure 8 – Structure tree of object A (alternative 1)	
Figure 9 – Structure tree of object A (alternative 2)	
Figure 10 – Constituents in one aspect of object type 1	
Figure 11 – Constituents in one aspect of object type 2	
Figure 12 – Constituents in one aspect of object type 5	
Figure 13 – Structure tree of object type 1	
Figure 14 – Illustration of a function-oriented structure	
Figure 15 – Illustration of a product-oriented structure	
Figure 16 – Illustration of a location-oriented structure	
Figure 17 – Example of the use of "other aspect"	28
Figure 18 – Illustration of an object accessible from three aspects, and where these aspects are used also for internal structuring	28
Figure 19 – Illustration of an object identified by means of one aspect and with sub-	
objects identified by means of another aspect	
Figure 20 – Examples of single-level reference designations	30
Figure 21 – Relation between a multi-level reference designation and its single-level reference designations	30
Figure 22 – Examples of multi-level reference designations with multiple prefix signs	
Figure 23 – Example of reference designation sets	
Figure 24 – Example of designation of mounting planes inside a factory build assembly	
Figure 25 – Examples of designation of locations inside a factory build assembly	
Figure 26 – Examples of presentations of multi-level reference designations	
Figure 27 – Presentation of reference designations of a reference designation set	
Figure 28 – Different objects on a site identified with top node identifiers	
Figure 29 – The common initial portion of reference designations	
Figure 30 – Labelling of reference designations	
Figure A.1 – Scope of reference designation standards	
Figure B.1 – Development situations of an object	
Figure B.2 – The object's life cycle	

Figure C.1 – Integration of external information by copying	53
Figure C.2 – Integration of an external object by referencing	54
Figure C.3 – Three independently defined objects	54
Figure C.4 – Three separate objects with mutual relations	55
Figure C.5 – The three objects are merged into one	55
Figure C.6 – Overview of the process system	56
Figure C.7 Tree-like structures of the technical system	57
Figure C.8 - Completed structures of the technical system	58
Figure C.9 – Structures with designated sub-objects	58
Figure C.10 – Structures with some merged-and shared objects	59
Figure C.11 – Relations expressed by reference designation sets in which both designations are unambiguous	60
Figure C.12 – Relations expressed by reference designation sets in which one designation is ambiguous	60
Figure C.13 – Situations in the beginning of an object's life cycle accessible from three aspects	61
Figure C.14 – Situations in the beginning of the life cycle of closely related objects, each accessible from one aspect	62
Figure D.1 – Shift from function to product aspect	64
Figure D.2 – Shift from product to function aspect	
Figure D.3 – Shift from product to location aspect	
Figure D.4 – Shift from location to product aspect	65
Figure D.5 – Shift from function to location aspect	66
Figure D.6 – Shift from location to function aspect	
Figure E.1 – Object represented with several independent top nodes in one aspect	67
Figure E.2 – Example of multi-level reference designations using different aspects of an object with several independent top nodes in one aspect	68
Figure F.1 – Illustration of the concept of additional functional views of an industrial process plant	69
Figure F.2 – Location-oriented structure of a plant	70
Figure F.3 – Location-oriented structure within an assembly unit	70
Figure F.4 – Location-oriented structures of the plant	
Figure F.5 – Example of additional product-oriented structures	72
Figure G.1 – Function-oriented structure of object type 1	73
Figure G.2 – Function-oriented structure of object type 2	73
Figure G.3 – Function-oriented structure of object type 5	73
Figure G.4 – Concatenated function-oriented structure tree of object type A	74
Figure H.1 – Process flow diagram for a material handling plant	75
Figure H.2 – Overview diagram of part of the process system (=V1) and part of the power supply system (=G1)	76
Figure H.3 – Structure tree for parts of the material handling plant	
Figure H.4 – Layout drawing of the components of the MCC =G1=W1	
Figure H.5 – Layout drawing of the locations of the MCC =G1=W1	
Figure H.6 – Motor starter	
Figure H 7 – Product- and location-oriented structure trees for the MCC	80

Table 1 – Identification of types, occurrences and individuals within different contexts Table C.1 – Possible reference designation sets	
Table H.1 – Reference designation set for the constituents of the products MCC and motor starter	
\Diamond	
Saprelien Ochera.	
6,	
	•
`	6

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL SYSTEMS, INSTALLATIONS AND EQUIPMENT AND INDUSTRIAL PRODUCTS – STRUCTURING PRINCIPLES AND REFERENCE DESIGNATIONS –

Part 1: Basic rules

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 81346-1 has been prepared by IEC technical committee 3: Information structures, documentation and graphical symbols, in close co-operation with ISO technical committee 10: Technical product documentation.

It is published as a double logo standard.

This edition cancels and replaces the first edition of IEC 61346-1, published in 1996. This edition constitutes a technical revision.

This edition includes the following substantial changes with respect to the first edition of IEC 61346-1:

- a new introductory clause providing a description and explanation to the concepts used elsewhere in the publication;
- a more comprehensive description of the structuring principles and rules for structuring are provided;

- "other aspects" are introduced, and the prefix sign # is assigned to these aspects;
- the concept of reference designation group has been deleted;
- the specific term "transition" has been avoided and been replaced by an improved textual description of this phenomenon in annex D;
- a new clause about labelling is introduced;
- the old annexes have been removed with the exception of the annex showing an example of the application of reference designations within a system;
- a new annex explaining the manipulation of objects is introduced;
- 4 new annexes are introduced as rearrangement of detailed examples or explanatory information.

The text of this standard is based on the following documents:

FDIS	Report on voting
3/947/FDIS	3/958/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table. In ISO, the standard has been approved by 12 members out of 13 having cast a vote.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the International Standard 81346 series, formerly IEC 61346 series, under the general title *Industrial systems, installations and equipment and industrial products – structuring principles and reference designations*, can be found on the IEC website.

Future standards in this series will carry the new general number 81346. Numbers of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

0.1 General

This standard establishes a further development of earlier and withdrawn standards (IEC 60113-2, IEC 60750) on item designation, see Annex A. It provides basics for establishing models of plants, machines, buildings etc.

The standard specifies:

- principles for structuring of objects including associated information;
- rules on forming of reference designations based on the resulting structure.

By applying the structuring principles, even very large sets of information in a complex installation can be handled efficiently.

The structuring principles and the rules for reference designations are applicable to objects of both physical and non-physical character.

The structuring principles and the rules for reference designations provide a system that is easy to navigate within and easy to maintain. This system provides an excellent overview on a technical system since composite structures are simple to establish and understand.

The structuring principles and the rules for reference designations support alternative design and engineering processes in the life cycle of an object since they are based on the successively established results of this process and not on how the engineering process itself is carried out.

The structuring principles and the rules for reference designations allow, by accepting more than one aspect, that more than one coding principle can be applied. This technique also allows 'old structures' to be handled together with 'new structures' by using multiple unambiguous identifiers.

The structuring principles and the rules for reference designations support individual management for the establishment of reference designations, and enable subsequent integration of modules into larger constructs. They also support the establishment of reusable modules, either as functional specifications or as physical deliverables.

NOTE The concept of reusable modules encompasses for example, for manufacturers: the establishment of contract independent modules, and, for operators of complex assemblies: the description of requirements in terms of supplier independent modules.

The structuring principles and the rules for reference designations support concurrent work and allow different partners within a project to add and / or remove data to the structured project result as it proceeds.

The structuring principles and the rules for reference designations recognize time factor within the life-cycle as important for the application of different structures based on different views on the considered technical system.

0.2 Basic requirements for this standard

The basic requirements were developed during the preparation of IEC 61346-1 Ed. 1, and accepted by vote by the national committees.

NOTE These basic requirements concern the development of the structuring principles in this standard and not its application. They are therefore not normative vis-à-vis the application of this standard.

- This standard should be applicable to all technical areas and enable a common application.
- This standard shall be applicable to all kind of objects and their constituents, such as plants, systems, assemblies, software programs, spaces, etc.
- This standard should be capable of being consistently applied in all phases (i.e.
 conceptual development, planning, specification, design, engineering, construction,
 erection, commissioning, operation, maintenance, decommissioning, disposal, etc.) of the
 life time of an object of interest, i.e. an object to be identified.
- This standard shall provide the ability to identify unambiguously any single object being a constituent of another object.
- This standard shall support the incorporation of sub-object structures from multiple organizations into objects from other organizations without change to the original object structures and neither to the sub-object structures nor any of their documentation.
- This standard shall support a representation of an object independently of the complexity of the object
- This standard should be easy to apply and the designations should be easy for the user to understand.
- This standard should support the use of, and should be able to be implemented by, computer-aided tools for conceptual development, planning, specification, design, engineering, construction, erection, commissioning, operation, maintenance, decommissioning, disposal, etc.

0.3 Required properties of the standard

The required properties were developed during the preparation of IEC 61346-1 Ed. 1, and accepted by vote by the national committees.

NOTE 1 These required properties concern the development of the letter code classification system in this standard and not its application. They are therefore not normative vis-à-vis the application of this standard.

- This standard shall not contain rules and restrictions that prohibit its use within a technical area.
- This standard shall cover all its foreseeable applications within all technical areas.
- This standard shall support addressing of information to objects at all phases in their life time.
- This standard shall allow construction of designations at any time from the currently available information.
- This standard shall support the identification of objects based on a constituency principle.
- This standard shall contain rules that enable the formulation of unambiguous designations.
- This standard shall be open and allow a designation to be extended.
- This standard shall support modularity and reusability of objects.
- This standard shall support the description of different users' views on the object
- · This standard shall provide rules for the interpretation of designations where needed

Figure 1 provides an overview on international standards providing a consistent system for designation, documentation and presentation of information.




Figure 1 – International standards providing a consistent system for designation, matic. documentation and presentation of information

NOTE 2 The titles of the publications shown in Figure 1 are not complete.

INDUSTRIAL SYSTEMS, INSTALLATIONS AND EQUIPMENT AND INDUSTRIAL PRODUCTS – STRUCTURING PRINCIPLES AND REFERENCE DESIGNATIONS –

Part 1: Basic rules

1 Scope

This part of IEC 81346, published jointly by IEC and ISO, establishes general principles for the structuring of systems including structuring of the information about systems.

Based on these principles, rules and guidance are given for the formulation of unambiguous reference designations for objects in any system.

The reference designation identifies objects for the purpose of creation and retrieval of information about an object, and where realized about its corresponding component.

A reference designation labelled at a component is the key to find information about that object among different kinds of documents.

The principles are general and are applicable to all technical areas (for example mechanical engineering, electrical engineering, construction engineering, process engineering). They can be used for systems based on different technologies or for systems combining several technologies.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 646, Information technology – ISO 7-bit coded character set for information interchange

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply

NOTE Terms given in italics are defined elsewhere in this clause.

3.1

object

entity treated in a process of development, implementation, usage and disposal

NOTE 1 The object may refer to a physical or non-physical "thing", i.e. anything that might exist, exists or did exist.

NOTE 2 The object has information associated to it.

3.2

system

set of interrelated *objects* considered in a defined context as a whole and separated from their environment