



Edition 2.0 2010-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

Information technology equipment – Immunity characteristics – Limits and methods of measurement

Appareils de traitement de l'information – Caractéristiques d'immunité – Limites et méthodes de mesure



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur. Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: <u>www.electropedia.org</u>

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: <u>www.iec.ch/webstore/custserv</u>

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: <u>csc@iec.ch</u> Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: <u>www.iec.ch/webstore/custserv/custserv_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: <u>csc@iec.ch</u> Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00







INTERNATIONAL STANDARD

NORME INTERNATIONALE

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

Information technology equipment - Immunity characteristics - Limits and methods of measurement

Appareils de traitement de l'information – Caractéristiques d'immunité – Limites et méthodes de mesure

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION **ELECTROTECHNIQUE** INTERNATIONALE

PRICE CODE CODE PRIX

ICS 33.100.10

ISBN 978-2-88912-163-2

FO	FOREWORD									
INT	INTRODUCTION									
1	Scop	e and ol	bject	7						
2	Norm	ative re	eferences	7						
3	Term	s and d	lefinitions	8						
4	Immu	inity tes	st requirements	11						
	4.1	Genera	al							
	4.2	Particu	lar requirements							
		4.2.1	Electrostatic discharges (ESD)	11						
		4.2.2	Electrical fast transients (EFT)	12						
		4.2.3	Continuous radio frequency disturbances	12						
		4.2.4	Power-frequency magnetic fields	13						
		4.2.5	Surges	13						
		4.2.6	Voltage dips and interruptions	13						
5	Appli	cability .		13						
6	Cond	itions du	uring testing	14						
	6.1	Genera	al conditions	14						
	6.2	Particu	Ilar conditions (EUT operational modes, etc.)	15						
7	Perfo	rmance	e criteria	15						
	7.1	Genera	al performance criteria	15						
	7.2	Perform	mance criterion A	15						
	7.3	Perform	mance criterion B	15						
	7.4	Perform	mance criterion C	15						
	7.5	Particu	ular performance criteria	16						
8	Produ	uct docu	umentation	16						
9	Meas	uremen	nt uncertainty	16						
10	Immu	inity req	quirements	16						
Ann	iex A	(normati	tive) Telephony terminal equipment							
Ann	iex B	(normati	tive) Data processing equipment	29						
Ann	iex C	(normat	tive) Local area networks (LAN)							
Ann	iex D	(normat	tive) Printers and plotters							
Ann	iex E (` (normati	tive) Copying machines							
Ann	ex F (normati	tive) Automatic teller machines (ATM)	36						
Ann	iex G	(normat	tive) Point of sale terminals (POST)							
Ann	iex H	(normat	tive) xDSI Terminal equipment	40						
Rihl	ioarar	hv								
DIDI	logia	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
Гia.	uro 1	Deceri	intion of porto	0						
Figi				9						
tele	ure A. phone	1 – Exai e handse	et and an artificial ear for detecting demodulated sound pressure leve	121						
Figı aco	ure A.: ustic d	2 – Exai output d	mple test set-up for measuring the sound pressure level from the device of a telephone handset	23						
Figu spe	ure A.: aker/h	3 – Test ands fr	t setup for measuring the reference sound pressure level from a ree phone							
Fia	ure A	4 – Dem	nodulation on analogue lines, set up							
			о,	•						

 $\mathbf{\lambda}$

Figure A.5 – Example of typical small key telephone system or PABX	27
Figure H.1 – DSL access system configuration	40

Table 1 – Immunity, enclosure port	16
Table 2 – Immunity, signal ports and telecommunication ports	17
Table 3 – Immunity, input d.c. power port (excluding equipment marketed with a a.c./d.c. power converter)	17
Table 4 – Immunity, input a.c. power ports (including equipment marketed with a separate a.c./d.c power converter)	18
Table A.1 – Criteria applied to TTE functions, used during continuous disturbances testing	19
Table A.2 – Maximum acoustic demodulated levels at an ear piece	22
Table A.3 – Maximum acoustic demodulated levels relative to reference level	23
Table A.4 – Maximum demodulated differential mode signals at analogue ports	25
Table A.5 – TTE performance criteria for spot frequency tests	26
Table A.6 – TTE performance criteria for non-continuous radio frequency disturbances .	26
Table A.7 – Test configurations and performance assessment methods applicable to a PABX and associated terminals for continuous RF disturbance tests	28
Table H.1 – ITU-T recommendations for xDSL systems	41
Table H.2 – Example cable attenuation	41

INFORMATION TECHNOLOGY EQUIPMENT – IMMUNITY CHARACTERISTICS – LIMITS AND METHODS OF MEASUREMENT

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard CISPR 24 has been prepared by CISPR subcommittee I: Electromagnetic compatibility of information technology equipment, multimedia equipment and receivers.

This second edition cancels and replaces the first edition published in 1997, and its Amendments 1(2001) and 2 (2002). It is a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- dated references updated;
- option of using a 4 % step size for continuous conducted immunity test deleted;
- revision of Annex A for telephony equipment including methodology for measuring the demodulation from a speaker / hands free device;
- inclusion of new annex related to DSL equipment.

The text of this standard is based on the following documents:

CIS/I/331/FDIS CIS/I/334/RVD	FDIS	Report on voting
	CIS/I/331/FDIS	CIS/I/334/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed, •
- withdrawn,
- replaced by a revised edition, or BORCHEN OPROPRIO DE LES
- amended. •

INTRODUCTION

aho ndards .d assess. This CISPR publication establishes uniform requirements for the electromagnetic immunity of information technology equipment. The test methods are given in the referenced Basic EMC Immunity Standards. This publication specifies applicable tests, test levels, product operating conditions and assessment criteria.

INFORMATION TECHNOLOGY EQUIPMENT – IMMUNITY CHARACTERISTICS – LIMITS AND METHODS OF MEASUREMENT

1 Scope and object

This CISPR publication applies to information technology equipment (ITE) as defined in CISPR 22.

The object of this publication is to establish requirements that will provide an adequate level of intrinsic immunity so that the equipment will operate as intended in its environment. The publication defines the immunity test requirements for equipment within its scope in relation to continuous and transient conducted and radiated disturbances, including electrostatic discharges (ESD).

Procedures are defined for the measurement of ITE and limits are specified which are developed for ITE within the frequency range from 0 Hz to 400 GHz.

For exceptional environmental conditions, special mitigation measures may be required.

Owing to testing and performance assessment considerations, some tests are specified in defined frequency bands or at selected frequencies. Equipment which fulfils the requirements at these frequencies is deemed to fulfil the requirements in the entire frequency range from 0 Hz to 400 GHz for electromagnetic phenomena.

The test requirements are specified for each port considered.

NOTE 1 Safety considerations are not covered in this publication.

NOTE 2 In special cases, situations will arise where the level of disturbance may exceed the levels specified in this publication, for example where a hand-held transmitter is used in proximity to equipment. In these instances, special mitigation measures may have to be employed.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161:1990, International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility

IEC 60318-1:2009, Electroacoustics – Simulators of human head and ear – Part 1: Ear simulator for the measurement of supra-aural and circumaural earphones

IEC 61000-4-2:2008, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test

IEC 61000-4-3:2006, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test* Amendment 1(2007) Amendment 2(2010)

IEC 61000-4-4:2004, Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

IEC 61000-4-5:2005, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6:2008, Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields

IEC 61000-4-8:2009, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-11:2004, Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests

CISPR 16-1-2:2003, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Ancillary equipment – Conducted disturbances Amendment 1(2004) Amendment 2(2006)

CISPR 20:2006, Sound and television broadcast receivers and associated equipment – Immunity characteristics – Limits and methods of measurement

CISPR 22:2008, Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-161, and the following apply.

3.1

degradation

unwanted change in operational performance of an EUT due to electromagnetic disturbances. This does not necessarily mean malfunction or catastrophic failure

3.2

equipment under test

EUT

representative device or functionally interactive group of devices (that is a system) which includes one or more host units that is subjected to test procedures specified in this publication

3.3

information technology equipment ITE

any equipment:

- a) which has a primary function of either (or a combination of) entry, storage, display, retrieval, transmission, processing, switching, or control, of data and of telecommunication messages and which may be equipped with one or more terminal ports typically operated for information transfer;
- b) with a rated supply voltage not exceeding 600 V.

It includes, for example, data processing equipment, office machines, electronic business equipment and telecommunication equipment.

Any equipment (or part of the ITE equipment) which has a primary function of radio transmission and/or reception according to the ITU Radio Regulations are excluded from the scope of this publication.