

TECHNICAL REPORT



Guidance for production, testing and diagnostics of polymer insulators with respect to brittle fracture of core materials



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

TECHNICAL REPORT



Guidance for production, testing and diagnostics of polymer insulators with respect to brittle fracture of core materials

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

ICS 29.080.10

ISBN 978-2-88912-172-4

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	6
4 Description of brittle fracture.....	7
5 Identification of brittle fracture.....	8
6 Failure mechanisms.....	8
6.1 Description of identified failure mechanisms.....	8
6.2 Mechanism M1 – Acid generated by electrical activity.....	8
6.3 Mechanism M2 – Acid ingress from environment.....	9
6.4 Mechanism M3 – Acid generated inside the core.....	10
7 Risk assessment.....	10
7.1 FMEA approach.....	10
7.2 Results.....	11
7.3 Discussions.....	13
8 Guidance for material selection and production.....	13
8.1 Rod materials and production process.....	13
8.1.1 Fibreglass.....	13
8.1.2 Resins.....	14
8.1.3 Rod production.....	14
8.2 Housing and sealing.....	14
9 Preventive methods.....	15
9.1 Sealing.....	15
9.2 Corona rings.....	15
9.3 Material selection.....	16
9.4 Housing quality.....	16
9.5 Handling, transportation and storage.....	16
Bibliography.....	17
Figure 1 – Typical brittle fracture.....	7
Table 1 – Risk potential number (RPN) and standardized risk potential of brittle fracture failure modes.....	11
Table 2 – Risk assessment of the identified brittle fracture failure modes.....	11

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**GUIDANCE FOR PRODUCTION, TESTING
AND DIAGNOSTICS OF POLYMER INSULATORS
WITH RESPECT TO BRITTLE FRACTURE OF CORE MATERIALS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 62662, which is a technical report, has been prepared by IEC technical committee 36: Insulators.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
36/294/DTR	36/297/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

There is an urgent need within utilities and industry for material standards, which define the physical properties of the polymers applied for outdoor insulation. As a first step, a state-of-the-art report was issued by CIGRE which led to the publication of IEC 62039. This IEC technical report presents – as a conclusion of the CIGRE-report – the important material properties for polymeric materials used in outdoor insulation and, where applicable, lists the standardized test methods including the minimum requirements. The acid (brittle fracture) resistance of FRP core materials (see 3.7) was recognized as an important property for suspension/tension composite insulators. This technical report presents more detailed guidance on this subject taking into account different insulator designs and production techniques. The risk of occurrence and the influencing parameters were evaluated by failure mode effect analysis (FMEA). Brittle fracture is not the only failure mechanism for insulators in service and is generally less frequently observed than other modes, such as failure due to tracking and erosion. However, this subject is not yet covered by any IEC test procedures specifically designed to detect or prevent brittle fracture.

This document is a preview generated by EVS

GUIDANCE FOR PRODUCTION, TESTING AND DIAGNOSTICS OF POLYMER INSULATORS WITH RESPECT TO BRITTLE FRACTURE OF CORE MATERIALS

1 Scope

This technical report presents an analysis of the risk of influencing factors for brittle fracture of composite insulators that are mostly loaded in the tensile mode (suspension and tension insulators). Guidance is given to reduce the risk of in-service brittle fractures.

This phenomenon is limited to tension and suspension insulators. However, the general information given concerning the importance of various parameters can be used as a guideline for the design and production of any kind of composite insulator.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies:

IEC 61109, *Insulators for overhead lines – Composite suspension and tension insulators for a.c. systems with a nominal voltage greater than 1 000 V – Definitions, test methods and acceptance criteria.*

IEC/TR 62039, *Selection guide for polymeric materials for outdoor use under HV stress*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

fibre reinforced plastic material

FRP

composite material consisting of reinforcing components e.g. glass or synthetic fibres that are embedded in a polymer matrix e.g. epoxy or polyester. The FRP core is the integral load-carrying part of a composite insulator

3.2

stress corrosion cracking

SCC

failure of material subjected to a constant tensile stress in a corrosive environment

3.3

brittle fracture

abnormal and sudden breakage of FRP core materials with well-defined characteristic fracture patterns

NOTE Before brittle fracture, no apparent plastic deformation takes place. In the case of FRP core materials, brittle fracture is caused by SCC.

3.4

failure mechanism

principal and fundamental process that leads to a characteristic failure, e.g. brittle fracture