

Alumiinium ja alumiiniumisulamid. Pressitud vardad või latid, torud ja profiilid. Osa 5: Ristkülikukujulise ristlõikega latid, mõõtmeterantsid ja kuju lubatud piirhälbed

Aluminium and aluminium alloys - Extruded rod/bar, tube and profiles - Part 5: Rectangular bars, tolerances on dimensions and form

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 755-5:2008 sisaldab Euroopa standardi EN 755-5:2008 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 19.05.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 19.05.2008.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 755-5:2008 consists of the English text of the European standard EN 755-5:2008.

This standard is ratified with the order of Estonian Centre for Standardisation dated 19.05.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 19.05.2008.

The standard is available from Estonian standardisation organisation.

ICS 77.150.10

Võtmesõnad: alumiinium, alumiiniumisulamid, kuju lubatud piirhälbed, metall-latid, mõõtmed, mõõtmeterantsid, pressitud tooted, tasapinnalised latid (sordivaltstooted), valtstooted

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

EUROPEAN STANDARD

EN 755-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2008

ICS 77.150.10

Supersedes EN 755-5:1995

English Version

Aluminium and aluminium alloys - Extruded rod/bar, tube and profiles - Part 5: Rectangular bars, tolerances on dimensions and form

Aluminium et alliages d'aluminium - Barres, tubes et profilés filés - Partie 5: Barres rectangulaires, tolérances sur dimensions et forme

Aluminium und Aluminiumlegierungen - Stranggepresste Stangen, Rohre und Profile - Teil 5: Rechteckstangen, Grenzabmaße und Formtoleranzen

This European Standard was approved by CEN on 10 February 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

| | |
|----------------------------------|----|
| Foreword..... | 3 |
| 1 Scope | 5 |
| 2 Alloy groups..... | 5 |
| 3 Tolerances on dimensions | 5 |
| 3.1 Thickness and width | 5 |
| 3.2 Corner radii..... | 6 |
| 3.3 Length | 7 |
| 3.4 Squareness of cut ends | 7 |
| 4 Tolerances on form..... | 8 |
| 4.1 Straightness | 8 |
| 4.2 Convexity-Concavity | 9 |
| 4.3 Twist..... | 10 |
| 4.4 Squareness..... | 11 |
| Bibliography | 13 |

Foreword

This document (EN 755-5:2008) has been prepared by Technical Committee CEN/TC 132 "Aluminium and aluminium alloys", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2008, and conflicting national standards shall be withdrawn at the latest by September 2008.

This document supersedes EN 755-5:1995.

Within its programme of work, Technical committee CEN/TC 132 entrusted CEN/TC 132/WG 5 "*Extruded and drawn products*" to revise EN 755-5:1995.

The following technical modifications have been introduced during the revision:

- Clause 2: Alloys EN AW-3102, EN AW-6008, EN AW-6010A, EN AW-6014, EN AW-6023, EN AW-6360, EN AW-6262A, EN AW-6065 and EN AW-6182 are added in Group I
- Clause 2: Alloys EN AW-5049, EN AW-7108, EN AW-7108A and EN AW-7021 are added in Group II

EN 755 comprises the following parts under the general title "*Aluminium and aluminium alloys — Extruded rod/bar, tube and profiles*":

- *Part 1: Technical conditions for inspection and delivery*
- *Part 2: Mechanical properties*
- *Part 3: Round bars, tolerances on dimensions and form*
- *Part 4: Square bars, tolerances on dimensions and form*
- *Part 5: Rectangular bars, tolerances on dimensions and form*
- *Part 6: Hexagonal bars, tolerances on dimensions and form*
- *Part 7: Seamless tubes, tolerances on dimensions and form*
- *Part 8: Porthole tubes, tolerances on dimensions and form*
- *Part 9: Profiles, tolerances on dimensions and form*

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

CEN/TC 132 affirms it is its policy that in the case when a patentee refuses to grant licenses on standardized standards products under reasonable and not discriminatory conditions then this product shall be removed from the corresponding standard.