

**Müürikivide spetsifikatsioon. Osa 5:
Betoontehismüürikivid**

Specification for masonry units - Part 5: Manufactured stone
masonry units

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 771-5:2011 sisaldab Euroopa standardi EN 771-5:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.05.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 04.05.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 771-5:2011 consists of the English text of the European standard EN 771-5:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.05.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 04.05.2011.

The standard is available from Estonian standardisation organisation.

ICS 91.100.30

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

English Version

Specification for masonry units - Part 5: Manufactured stone masonry units

Spécifications pour éléments de maçonnerie - Partie 5:
Éléments de maçonnerie en pierre reconstituée

Festlegungen für Mauersteine - Teil 5: Betonwerksteine

This European Standard was approved by CEN on 17 March 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Materials	8
5 Requirements for manufactured stone masonry units.....	8
5.1 General.....	8
5.2 Dimensions and tolerances	8
5.2.1 Dimensions.....	8
5.2.2 Dimensional tolerances	9
5.3 Configuration and appearance.....	10
5.3.1 General.....	10
5.3.2 Configuration	10
5.3.3 Surface appearance.....	10
5.3.4 Flatness of surfaces	10
5.4 Density	10
5.5 Compressive strength	11
5.5.1 Declared value.....	11
5.5.2 Minimum value	11
5.6 Thermal properties	12
5.7 Durability	12
5.8 Water absorption by capillarity	12
5.8.1 Declared value.....	12
5.8.2 Maximum value	12
5.9 Moisture movement.....	12
5.10 Water vapour permeability.....	12
5.11 Reaction to fire.....	12
5.12 Shear bond strength.....	13
5.12.1 General.....	13
5.12.2 Declaration based on fixed values.....	13
5.12.3 Declaration based on tests	13
5.13 Flexural bond strength.....	13
6 Description, designation and classification of manufactured stone masonry units.....	13
6.1 Description and designation	13
6.2 Classification.....	14
7 Marking	14
8 Evaluation of conformity.....	14
8.1 General.....	14
8.2 Initial type testing	15
8.3 Factory production control.....	16
8.3.1 General.....	16
8.3.2 Testing and measuring equipment	16
8.3.3 Production equipment.....	16
8.3.4 Raw materials.....	16
8.3.5 Production process	17
8.3.6 Finished product testing.....	17
8.3.7 Statistical techniques.....	17
8.3.8 Marking and stock control of products	17

8.3.9	Traceability.....	17
8.3.10	Nonconforming products	17
Annex A	(normative) Sampling for initial type testing and for independent testing of consignments	18
A.1	General	18
A.2	Sampling procedure.....	18
A.2.1	General	18
A.2.2	Random sampling	18
A.2.3	Representative sampling.....	18
A.2.4	Dividing the sample.....	19
A.2.5	Number of units required for testing.....	19
Annex B	(normative) Normalised compressive strength	20
Annex C	(informative) Guidance for test frequencies for designing a FPC system to demonstrate conformity of finished products with the requirements of the standard and the declaration of the manufacturer	21
Annex ZA	(informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive	23
ZA.1	Scope and relevant characteristics	23
ZA.2	Procedure(s) for attestation of conformity of manufactured stone masonry units	25
ZA.2.1	System(s) of attestation of conformity.....	25
ZA.2.2	EC Certificate and Declaration of Conformity.....	26
ZA.3	CE marking and labelling.....	27
	Bibliography.....	31

Foreword

This document (EN 771-5:2011) has been prepared by Technical Committee CEN/TC 125 "Masonry", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2011, and conflicting national standards shall be withdrawn at the latest by November 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 771-5:2003.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association and supports the essential requirements of the EU Construction Products Directive (89/106/EEC).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This European Standard also takes into account the general rules for unreinforced and reinforced masonry in Eurocode 6.

EN 771, *Specification for masonry units* consists of:

- *Part 1: Clay masonry units*
- *Part 2: Calcium silicate masonry units*
- *Part 3: Aggregate concrete masonry units (Dense and light weight aggregates)*
- *Part 4: Autoclaved aerated concrete masonry units*
- *Part 5: Manufactured stone masonry units*
- *Part 6: Natural stone masonry units*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies the characteristics and performance requirements of manufactured stone masonry units for which the main intended uses are facing or exposed masonry in load bearing or non-load bearing building and civil engineering applications. The units are suitable for all forms of coursed or random masonry walling, including single leaf, cavity, partition, retaining and the external masonry to chimneys. They can provide fire protection, thermal insulation, sound insulation and sound absorption.

This standard covers concrete masonry units manufactured to resemble natural stone using casting or pressing techniques with or without textured surfaces produced, by casting, splitting, washing, blasting or tooling and with or without variable outline effects. It covers homogeneous masonry units and those consisting of different facing and backing concrete mixes, but excludes those manufactured with an adhesive bonded decorative face. This standard does not cover masonry units intended to conform to EN 771-3.

It defines the performance related to e.g. strength, density, dimensional accuracy, surface appearance and provides for the evaluation of conformity of the product to this European Standard. The marking requirements for products covered by this European Standard are also included.

This European Standard does not apply to storey height panels, masonry units used for chimney flues or units manufactured with an adhesive bonded decorative face. It does not include products intended to be used as a damp proof course nor does it specify standard sizes for manufactured stone masonry units or work dimensions and angles of specially shaped units. It does not cover units with an incorporated thermal insulation material bonded to the faces of the unit susceptible to be exposed to fire.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 772-1, *Methods of test for masonry units — Part 1: Determination of compressive strength*

EN 772-11, *Methods of test for masonry units — Part 11: Determination of water absorption of aggregate concrete, autoclaved aerated concrete, manufactured stone and natural stone masonry units due to capillary action and the initial rate of water absorption of clay masonry units*

EN 772-13, *Methods of test for masonry units — Part 13: Determination of net and gross dry density of masonry units (except for natural stone)*

EN 772-14, *Methods of test for masonry units — Part 14: Determination of moisture movement of aggregate concrete and manufactured stone masonry units*

EN 772-16:2011, *Methods of test for masonry units — Part 16: Determination of dimensions*

EN 772-20, *Methods of test for masonry units — Part 20: Determination of flatness of faces of aggregate concrete, manufactured stone and natural stone masonry units*

EN 1052-2, *Methods of test for masonry — Part 2: Determination of flexural strength*

EN 1052-3, *Methods of test for masonry — Part 3: Determination of initial shear strength*

EN 1745, *Masonry and masonry products — Methods for determining thermal properties*

EN 13501-1, *Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests*

EN ISO 12572, *Hygrothermal performance of building materials and products — Determination of water vapour transmission properties (ISO 12572:2001)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

- 3.1**
masonry unit
preformed component intended for use in masonry construction
- 3.2**
facing masonry unit
masonry unit intended for use with one or more faces visible in use which may or may not be exposed
- 3.3**
exposed face
face intended to be exposed to external climatic conditions
- 3.4**
manufactured stone masonry unit
facing masonry unit having at least one exposed face with a close structure formed from either one or two homogeneous mixtures of aggregate, cementitious binder and other materials moulded under pressure and/or vibration and with or without further processing, intended to resemble and be used as an alternative to natural stone
- 3.5**
two-part masonry unit
masonry unit manufactured with different facing and backing concretes
- 3.6**
co-ordinating size
size of the co-ordinating space allocated to a masonry unit including an allowance for joints
- 3.7**
work size
size of a masonry unit specified for its manufacture to which the actual size conforms within permissible deviations
- 3.8**
actual size
size of a masonry unit as measured
- 3.9**
regular shaped masonry unit
masonry unit with an overall rectangular parallelepiped shape
- 3.10**
specially shaped masonry unit
masonry unit which is not a rectangular parallelepiped
- 3.11**
accessory unit
masonry unit which is shaped to provide a particular function, e.g. to complete the geometry of the masonry