## INTERNATIONAL STANDARD

ISO 8100-2

First edition 2019-03

# Lifts for the transport of persons and goods —

Part 2:

Design rules, calculations, examinations and tests of lift components

Elévateurs pour le transport de personnes et d'objets —

Partie 2: Règles de conception, calculs, examens et essais des composants pour élévateurs



Reference number ISO 8100-2:2019(E)



© ISO 2019

plementation, no partanical, includir requested fr All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Cor	itent	S	Page
Fore	word		<b>v</b>
Intro	ductio	n	vi
1	Scop	e	1
2		native references	
3		is and definitions	
4	List o	of significant hazards	2
5		gn rules, calculations, examinations and tests	
	5.1	General provisions for type examinations of safety components	3
		5.1.1 Object and extent of the tests	
	5.2	Type examination of landing and car door locking devices	
	5.2	5.2.1 General provisions	
		5.2.2 Examination and tests	
		5.2.3 Test particular to certain types of locking devices	7
		5.2.4 Type examination certificate	
	5.3	Type examination of safety gear	
		5.3.1 General provisions	
		5.3.2 Instantaneous safety gear	
		5.3.3 Progressive safety gear 5.3.4 Comments	
		5.3.5 Type examination certificate	
	5.4	Type examination of overspeed governors	
	0.1	5.4.1 General provisions	
		5.4.2 Check on the characteristics of the overspeed governor	
		5.4.3 Type examination certificate	15
	5.5	Type examination of buffers	
		5.5.1 General provisions	
		5.5.2 Samples to be submitted	
		5.5.3 Test	
	5.6	Type examination of safety circuits containing electronic components and/or	20
	5.0	programmable electronic systems (PESSRAL)	20
		5.6.1 General provisions	
		5.6.2 Test samples	21
		5.6.3 Tests	
		5.6.4 Type examination certificate	
	5.7	Type examination of ascending car overspeed protection means	
		5.7.1 General provisions	23
		5.7.2 Statement and test sample	
		5.7.4 Possible modification to the adjustments	
		5.7.5 Test report	
		5.7.6 Type examination certificate	
	5.8	Type examination of unintended car movement protection means	25
		5.8.1 General provisions	
		5.8.2 Statement and test sample	
		5.8.3 Test	
		5.8.4 Possible modification to the adjustments 5.8.5 Test report	
		5.8.6 Type examination certificate	
	5.9	Type examination of rupture valve/one-way restrictor	
		5.9.1 General provisions	

## ISO 8100-2:2019(E)

5.10.1 Range of calculation 5.10.2 Bending 5.10.3 Buckling 5.10.4 Combination of bending and compression/tension or buckling stresses 5.10.5 Flange bending 5.10.6 Deflections  Evaluation of traction 5.11.1 General 5.11.2 Traction calculation 5.11.3 Formulae for a general case (see Figure 9)  Evaluation of safety factor on suspension ropes for electric lifts 5.12.1 General 5.12.2 Equivalent number, N <sub>equiv</sub> , of pulleys 5.12.3 Safety factor  Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report  Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	34 36 37 37 38 39 39 43 47 47 48 49 50 50 54 60 61 61 62 62 65
5.10.3 Buckling 5.10.4 Combination of bending and compression/tension or buckling stresses 5.10.5 Flange bending 5.10.6 Deflections  Evaluation of traction 5.11.1 General 5.11.2 Traction calculation 5.11.3 Formulae for a general case (see Figure 9)  Evaluation of safety factor on suspension ropes for electric lifts 5.12.1 General 5.12.2 Equivalent number, Nequiv, of pulleys 5.12.3 Safety factor  Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report  Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	3637383939434748495050546061616262
5.10.4 Combination of bending and compression/tension or buckling stresses 5.10.5 Flange bending 5.10.6 Deflections  Evaluation of traction 5.11.1 General 5.11.2 Traction calculation 5.11.3 Formulae for a general case (see Figure 9)  Evaluation of safety factor on suspension ropes for electric lifts 5.12.1 General 5.12.2 Equivalent number, Nequiv, of pulleys 5.12.3 Safety factor  Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report  Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	37 38 39 39 39 43 47 47 47 48 49 50 50 60 61 61 62 62
5.10.5 Flange bending 5.10.6 Deflections  11 Evaluation of traction 5.11.1 General 5.11.2 Traction calculation 5.11.3 Formulae for a general case (see Figure 9)  12 Evaluation of safety factor on suspension ropes for electric lifts 5.12.1 General 5.12.2 Equivalent number, Nequiv, of pulleys 5.12.3 Safety factor  13 Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  14 Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report 15 Electronic components — Failure exclusion 16 Design rules for programmable electronic systems (PESSRAL)	37 38 39 39 43 47 48 49 50 54 60 61 61 62 62
5.10.6 Deflections  Evaluation of traction  5.11.1 General  5.11.2 Traction calculation  5.11.3 Formulae for a general case (see Figure 9)  Evaluation of safety factor on suspension ropes for electric lifts  5.12.1 General  5.12.2 Equivalent number, Nequiv, of pulleys  5.12.3 Safety factor  Calculations of rams, cylinders, rigid pipes and fittings  5.13.1 Calculation against over pressure  5.13.2 Calculations of the jacks against buckling  Pendulum shock tests  5.14.1 General  5.14.2 Test rig  5.14.3 Tests  5.14.4 Interpretation of the results  5.14.5 Test report  Electronic components — Failure exclusion  Design rules for programmable electronic systems (PESSRAL)	38 39 39 43 47 47 48 49 50 50 50 61 61 62 62
Evaluation of traction 5.11.1 General 5.11.2 Traction calculation 5.11.3 Formulae for a general case (see Figure 9)  Evaluation of safety factor on suspension ropes for electric lifts 5.12.1 General 5.12.2 Equivalent number, Nequiv, of pulleys 5.12.3 Safety factor  Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report  Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	39 39 39 43 47 47 48 49 50 50 50 61 61 62 62
5.11.1 General 5.11.2 Traction calculation 5.11.3 Formulae for a general case (see Figure 9)  Evaluation of safety factor on suspension ropes for electric lifts 5.12.1 General 5.12.2 Equivalent number, Nequiv, of pulleys 5.12.3 Safety factor  Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report  Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	39 39 43 47 47 48 49 50 50 54 60 61 61 62 62
5.11.2 Traction calculation 5.11.3 Formulae for a general case (see Figure 9)  Evaluation of safety factor on suspension ropes for electric lifts.  5.12.1 General	39 43 47 47 48 49 50 50 54 60 61 61 62 62 65
5.11.3 Formulae for a general case (see Figure 9)  Evaluation of safety factor on suspension ropes for electric lifts  5.12.1 General  5.12.2 Equivalent number, Nequiv, of pulleys  5.12.3 Safety factor  Calculations of rams, cylinders, rigid pipes and fittings  5.13.1 Calculation against over pressure  5.13.2 Calculations of the jacks against buckling  Pendulum shock tests  5.14.1 General  5.14.2 Test rig  5.14.3 Tests  5.14.4 Interpretation of the results  5.14.5 Test report  Electronic components — Failure exclusion  Design rules for programmable electronic systems (PESSRAL)	43 47 48 49 50 50 54 60 61 61 62 62
Evaluation of safety factor on suspension ropes for electric lifts  5.12.1 General  5.12.2 Equivalent number, Nequiv, of pulleys  5.12.3 Safety factor  Calculations of rams, cylinders, rigid pipes and fittings  5.13.1 Calculation against over pressure  5.13.2 Calculations of the jacks against buckling  Pendulum shock tests  5.14.1 General  5.14.2 Test rig  5.14.3 Tests  5.14.4 Interpretation of the results  5.14.5 Test report  Electronic components — Failure exclusion  Design rules for programmable electronic systems (PESSRAL)	47 48 50 50 54 60 61 61 62 62
5.12.1 General 5.12.2 Equivalent number, N <sub>equiv</sub> , of pulleys 5.12.3 Safety factor  13 Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  14 Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report  15 Electronic components — Failure exclusion  16 Design rules for programmable electronic systems (PESSRAL)	47 48 50 50 54 60 61 61 62 62
5.12.2 Equivalent number, N <sub>equiv</sub> , of pulleys 5.12.3 Safety factor  13 Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  14 Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report  15 Electronic components — Failure exclusion  16 Design rules for programmable electronic systems (PESSRAL)	48 50 50 54 60 61 61 62 62
5.12.3 Safety factor Calculations of rams, cylinders, rigid pipes and fittings 5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	49 50 50 60 61 61 62 62
Calculations of rams, cylinders, rigid pipes and fittings.  5.13.1 Calculation against over pressure.  5.13.2 Calculations of the jacks against buckling.  Pendulum shock tests.  5.14.1 General.  5.14.2 Test rig.  5.14.3 Tests.  5.14.4 Interpretation of the results.  5.14.5 Test report.  Electronic components — Failure exclusion.  Design rules for programmable electronic systems (PESSRAL).	50 50 54 60 61 61 62 62
5.13.1 Calculation against over pressure 5.13.2 Calculations of the jacks against buckling  Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report  Electronic components — Failure exclusion  Design rules for programmable electronic systems (PESSRAL)	50 60 61 61 62 62
5.13.2 Calculations of the jacks against buckling Pendulum shock tests 5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	54 60 61 61 62 62
Pendulum shock tests  5.14.1 General  5.14.2 Test rig  5.14.3 Tests  5.14.4 Interpretation of the results  5.14.5 Test report  Electronic components — Failure exclusion  Design rules for programmable electronic systems (PESSRAL)	60 61 61 62 62
5.14.1 General 5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	60 61 62 62
5.14.2 Test rig 5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	61 62 62
5.14.3 Tests 5.14.4 Interpretation of the results 5.14.5 Test report Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	61 62 62
5.14.4 Interpretation of the results 5.14.5 Test report Electronic components — Failure exclusion Design rules for programmable electronic systems (PESSRAL)	62 62
5.14.5 Test report	62 65
Electronic components — Failure exclusion	65
Design rules for programmable electronic systems (PESSRAL)	
e of ISO/TS 8100-3	72
(normative) Model form of type examination certificate	73
(normative) Programmable electronic systems in safety related applications for	74
(informative) Calculation of traction — Example	92
(informative) <b>Equivalent number of pulleys, N<sub>equiv</sub> — Examples</b>	94
informative) Relationship between ISO 22559-1 and ISO 8100-2	96
	97
	normative) Programmable electronic systems in safety related applications for s (PESSRAL)informative) Example for calculation of guide rails informative) Calculation of traction — Example

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 178, Lifts, escalators, passenger conveyors.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

A list of all parts in the ISO 8100 series can be found on the ISO website.

## Introduction

The content of this document was already published in EN 81-50:2014. This document contains only editorial changes and update of references.

The object of this document is to define safety rules related to lifts with a view to safeguarding persons and objects against the risk of accidents associated with the use, maintenance and emergency operations of lifts.

pective negard to pe. Reference is made to the respective introductions of the standards (e.g. ISO 8100-1:2019) calling for the use of this document with regard to persons and objects to be safeguarded, assumptions, principles, etc.

## Lifts for the transport of persons and goods —

## Part 2:

## Design rules, calculations, examinations and tests of lift components

## 1 Scope

This document specifies the design rules, calculations, examinations and tests of lift components which are referred to by other standards used for the design of passenger lifts, goods passenger lifts, goods only lifts, and other similar types of lifting appliances.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4344, Steel wire ropes for lifts — Minimum requirements

ISO 8100-1:2019, Safety rules for the construction and installation of lifts — Lifts for the transport of persons and goods — Passenger and goods passenger lifts

ISO/TS~8100-3, Requirements from Other Standards (ASME A17.1/CSA B44 and JIS A 4307-1/ JIS A 4307-2) not included in ISO 8100-1 or ISO 8100-2

IEC 60068-2-6, Environmental testing — Part 2: Tests — Test Fc: Vibration (sinusoidal)

IEC 60068-2-27, Environmental testing — Part 2-27: Tests — Test Ea and guidance: Shock

IEC 60112, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60664-1, Insulation coordination for equipment within low-voltage systems — Part 1: Principles, requirements and tests

IEC 60947-4-1, Low-voltage switchgear and control gear — Part 4-1: Contactors and motor-starters — Electromechanical contactors and motor-starters

IEC 60947-5-1, Low-voltage switchgear and control gear — Part 5-1: Control circuit devices and switching elements — Electromechanical control circuit devices

EN 10025 (all parts), Hot rolled products of non-alloy structural steels — Technical delivery conditions

EN 12385-5, Steel wire ropes — Safety — Part 5: Stranded ropes for lifts

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>