

Quantities and units -- Part 6: Electromagnetism

Quantities and units -- Part 6: Electromagnetism

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN 80000-6:2008 sisaldab Euroopa standardi EN 80000-6:2008 ingliskeelset teksti.</p> <p>Standard on kinnitatud Eesti Standardikeskuse 24.07.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 15.05.2008.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 80000-6:2008 consists of the English text of the European standard EN 80000-6:2008.</p> <p>This standard is ratified with the order of Estonian Centre for Standardisation dated 24.07.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.</p> <p>Date of Availability of the European standard text 15.05.2008.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

ICS 01.040.29, 17.220.01

Võtmesõnad:

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

**Quantities and units -
Part 6: Electromagnetism
(IEC 80000-6:2008)**

Grandeurs et unités -
Partie 6: Électromagnétisme
(CEI 80000-6:2008)

Größen und Einheiten -
Teil 6: Elektromagnetismus
(IEC 80000-6:2008)

This European Standard was approved by CENELEC on 2008-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 25/370/FDIS, future edition 1 of IEC 80000-6, prepared by IEC TC 25, Quantities and units, and their letter symbols, in close cooperation with ISO TC 12, Quantities, units, symbols, conversion factors, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 80000-6 on 2008-04-01.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2009-01-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-04-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 80000-6:2008 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60027-1	1992	Letter symbols to be used in electrical technology - Part 1: General	EN 60027-1 ¹⁾	2006
IEC 60050-111	- ²⁾	International Electrotechnical Vocabulary (IEV) - Chapter 111: Physics and chemistry	-	-
IEC 60050-121	- ²⁾	International Electrotechnical Vocabulary (IEV) - Part 121: Electromagnetism	-	-
IEC 60050-131	- ²⁾	International Electrotechnical Vocabulary (IEV) - Part 131: Circuit theory	-	-
ISO 31-0	1992	Quantities and units - Part 0: General principles	-	-
ISO 80000-3	2006	Quantities and units - Part 3: Space and time	-	-
ISO 80000-4	2006	Quantities and units - Part 4: Mechanics	-	-

¹⁾ EN 60027-1 is based on IEC 60027-1:1995 (Reprint) + A1:1997.

²⁾ Undated reference.

CONTENTS

FOREWORD.....	3
0 Introduction	5
0.1 Arrangements of the tables	5
0.2 Tables of quantities	5
0.3 Tables of units.....	5
0.3.1 General	5
0.3.2 Remark on units for quantities of dimension one, or dimensionless quantities.....	6
0.4 Numerical statements in this standard	6
0.5 Special remarks	7
0.5.1 System of quantities	7
0.5.2 Sinusoidal quantities	7
1 Scope.....	9
2 Normative references	9
3 Names, symbols, and definitions	9
Annex A (informative) Units in the Gaussian CGS system with special names	36
Bibliography.....	37

0 Introduction

0.1 Arrangements of the tables

The tables of quantities and units in ISO/IEC 80000 are arranged so that the quantities are presented on the left-hand pages and the units on the corresponding right-hand pages.

All units between two full lines on the right-hand pages belong to the quantities between the corresponding full lines on the left-hand pages.

Where the numbering of an item has been changed in the revision of a part of ISO 31, the number in the preceding edition is shown in parenthesis on the left-hand page under the new number for the quantity; a dash is used to indicate that the item in question did not appear in the preceding edition.

0.2 Tables of quantities

The names in English and in French of the most important quantities within the field of this document are given together with their symbols and, in most cases, their definitions. These names and symbols are recommendations. The definitions are given for identification of the quantities in the International System of Quantities (ISQ), listed on the left hand pages of Table 1; they are not intended to be complete.

The scalar, vectorial or tensorial character of quantities is pointed out, especially when this is needed for the definitions.

In most cases only one name and only one symbol for the quantity are given; where two or more names or two or more symbols are given for one quantity and no special distinction is made, they are on an equal footing. When two types of italic letters exist (for example as with ϑ and θ ; φ and ϕ ; a and α ; g and g) only one of these is given. This does not mean that the other is not equally acceptable. It is recommended that such variants should not be given different meanings. A symbol within parenthesis implies that it is a reserve symbol, to be used when, in a particular context, the main symbol is in use with a different meaning.

In this English edition the quantity names in French are printed in an italic font, and are preceded by *fr.* The gender of the French name is indicated by (m) for masculine and (f) for feminine, immediately after the noun in the French name.

0.3 Tables of units

0.3.1 General

The names of units for the corresponding quantities are given together with the international symbols and the definitions. These unit names are language-dependent, but the symbols are international and the same in all languages. For further information, see the SI Brochure (8th edition 2006) from BIPM and ISO 80000-1 (under preparation).

The units are arranged in the following way:

- a) The coherent SI units are given first. The SI units have been adopted by the General Conference on Weights and Measures (Conférence Générale des Poids et Mesures, CGPM). The use of coherent SI units, and their decimal multiples and submultiples formed with the SI prefixes are recommended, although the decimal multiples and submultiples are not explicitly mentioned.
- b) Some non-SI units are then given, being those accepted by the International Committee for Weights and Measures (Comité International des Poids et Mesures, CIPM), or by the International Organization of Legal Metrology (Organisation Internationale de Métrologie Légale, OIML), or by ISO and IEC, for use with the SI.

Such units are separated from the SI units in the item by use of a broken line between the SI units and the other units.

- c) Non-SI units currently accepted by the CIPM for use with the SI are given in small print (smaller than the text size) in the “Conversion factors and remarks” column.
- d) Non-SI units that are not recommended are given only in annexes in some parts of ISO/IEC 80000. These annexes are informative, in the first place for the conversion factors, and are not integral parts of the standard. These deprecated units are arranged in two groups:
 - 1) units in the CGS system with special names;
 - 2) units based on the foot, pound, second, and some other related units.
- e) Other non-SI units given for information, especially regarding the conversion factors are given in another informative annex.

0.3.2 Remark on units for quantities of dimension one, or dimensionless quantities

The coherent unit for any quantity of dimension one, also called a dimensionless quantity, is the number one, symbol 1. When the value of such a quantity is expressed, the unit symbol 1 is generally not written out explicitly.

EXAMPLE

$$\text{Refractive index } n = 1,53 \times 1 = 1,53$$

Prefixes shall not be used to form multiples or submultiples of this unit. Instead of prefixes, powers of 10 are recommended.

EXAMPLE

$$\text{Reynolds number } Re = 1,32 \times 10^3$$

Considering that plane angle is generally expressed as the ratio of two lengths and solid angle as the ratio of two areas, in 1995 the CGPM specified that, in the SI, the radian, symbol rad, and steradian, symbol sr, are dimensionless derived units. This implies that the quantities plane angle and solid angle are considered as derived quantities of dimension one. The units radian and steradian are thus equal to one; they may either be omitted, or they may be used in expressions for derived units to facilitate distinction between quantities of different kinds but having the same dimension.

0.4 Numerical statements in this standard

The sign = is used to denote “is exactly equal to”, the sign \approx is used to denote “is approximately equal to”, and the sign := is used to denote “is by definition equal to”.

Numerical values of physical quantities that have been experimentally determined always have an associated measurement uncertainty. This uncertainty should always be specified. In this standard, the magnitude of the uncertainty is represented as in the following example.

EXAMPLE

$$l = 2,347\,82(32)\,\text{m}$$

In this example, $l = a(b)\,\text{m}$, the numerical value of the uncertainty b indicated in parentheses is assumed to apply to the last (and least significant) digits of the numerical value a of the length l . This notation is used when b represents one standard uncertainty (estimated standard deviation) in the last digits of a . The numerical example given above may be interpreted to mean that the best estimate of the numerical value of the length l , when l is

expressed in the unit metre, is 2,347 82 and that the unknown value of l is believed to lie between $(2,347\ 82 - 0,000\ 32)$ m and $(2,347\ 82 + 0,000\ 32)$ m with a probability determined by the standard uncertainty 0,000 32 m and the probability distribution of the values of l .

0.5 Special remarks

The items given in ISO 80000-6 are generally in conformity with the International Electrotechnical Vocabulary (IEV), especially IEC 60050-121 and IEC 60050-131. For each quantity, the reference to IEV is given in the form: "See IEC 60050-121, item 121-xx-xxx."

0.5.1 System of quantities

For electromagnetism, several different systems of quantities have been developed and used depending on the number and the choice of base quantities on which the system is based. However, in electromagnetism and electrical engineering, only the International System of Quantities, ISQ, and the associated International System of Units, SI, are acknowledged and are reflected in the standards of ISO and IEC. The SI has seven base units, among them metre, symbol m, kilogram, symbol kg, second, symbol s, and ampere, symbol A.

0.5.2 Sinusoidal quantities

For quantities that vary sinusoidally with time, and for their complex representations, the IEC has standardized two ways to build symbols. Capital and lowercase letters are generally used for electric current (item 6-1) and for voltage (item 6-11.3), and additional marks for other quantities. These are given in IEC 60027-1.

EXAMPLE 1

The sinusoidal variation with time of an electric current (item 6-1) can be expressed in real representation as

$$i = \sqrt{2} I \cos(\omega t - \varphi)$$

and its complex representation (termed phasor) is expressed as

$$\underline{I} = I e^{-j\varphi}$$

where i is the instantaneous value of the current, I is its root-mean-square (rms) value, $(\omega t - \varphi)$ is the phase, φ is the initial phase.

EXAMPLE 2

The sinusoidal variation with time of a magnetic flux (item 6-22.1) can be expressed in real representation as

$$\Phi = \hat{\Phi} \cos(\omega t - \varphi) = \sqrt{2} \Phi_{\text{eff}} \cos(\omega t - \varphi)$$

where Φ is the instantaneous value of the flux, $\hat{\Phi}$ is its peak value and Φ_{eff} is its rms value.

QUANTITIES AND UNITS –

Part 6: Electromagnetism

1 Scope

In IEC 80000-6 names, symbols, and definitions for quantities and units of electromagnetism are given. Where appropriate, conversion factors are also given.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027-1:1992, *Letter symbols to be used in electrical technology – Part 1: General*

IEC 60050-111, *International electrotechnical vocabulary – Part 111: Physics and chemistry*

IEC 60050-121, *International electrotechnical vocabulary – Part 121: Electromagnetism*

IEC 60050-131, *International electrotechnical vocabulary – Part 131: Circuit theory*

ISO 31-0:1992, *Quantities and units – Part 0: General principles (under revision)*

ISO 80000-3:2006, *Quantities and units – Part 3: Space and time*

ISO 80000-4:2006, *Quantities and units – Part 4: Mechanics*

3 Names, symbols, and definitions

The names, symbols, and definitions for quantities and units of electromagnetism are given in the tables on the following pages.