

English Version

**Field device tool (FDT) interface specification - Part 41: Object
model integration profile - Common object model
(IEC TR 62453-41:2016)**

Spécification des interfaces des outils des dispositifs de
terrain (FDT) - Partie 41: Profil d'intégration des modèles
objet - Modèle objet commun
(IEC TR 62453-41:2016)

Field Device Tool (FDT)-Schnittstellenspezifikation - Teil 41:
Profil zur Integration des Objektmodells - Allgemeines
Objektmodell (COM)
(IEC TR 62453-41:2016)

This Technical Report was approved by CENELEC on 2019-03-18.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (CLC/TR IEC 62453-41:2019) consists of the text of the IEC TR 62453-41:2016 prepared by 65E: "Devices and integration in enterprise systems", of IEC technical committee 65: "Industrial process measurement, control and automation".

This document supersedes CLC/TR 62453-41:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61784	series	Industrial communication networks - Profiles	EN 61784	series
IEC 62453-1	2016	Field device tool (FDT) interface specification - Part 1: Overview and guidance	EN 62453-1	2017
IEC 62453-2	2016	Field device tool (FDT) interface specification - Part 2: Concepts and detailed description	EN 62453-2	2017

CONTENTS

FOREWORD.....	12
INTRODUCTION.....	14
1 Scope.....	15
2 Normative references.....	15
3 Terms, definitions, abbreviations and conventions.....	15
3.1 Terms and definitions.....	15
3.2 Abbreviations.....	16
3.3 Conventions.....	16
4 Implementation concept.....	17
4.1 Technological orientation.....	17
4.2 Implementation of abstract FDT object model.....	17
4.2.1 General.....	17
4.2.2 FDT Frame Application (FA).....	17
4.2.3 Device Type Manager (DTM).....	18
4.2.4 Presentation object.....	19
4.2.5 FDT-Channel object.....	19
4.3 Object interaction.....	19
4.3.1 Parameter interchange via XML.....	19
4.3.2 Examples of usage.....	21
4.4 Implementation of DTM data persistence and synchronization.....	23
4.4.1 Persistence overview.....	23
4.4.2 Persistence interfaces.....	24
4.5 DTM state machine.....	24
5 General concepts.....	26
5.1 General.....	26
5.2 Overview of task related FDT interfaces.....	26
5.3 Return values of interface methods.....	29
5.4 Dual interfaces.....	29
5.5 Unicode.....	29
5.6 Asynchronous versus synchronous behavior.....	29
5.7 ProgIds.....	30
5.8 Implementation of DTM, DTM device type and hardware identification information.....	30
5.8.1 Device identification.....	30
5.8.2 Protocol-specific transformation style sheet (xsl).....	33
5.8.3 Semantic identification information.....	33
5.8.4 Device assignment.....	33
5.8.5 Regular expression specification.....	34
5.9 Implementation of slave redundancy.....	34
5.9.1 General.....	34
5.9.2 Topology import/export.....	35
6 Implementation of FDT services: FDT interfaces.....	35
6.1 Overview of the FDT interfaces.....	35
6.2 FDT objects.....	35
6.2.1 FDT object model.....	35
6.2.2 Availability of interface methods.....	38

6.3	Device Type Manager	42
6.3.1	Interface IDtm	42
6.3.2	Interface IDtm2	51
6.3.3	Interface IDtmActiveXInformation	52
6.3.4	Interface IDtmApplication	54
6.3.5	Interface IDtmChannel	56
6.3.6	Interface IDtmDocumentation	57
6.3.7	Interface IDtmDiagnosis	58
6.3.8	Interface IDtmImportExport	60
6.3.9	Interface IDtmInformation	62
6.3.10	Interface IDtmInformation2	63
6.3.11	Interface IDtmOnlineDiagnosis	64
6.3.12	Interface IDtmOnlineParameter	65
6.3.13	Interface IDtmParameter	68
6.3.14	Interface IFdtCommunicationEvents	69
6.3.15	Interface IFdtCommunicationEvents2	72
6.3.16	Interface IFdtEvents	73
6.3.17	Interface IDtmHardwareIdentification	76
6.3.18	Interface IDtmSingleDeviceDataAccess	78
6.3.19	Interface IDtmSingleInstanceDataAccess	81
6.4	DTM ActiveXControl	83
6.4.1	Interface IDtmActiveXControl	83
6.4.2	Init	83
6.4.3	PrepareToRelease	84
6.5	FDT Channel	85
6.5.1	Interface IFdtChannel	85
6.5.2	Interface IFdtChannelActiveXInformation	88
6.5.3	Interface IFdtCommunication	90
6.5.4	Interface IFdtChannelSubTopology	97
6.5.5	Interface IFdtChannelSubTopology2	101
6.5.6	Interface IFdtChannelScan	101
6.5.7	Interface IFdtFunctionBlockData	103
6.6	Channel ActiveXControl	105
6.6.1	Interface IFdtChannelActiveXControl	105
6.6.2	Interface IFdtChannelActiveXControl2	106
6.7	Block Type Manager	107
6.7.1	Interface IBtm	108
6.7.2	Interface IBtmInformation	109
6.7.3	Interface IBtmParameter	109
6.8	BTM ActiveXControl	110
6.8.1	General	110
6.8.2	Interface IBtmActiveXControl	110
6.9	Frame Application	111
6.9.1	Interface IDtmEvents	111
6.9.2	Interface IDtmEvents2	120
6.9.3	Interface IDtmScanEvents	121
6.9.4	Interface IDtmAuditTrailEvents	123
6.9.5	Interface IFdtActiveX	125
6.9.6	Interface IFdtActiveX2	126

6.9.7	Interface IFdtBulkData	129
6.9.8	Interface IFdtContainer	131
6.9.9	Interface IFdtDialog.....	134
6.9.10	Interface IFdtTopology	135
6.9.11	Interface IDtmRedundancyEvents.....	141
6.9.12	Interface IDtmSingleDeviceDataAccessEvents.....	142
6.9.13	Interface IDtmSingleInstanceDataAccessEvents	145
6.9.14	Interface IFdtBtmTopology	146
7	FDT sequence charts.....	147
7.1	DTM peer to peer communication	147
7.1.1	General	147
7.1.2	Establish a peer-to-peer connection between DTM and device	147
7.1.3	Asynchronous connect for a peer-to-peer connection	147
7.1.4	Asynchronous disconnect for a peer-to-peer connection.....	148
7.1.5	Asynchronous transaction for a peer-to-peer connection	148
7.2	Nested communication	149
7.2.1	General	149
7.2.2	Generate system topology.....	150
7.2.3	Establish a system connection between DTM and device	152
7.2.4	Asynchronous transaction for a system connection	153
7.3	Topology scan.....	154
7.3.1	Scan network	154
7.3.2	Cancel topology scan	155
7.3.3	Provisional scan result notifications	156
7.3.4	Scan for communication hardware	157
7.3.5	Manufacturer-specific device identification.....	158
7.4	Registration of protocol-specific FDT schemas.....	160
7.5	Configuration of a fieldbus master	162
7.6	Starting and releasing applications	163
7.7	Channel access	164
7.8	DCS Channel assignment.....	165
7.9	Printing of DTM-specific documents.....	169
7.10	Printing of Frame Application-specific documents	170
7.10.1	General	170
7.10.2	Processing a document.....	171
7.10.3	Rules for use of DTM-specific style sheets	173
7.11	Propagation of changes.....	174
7.12	Locking.....	175
7.12.1	Locking for non-synchronized DTMs	175
7.12.2	Locking for synchronized DTMs.....	176
7.13	Instantiation and release	178
7.13.1	Instantiation of a new DTM.....	178
7.13.2	Instantiation of an existing DTM	178
7.13.3	Instantiation of a DTM ActiveX® user interface	179
7.13.4	Release of a DTM user interface	179
7.14	Persistent storage of a DTM	180
7.14.1	State machine of instance data.....	180
7.14.2	Saving instance data of a DTM.....	182
7.14.3	Reload of a DTM object for another instance	183

7.14.4	Copy and versioning of a DTM instance	183
7.15	Audit trail	184
7.16	Comparison of two instance data sets	185
7.16.1	Comparison without user interface	185
7.16.2	Comparison with user interface	186
7.17	Failsafe data access	187
7.18	Set or modify device address with user interface	188
7.19	Set or modify known device addresses without user interface	189
7.20	Display or modify all child device addresses with user interface	190
7.21	Device initiated data transfer	191
7.22	Starting and releasing DTM user interface in modal dialog	192
7.23	Parent component handling redundant slave	193
7.24	Initialization of a Channel ActiveX control	195
7.24.1	General	195
7.24.2	Supports IFdtChannelActiveXcontrol2	195
7.24.3	Does not support IFdtChannelActiveXControl2	195
7.25	DTM upgrade	196
7.25.1	General	196
7.25.2	Saving data from a DTM to be upgraded	196
7.25.3	Loading data in the replacement DTM	197
7.26	Usage of IDtmSingleDeviceDataAccess::ReadRequest / Write Request	198
7.27	Instantiation of DTM and BTM	199
8	Installation issues	201
8.1	Registry and device information	201
8.1.1	Visibility of business objects of a DTM	201
8.1.2	Component categories	201
8.1.3	Registry entries	202
8.1.4	Installation issues	202
8.1.5	Microsoft's standard component categories manager	203
8.1.6	Building a Frame Application-database of supported devices	203
8.1.7	DTM registration	203
8.2	Paths and file information	204
8.2.1	Path information provided by a DTM	204
8.2.2	Paths and persistency	204
8.2.3	Multi-user systems	204
9	Description of data types, parameters and structures	205
9.1	Ids	205
9.2	Data type definitions	205
Annex A (normative)	FDT IDL	207
Annex B (normative)	Mapping of services to interface methods	223
B.1	General	223
B.2	DTM services	223
B.3	Presentation object services	227
B.4	General channel services	227
B.5	Process channel services	228
B.6	Communication Channel Services	228
B.7	Frame Application Services	229
Annex C (normative)	FDT XML schemas	232

C.1	General.....	232
C.2	FDTDataTypesSchema.....	232
C.3	FDTApplicationIdSchema	248
C.4	FDTUserInformationSchema.....	248
C.5	DTMInformationSchema	250
C.6	DTMFunctionCallSchema	253
C.7	DTMParameterSchema	254
C.8	DTMDocumentationSchema	262
C.9	DTMProtocolsSchema	264
C.10	DTMSystemTagListSchema.....	265
C.11	DTMAuditTrailSchema.....	266
C.12	DTMDeviceStatusSchema	268
C.13	DTMFunctionsSchema	269
C.14	DTMChannelFunctionsSchema.....	273
C.15	DTMOnlineCompareSchema	276
C.16	FDTFailSafeDataSchema	277
C.17	DTMTopologyScanSchema.....	277
C.18	FDTOperationPhaseSchema	278
C.19	DTMInitSchema	279
C.20	FDTUserMessageSchema.....	279
C.21	DTMInfoListSchema	281
C.22	FDTTopologyImportExportSchema	282
C.23	DTMDeviceListSchema	286
C.24	DTMSystemGuiLabelSchema	288
C.25	DTMStateSchema	288
C.26	DTMEnvironmentSchema	289
C.27	FDTConnectResponseSchema	290
C.28	TypeRequestSchema	290
C.29	FDTScanRequestSchema.....	291
C.30	FDTxxxIdentSchema	292
C.31	FDTxxxDeviceTypeIdentSchema	292
C.32	FDTxxxScanIdentSchema	293
C.33	DTMIdentSchema.....	293
C.34	DTMScanIdentSchema.....	294
C.35	DTMDeviceTypeIdentSchema.....	296
C.36	DTMItemListSchema	298
C.37	BtmDataTypesSchema	303
C.38	BtmInformationSchema	305
C.39	BtmParameterSchema.....	306
C.40	BtmInitSchema.....	308
C.41	BtmInfoListSchema	309
Annex D	(informative) FDT XML styles – Documentation	310
Annex E	(informative) FDT XSL Transformation.....	314
E.1	Identification transformation	314
E.2	Hint.....	314
Annex F	(normative) Channel schema	316
F.1	FDTBasicChannelParameterSchema	316
F.2	Template for Channel Schema.....	317
Annex G	(normative) FDT version interoperability guide.....	318

G.1	Overview.....	318
G.2	General.....	318
G.3	Component interoperability.....	318
G.4	FDT type library	320
G.5	DTM and device versions	320
G.6	Persistence.....	320
G.7	Nested communication	321
G.7.1	General	321
G.7.2	Data exchange.....	321
G.7.3	Communication channel upgrade.....	321
G.7.4	Scenarios	321
G.7.5	OnAddChild	322
G.8	Implementation hints	322
G.8.1	Interfaces	322
G.8.2	Persistence.....	322
Annex H (informative)	Implementation with Net technology	323
H.1	How FDT supports .NET based development	323
H.2	Microsoft .NET Framework 1.1 and 2.0 compatibility	323
H.3	Side-by-side installation and related problems	323
H.4	How to avoid compatibility issues	324
Annex I (informative)	Trade names.....	325
Bibliography		326
Figure 1	– Part 41 of the IEC 62453 series	14
Figure 2	– Frame Application interfaces	18
Figure 3	– DTM interfaces.....	18
Figure 4	– FDT Client/server relationship via XML	19
Figure 5	– Data access and storage	21
Figure 6	– Communication	22
Figure 7	– Documentation	22
Figure 8	– Parameter verification in case of failsafe devices	23
Figure 9	– State machine of a DTM	24
Figure 10	– Device identification	30
Figure 11	– Structural overview.....	32
Figure 12	– Interfaces of FDT objects – DTM and DtmActiveXControl	36
Figure 13	– Interfaces of FDT object – Frame Application.....	37
Figure 14	– FDT objects – FDT-Channel	37
Figure 15	– FDT objects – BTM and BtmActiveXControl	38
Figure 16	– Peer to peer connection between DTM and device	147
Figure 17	– Asynchronous connect (peer to peer).....	148
Figure 18	– Asynchronous disconnect (peer to peer)	148
Figure 19	– Asynchronous transaction (peer to peer).....	149
Figure 20	– System-topology.....	150
Figure 21	– Generation of system topology by Frame Application.....	151
Figure 22	– Generation of system topology – Participation of DTM.....	152

Figure 23 – System connection (across communication hierarchy)	153
Figure 24 – Asynchronous transactions (system connection)	154
Figure 25 – Scan network topology	155
Figure 26 – Cancel topology scan	156
Figure 27 – Provisional topology scan	157
Figure 28 – Scan for communication hardware	158
Figure 29 – Manufacturer-specific device identification	160
Figure 30 – Add protocol-specific schemas to Frame Applications schema sub path.....	161
Figure 31 – Frame Application reads protocol-specific device identification information of DTMDDeviceTypes.....	162
Figure 32 – Bus master configuration	163
Figure 33 – Starting and releasing applications	164
Figure 34 – Channel access.....	165
Figure 35 – DCS channel assignment single DTM	166
Figure 36 – Sequence of channel assignment for a single DTM.....	167
Figure 37 – Modular DTM structure.....	168
Figure 38 – Channel assignment for modular DTMs.....	169
Figure 39 – Printing of DTM-specific documents	170
Figure 40 – Printing of Frame Application-specific documents.....	171
Figure 41 – Report generation (Frame Application style).....	172
Figure 42 – Report generation (device vendor-specific style)	173
Figure 43 – Propagation of changes.....	174
Figure 44 – Locking for non-synchronized DTMs	176
Figure 45 – Locking for synchronized DTMs	177
Figure 46 – Instantiation of a new DTM	178
Figure 47 – Instantiation of an existing DTM.....	179
Figure 48 – Instantiation of a DTM user interface.....	179
Figure 49 – Release of a DTM user interface.....	180
Figure 50 – State machine of instance data set	181
Figure 51 – Persistence states of a data set	182
Figure 52 – Saving instance data of a DTM	183
Figure 53 – Copy and versioning of a DTM instance	184
Figure 54 – Audit trail	185
Figure 55 – Comparison without user interface	186
Figure 56 – Comparison with user interface.....	187
Figure 57 – Failsafe data access.....	188
Figure 58 – Set or modify device address with user interface.....	189
Figure 59 – Set or modify known device addresses without user interface.....	190
Figure 60 – Display or modify all child device addresses with user interface.....	191
Figure 61 – Device initiated data transfer	192
Figure 62 – Modal DTM user interface.....	193
Figure 63 – Handling of a redundant slave	194
Figure 64 – Init of Channel ActiveX with IFdtChannelActiveXControl2	195

Figure 65 – Init of Channel ActiveX® without IFdtChannelActiveXControl2	196
Figure 66 – Saving data from a DTM to be upgraded	197
Figure 67 – Loading data in the replacement DTM	198
Figure 68 – Usage of IDtmSingleDeviceDataAccess	199
Figure 69 – General sequence of creation and instantiation of blocks	200
Figure E.1 – XSLT role	315
Table 1 – Definition of DTM state machine	25
Table 2 – Task related DTM interfaces	26
Table 3 – Task related DTM ActiveX® interfaces	27
Table 4 – Task related FDT-Channel interfaces	27
Table 5 – Task related Channel ActiveX® interfaces	27
Table 6 – Task related BTM interfaces	28
Table 7 – Task related BTM ActiveX® interfaces	28
Table 8 – Task related Frame Application interfaces	28
Table 9 – Semantic identification information	33
Table 10 – Regular expressions	34
Table 11 – Availability of DTM methods in different states	39
Table 12 – Availability of Frame Application interfaces	41
Table 13 – Description of instance data set states	181
Table 14 – Description of persistent states	182
Table 15 – Component categories	201
Table 16 – Combinations of categories	202
Table 17 – Example for DTM registration	202
Table 18 – FDT-specific Ids	205
Table 19 – Basic data types	205
Table 20 – Helper objects for documentation	206
Table B.1 – General services	223
Table B.2 – DTM services related to installation	223
Table B.3 – DTM services related to DTM information	224
Table B.4 – DTM services related to DTM state machine	224
Table B.5 – DTM services related to function	225
Table B.6 – DTM services related to documentation	225
Table B.7 – DTM services to access the instance data	225
Table B.8 – DTM services to access diagnosis	226
Table B.9 – DTM services to access the device data	226
Table B.10 – DTM services related to network management information	226
Table B.11 – DTM services related to online operation	226
Table B.12 – DTM services related to FDT-Channel objects	227
Table B.13 – DTM services related to import and export	227
Table B.14 – DTM services related to data synchronization	227
Table B.15 – General channel services	228
Table B.16 – Channel services for IO related information	228

Table B.17 – Channel services related to communication.....	228
Table B.18 – Channel services related sub-topology management.....	229
Table B.19 – Channel services related to functions.....	229
Table B.20 – Channel services related to scan.....	229
Table B.21 – FA services related to general events.....	229
Table B.22 – FA services related to topology management.....	230
Table B.23 – FA services related to redundancy.....	230
Table B.24 – FA services related to storage of DTM data.....	230
Table B.25 – FA services related to DTM data synchronization.....	231
Table B.26 – FA services related to presentation.....	231
Table B.27 – FA services related to audit trail.....	231
Table C.1 – Description of general XML attributes.....	232
Table C.2 – Description of general XML elements.....	237
Table C.3 – Device classification ID.....	239
Table C.4 – Device classification according to IEC TR 62390:2005, Annex G.....	240
Table C.5 – Description of applicationId attribute.....	248
Table C.6 – Description of applicationId elements.....	248
Table C.7 – Description of user information attributes.....	249
Table C.8 – Description of user information elements.....	249
Table C.9 – Description of DTM information attributes.....	250
Table C.10 – Description of DTM information elements.....	250
Table C.11 – Description of function call attributes.....	254
Table C.12 – Description of parameter document attributes.....	254
Table C.13 – Description of parameter document elements.....	255
Table C.14 – Description of documentation attributes.....	263
Table C.15 – Description of documentation elements.....	263
Table C.16 – Description of protocols element.....	265
Table C.17 – Description of system tag attributes.....	265
Table C.18 – Description of system tag elements.....	265
Table C.19 – Description of audit trail attributes.....	267
Table C.20 – Description of audit trail elements.....	267
Table C.21 – Description of device status attribute.....	268
Table C.22 – Description of device status elements.....	268
Table C.23 – Description of function attributes.....	269
Table C.24 – Description of function elements.....	270
Table C.25 – Description of channel functions attributes.....	273
Table C.26 – Description of channel function elements.....	274
Table C.27 – Description of comparison attribute.....	276
Table C.28 – Description of comparison elements.....	276
Table C.29 – Description of fail safe attributes.....	277
Table C.30 – Description of fail safe elements.....	277
Table C.31 – Description of topology scan elements.....	278
Table C.32 – Description of operation phase attribute.....	278

Table C.33 – Description of operation phase element	278
Table C.34 – Description of DTM init element	279
Table C.35 – Description of user message attributes	279
Table C.36 – Description of user message elements	280
Table C.37 – Description of DTM info list elements	281
Table C.38 – Description of topology attributes	282
Table C.39 – Description of topology elements	282
Table C.40 – Description of device list attributes	286
Table C.41 – Description of device list elements	287
Table C.42 – Description of gui label element	288
Table C.43 – Description of DTM state element	289
Table C.44 – Description of frame version element	289
Table C.45 – Description of connect response element	290
Table C.46 – Description of type request element	290
Table C.47 – Description of scan request attributes	291
Table C.48 – Description of scan request elements	291
Table C.49 – Description of common identification attributes	293
Table C.50 – Description of common identification element	294
Table C.51 – Description of scan identification attributes	294
Table C.52 – Description of scan identification elements	294
Table C.53 – Description of device type identification element	296
Table C.54 – Description of item list attributes	298
Table C.55 – Description of item list elements	299
Table C.56 – Description of BTM data type attributes	303
Table C.57 – Description of BTM data type elements	304
Table C.58 – Description of BTM information elements	305
Table C.59 – Description of BTM parameter elements	306
Table C.60 – Description of BTM init element	308
Table C.61 – Description of BTM info list element	309
Table F.1 – Description of basic channel attribute	316
Table F.2 – Description of basic channel elements	316
Table F.3 – Description of xxx channel parameter attribute	317
Table F.4 – Description of xxx channel parameter elements	317
Table G.1 – Interoperability between components of different versions	319

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –**Part 41: Object model integration profile –
Common object model****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62453-41, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation:

This second edition cancels and replaces the first edition published in 2009, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) correction of specification for bus master configuration;
- b) correction of specification for propagation of changes;
- c) correction of description of DTM services for online operation.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
65E/437/DTR	65E/485/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62453 series, under the general title *Field Device Tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This Part of IEC 62453, which is a technical report, is an interface specification for developers of FDT (Field Device Tool) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbusses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called DTM (Device Type Manager), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is, in general, open for all kind of fieldbusses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how IEC TR 62453-41 is incorporated in the structure of the IEC 62453 series.




Figure 1 – Part 41 of the IEC 62453 series

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 41: Object model integration profile – Common object model

1 Scope

This part of IEC 62453, which is a technical report, defines how the common FDT principles are implemented based on the Microsoft¹ COM technology, including the object behavior and object interaction via COM interfaces.

This part specifies the technology-specific implementation of the protocol-specific functionality and communication services.

This part of IEC 62453 is informative, however when this part is applied its requirements need to be implemented as specified.

This part specifies FDT version 1.2.1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61784 (all parts), *Industrial communication networks – Profiles*

IEC 62453-1:—2, *Field Device Tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2:—2, *Field Device Tool (FDT) interface specification – Part 2: Concepts and detailed description*

3 Terms, definitions, abbreviations and conventions

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62453-1, IEC 62453-2 as well as the following apply.

3.1.1

ActiveX³

GUI component technology based on the Microsoft Component Object Model (COM/DCOM)

Note 1 to entry: Former standard was OLE controls (OCX).

¹ See Annex I.

² To be published concurrently with this technical report.

³ See Annex I.