

INTERNATIONAL
STANDARD

ISO
7146-1

Second edition
2019-05

**Plain bearings — Appearance and
characterization of damage to metallic
hydrodynamic bearings —**

**Part 1:
General**

*Paliers lisses — Aspect et caractérisation de l'endommagement des
paliers métalliques à couche lubrifiante fluide —*

Partie 1: Généralités



Reference number
ISO 7146-1:2019(E)

© ISO 2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Descriptions, causes and features of damage	2
4.1 Damage	2
4.1.1 General	2
4.1.2 Indicators of damage	2
4.2 Damage causes	2
4.3 Damage appearances	2
4.4 Damage characterization	3
4.4.1 General	3
4.4.2 Static overload	3
4.4.3 Dynamic overload	3
4.4.4 Wear by friction	3
4.4.5 Overheating	3
4.4.6 Insufficient lubrication (starvation)	3
4.4.7 Contamination	3
4.4.8 Cavitation erosion	3
4.4.9 Electroerosion	3
4.4.10 Hydrogen diffusion	4
4.4.11 Bond failure	4
4.5 Relationship between damage appearance and damage characterizations	4
5 Guidelines for damage analysis	5
5.1 General	7
5.2 Step 1	7
5.3 Step 2	7
5.4 Step 3	7
5.5 Step 4	7
5.6 Step 5	7
6 Damage to the bearing surface — Damage characteristics, typical damage appearances and possible damage causes	7
6.1 General	7
6.2 Static overload	8
6.2.1 Typical damage appearances	8
6.2.2 Possible damage causes	8
6.2.3 Typical examples	8
6.3 Dynamic overload	9
6.3.1 Typical damage appearances	9
6.3.2 Possible damage causes	9
6.3.3 Typical examples	9
6.4 Wear by friction	15
6.4.1 Typical damage appearances	15
6.4.2 Possible damage causes	16
6.4.3 Typical examples	16
6.5 Overheating	18
6.5.1 Typical damage appearances	18
6.5.2 Possible damage causes	19
6.5.3 Typical examples	19
6.6 Insufficient lubrication (starvation)	21
6.6.1 Typical damage appearances	21

6.6.2	Possible damage causes.....	21
6.6.3	Typical examples	21
6.7	Contamination.....	25
6.7.1	Contamination with particles.....	25
6.7.2	Contamination with chemicals.....	32
6.8	Cavitation erosion	37
6.8.1	General.....	37
6.8.2	Typical damage appearances.....	37
6.8.3	Possible damage causes.....	37
6.8.4	Typical examples	37
6.9	Electro-erosion	39
6.9.1	Typical damage appearance.....	39
6.9.2	Possible damage causes.....	39
6.9.3	Typical examples	39
6.10	Hydrogen diffusion.....	40
6.10.1	Typical damage appearances.....	40
6.10.2	Possible damage cause	41
6.10.3	Typical examples	41
6.11	Bond failure	42
6.11.1	Typical damage appearances.....	42
6.11.2	Possible damage causes.....	42
6.11.3	Typical example	42
7	Damage to the bearing back	43
7.1	General	43
7.2	Dynamic overload on the bearing back	43
7.2.1	Typical damage appearance.....	43
7.2.2	Possible damage causes.....	43
7.2.3	Typical examples	43
7.3	Wear by friction on the bearing back	45
7.3.1	Typical damage appearances.....	45
7.3.2	Possible damage causes.....	45
7.3.3	Typical examples	45
7.4	Contamination with particles on the bearing back	46
7.4.1	Typical damage appearances.....	46
7.4.2	Possible damage cause	46
7.4.3	Typical examples	47
8	Special position of damage appearances	48
Annex A (informative) Example of use of Table 1		51
Bibliography		53

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 123 *Plain bearings*, Subcommittee SC 2, *Materials and lubricants, their properties, characteristics, test methods and testing conditions*.

This second edition cancels and replaces the first edition (ISO 7146-1:2008), of which it constitutes a minor revision. The changes compared to the previous edition are as follows:

- Adjustment to the ISO Directives, including the replacement of "may" with "can" throughout.

A list of all parts in the ISO 7146 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In practice, damage to a bearing can often be the result of several mechanisms operating simultaneously. The complex combination of design, manufacture, assembly, operation, maintenance and possible reconditioning often causes difficulty in establishing the primary cause of damage.

In the event of extensive damage or destruction of the bearing, the evidence is likely to be lost, in which case it is impossible to identify how the damage came about.

In all cases, knowledge of the actual operating conditions of the assembly and the maintenance history is of the utmost importance.

The classification of bearing damage established in this document is based primarily upon the features visible on the running surfaces and elsewhere, and consideration of each aspect is needed for reliable determination of the cause of bearing damage.

Since more than one process can cause similar effects on the running surface, a description of appearance alone is occasionally inadequate in determining the cause of damage. Thus [Clause 4](#) is subdivided into several subclauses including damage appearance and damage characteristics.

For the procedure of damage analysis, [Clause 5](#) can be a helpful guide.

In [Clauses 6](#) and [7](#) examples of all damage characteristics with typically associated damage appearance are given.

Plain bearings — Appearance and characterization of damage to metallic hydrodynamic bearings —

Part 1: General

1 Scope

This document defines, describes and classifies the characteristics of damage occurring in service to hydrodynamically lubricated metallic plain bearings and journals. It assists in the understanding of the various characteristic forms of damage which can occur.

Consideration is restricted to damage characteristics which have a well-defined appearance and which can be attributed to particular damage causes with a high degree of certainty. Various appearances are illustrated with photographs and diagrams.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4378-1, *Plain bearings — Terms, definitions, classification and symbols — Part 1: Design, bearing materials and their properties*

ISO 4378-2, *Plain bearings — Terms, definitions, classification and symbols — Part 2: Friction and wear*

ISO 4378-3, *Plain bearings — Terms, definitions, classification and symbols — Part 3: Lubrication*

ISO 4378-4, *Plain bearings — Terms, definitions, classification and symbols — Part 4: Basic symbols*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4378-1, ISO 4378-2, ISO 4378-3, ISO 4378-4 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

damage to plain bearings bearing damage

change in appearance occurring on the bearing surface and/or on the bearing back during operation that adversely affect the performance of the bearing